

Well Name: PEGASUS 3 FED COM	Well Location: T24S / R32E / SEC 3 / SWSE / 32.2409594 / -103.6604872	County or Parish/State: LEA / NM
Well Number: 505H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM094850, NMNM94850	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547246	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	04/07/2021	Time Sundry Submitted:	9:32:45 AM
Date Operation Will Begin:	03/26/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	03/12/2020		
US Well Number	3002547246		
Field Contact Name:	J DUNN	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP389
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	3-27-2021 20" Conductor @ 115'		
Disposition:	Accepted		
Accepted Date:	05/12/2021		

Well Name: PEGASUS 3 FED COM	Well Location: T24S / R32E / SEC 3 / SWSE /	County or Parish/State:
Well Number: 505H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM094850	Unit or CA Name:	Unit or CA Number:
US Well Number:	Well Status: Approved Application for Permit to Drill	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 8, 2021	Time Sundry Submitted:	1:08:21 PM
Date Operation will begin:	Apr 6, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D BACCUS	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP389

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3644	1275	1275	2369

Procedure Description: 4-7-2021 17 1/2 HOLE
4-7-2021 Surface Hole @ 1,260' MD, 1,259' TVD
Casing shoe @ 1,240' MDm 1239' TVD
Ran 13-3/8" 54.5# J-55 STC
Cement w/ 835 sx Class C(1.60 yld, 13.8 ppg), trail w/235 sx Class C (1.33 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min, Circ (122 bbls) 439 sx cement to surface Resume drilling 12 1/4" hole

Well Name: PEGASUS 3 FED COM	Well Location: T24S / R32E / SEC 3 / SWSE / 32.2409594 / -103.6604872	County or Parish/State: LEA / NM
Well Number: 505H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM094850	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547246	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 28, 2021	Time Sundry Submitted:	7:51:02 AM
Date Operation will begin:	Apr 19, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	J DUNN	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP389

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3667	10984	10984	-7340
INTERMEDIATE	0	0		4000	4000	-356
INTERMEDIATE	4000	4000	-431	4775	4775	-1131

Procedure Description:	4-20-2021 12 1/4" HOLE 4-202-2021 1st Intermediate Hole @ 4,835' MD, 4,829' TVD Casing shoe @ 4,819' MD, 4,813' TVD Ran 9-5/8", 40#, HCL-80 LTC Cement w/ 1060 sx Class C (2.11 yld, 12.7 ppg), followed by 300 sx Class C (1.42 yld, 14.8 ppg) Test casing to 2,100 psi for 30 min - good. Circ 482 sx cement to surface Resume drilling
Disposition:	Accepted
Accepted Date:	05/10/2021

Well Name: PEGASUS 3 FED COM	Well Location: T24S / R32E / SEC 3 / SWSE / 32.2409594 / -103.6604872	County or Parish/State: LEA / NM
Well Number: 505H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM094850	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547246	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	May 10, 2021	Time Sundry Submitted:	9:16:39 AM
Date Operation will begin:	May 1, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	J DUNN	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP389

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	10984	10984	-7340	20908	10685	-7041

Procedure Description:	5-2-2021 8-1/2" hole 5-2-2021 Production Hole @ 20,717' MD, 10,508' TVD Casing Shoe @ 20,702' MD, 10,508' TVD Ran 5-1/2", 20#, ICYP-110, TXP (MJ @ 458', 9,849', and 20,210') Cement w/ 255 sx Class H (3.51 yld, 10.5 ppg), followed by 345 sx Class H (2.40 yld, 11.5 ppg), followed by 2510 sx Class H (1.19 yld, 14.5 ppg) No casing test . Did not circ cement to surface, TOC @ 10,150' by Calc RR 5-3-2021
Disposition:	Accepted
Accepted Date:	05/10/2021

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31194

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 31194
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/11/2021