

Well Name: FEARLESS 26 FED COM	Well Location: T25S / R32E / SEC 26 / NENE / 32.1057316 / -103.6403966	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110836	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548561	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	04/13/2021	Time Sundry Submitted:	7:24:42 AM
Date Operation Will Begin:	03/19/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	03/17/2021		
US Well Number	3002548561		
Field Contact Name:	S EVANS	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP642
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	3-20-2021 20" Conductor @ 118'		
Disposition:	Accepted		
Accepted Date:	05/12/2021		

Well Name: FEARLESS 26 FED COM

Well Location: T25S / R32E / SEC 26 / NENE / 32.1057316 / -103.6403966

County or Parish/State: LEA / NM

Well Number: 701H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM110836

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002548561

Well Status: Drilling Well

Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:

Notification

Type of Action:

Casing and Cementing

Date Sundry Submitted:

Apr 13, 2021

Time Sundry Submitted:

12:23:55 PM

Date Operation will begin:

Apr 8, 2021

Time Operation will begin:

11:00:00 AM

Field Contact Name:

S EVANS

Field Contact Number:

4326363600

Rig Name:

Rig Number:

HP642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3397	900	900	2497

Procedure Description:

4-9-2021 12 1/4" HOLE
4-9-2021 Surface Hole @ 857' MD, 852' TVD
Casing shoe @ 842' MD, 837' TVD
Ran 9-5/8" 40# J-55 LTC
Cement w/ 280 sx Class C (1.79 yld, 13.5 ppg), followed by 105 sx Class C (1.35 yld, 14.8 ppg)
Test casing to 1,500 psi for 30 min - Good. Circ 103 sx cement to surface Resume drilling 8 3/4" hole

Disposition:

Accepted

Accepted Date:

05/12/2021

Well Name: FEARLESS 26 FED COM	Well Location: T25S / R32E / SEC 26 / NENE / 32.1057316 / -103.6403966	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110836	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548561	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	May 11, 2021	Time Sundry Submitted:	12:12:35 PM
Date Operation will begin:	Apr 28, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	S EVANS	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP258

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	11100	11100	-7703

Procedure Description: 4-29-2021 8 3/4" HOLE
4-29-2021 Intermediate Hole @ 11,636' MD, 11,501' TVD
Casing shoe @ 11,621' MD
Ran 7-5/8", 29.7#, ICYP-110 MO-FXL
Stage 1: Cement w/ 395 sx Class H (1.20 yld, 15.6 ppg)
Test casing to 2,600 psi for 30 min - OK. Did not circ cement to surface, TOC @ 7,000' by Calc
Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg)
Stage 3: Top out w/ 289 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 5 bbls FW, TOC @ 0' by Visual. Resume drilling

Disposition:	Accepted
Accepted Date:	05/11/2021

Well Name: FEARLESS 26 FED COM	Well Location: T25S / R32E / SEC 26 / NENE / 32.1057316 / -103.6403966	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110836	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254856100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	May 13, 2021	Time Sundry Submitted:	9:18:28 AM
Date Operation will begin:	May 9, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	s evans	Field Contact Number:	4326363600
Rig Name:		Rig Number:	hp642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11100	11100	-7703	22523	12187	-8790
PRODUCTION	10600	10600	-7203	11100	11100	-7703
PRODUCTION	0	0	3531	10600	10600	-7203

Procedure Description:	5-10-2021 6 3/4" hole 5-10-2021 Production Hole @ 22,378' MD, 12,323' TVD Casing shoe @ 22,362' MD, 12,323' TVD Ran 5-1/2", 20#, ICYP-110 TXP (0' - 11,029') (MJ @ 11,654' and 21,880') Ran 5-1/2", 20#, ICYP-110 TLW (11,029' - 11,631') Ran 5-1/2", 20#, ICYP-110 TXP (11,631' - 22,362') Cement w/ 970 sx Class H (1.23 yld, 14.5 ppg) Did not test casing . Did not circ cement to surface, TOC @ 10,605' by Calc. RR 5-11-2021
Disposition:	Accepted
Accepted Date:	05/18/2021

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31223

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 31223
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/14/2021