|  |  |  |   | tico   |  |   | Form (                           |        |
|--|--|--|---|--|--|---|----------------------------------|--------|
| Office<br><u>District 1</u> – (575) 393-616  |  | Energy, Miner  | rals and Natur  | al Resources   | TWELL AND  |   | ised July 1                      | 8, 201 |
| 1625 N. French Dr., Hobb<br>District II - (575) 748-128  |  |  |   |  | WELL AP  |   |                                  |        |
| 811 S. First St., Artesia, N   | IM 88210   | OIL CONSE  | ERVATION  | DIVISION   | 30-025-0   | Type of Lease   |                                  |        |
| District III - (505) 334-61  |  | 1220 Sc  | outh St. Franc  | cis Dr.  | STA  |   | EE 🗆                             |        |
| 1000 Rio Brazos Rd., Azt<br>District IV - (505) 476-34   |  | Santa  | a Fe, NM 87:  | 505  |  | 1 & Gas Lease N   |                                  |        |
| 1220 S. St. Francis Dr., Sa  |  |  |   |  | B879C  |   |                                  |        |
| 87505  | JNDRY NOTICE   | S AND REPORTS  | SONWELLS  |  |  | ame or Unit Agi   | eament X                         | lama   |
| (DO NOT USE THIS FOR DIFFERENT RESERVO)  | RM FOR PROPOSAL  | S TO DRILL OR TO I   | DEEPEN OR PLU   |  | State Q  | 1   | coment is                        | vanic  |
| PROPOSALS.)  1. Type of Well: Oi   | l Well ⊠ Ga  | s Well 🔲 Other   |   |  | 8. Well Nu   | ımber #001  |                                  |        |
| Name of Operator     Apache Corporati  | r  |  |   |  | 9. OGRID<br>873  |   |                                  |        |
| 3. Address of Opera  | tor  |  | 2003  |  | 10. Pool na  | ame or Wildcat  |                                  |        |
| 303 Veterans Airp  | oark Lane, Ste. 300  | 00. Midland, TX 79   | 705   |  | Blinebry   | -tubb   |                                  |        |
| 4. Well Location   |  |  |   |  |  |   |                                  |        |
| Unit Letter_   | ::   | 660 feet from  | the <u>S</u>  | line and   | 1980 f   | eet from the  | W                                | line   |
| Section  | 36   | Township   | 0218 Ran  | ge 37E   | NMPM   | County  | Lea                              |        |
| PART THE PART OF T | 图层 图图图图图 1   | 1. Elevation (Show   | v whether DR, i   | RKB, RT, GR, etc   | :)   | E ROSE SET  | A STATE OF                       | 版题     |
| Mark Street Street   | <b>尼提出的TELEST</b>  |  | 3376' DF  |  |  | E SHOULD BE   |                                  | IN     |
| FEMPORARILY ABA<br>PULL OR ALTER CA<br>DOWNHOLE COMM   | ASING  MINGLE  MINGLE  | HANGE PLANS<br>ULTIPLE COMPL   |   | COMMENCE DE<br>CASING/CEMEN  |  | B. PANDA  |                                  | PN     |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C   | posed or complete y proposed work). npletion or recomp  IBP at 5500'. Spot 40 t 4026'. OCD Kerry F   | SEE RULE 19.1 pletion.  Discussion of the second se | arly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512   | For Multiple Co  | ompletions: A  | ttach wellbore d  |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp   | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | Detion.  O sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 75 Fortner is ok spot 25   | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A  | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al  | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | SEE RULE 19.1 pletion.  Discussion of the second of the se | arly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>to surface. Cut of   | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A<br>f wellhead and remo                               | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al  | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | SEE RULE 19.1 pletion.  Discussion of the second of the se | sarly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro  | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A<br>f wellhead and remo                               | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al  | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | SEE RULE 19.1 pletion.  Discussion of the second of the se | arly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>to surface. Cut of   | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A<br>f wellhead and remo                               | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed con proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf al  | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla              | SEE RULE 19.1 pletion.  Discussion of the second of the se | arly state all pe<br>5.7.14 NMAC.<br>n 5500 to 5512<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>sx class C crnt fro<br>to surface. Cut of   | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. A<br>om 3104' to 2390'. A<br>om 1520' to 1270'. A<br>f wellhead and remo                               | ompletions: A  NOC. Tag TOC NOC. Tag TOC NOC. Tag TOC                                    | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed comproposed comproposed com  1. 05/13/21 Tag C 2. 05/14/21 Perf al Perf al Perf al Perf al Perf al P&A c   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla<br>complete. | SEE RULE 19.1 pletion.  Discussion of the second from the seco | in 5500 to 5112.  sx class C crut from the sx class C crut of | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. V<br>om 3104' to 2390'. V<br>om 1520' to 1270'. V<br>f wellhead and remo                               | WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC woc. Tag TOC ove. Install dry h                   | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed comproposed comproposed com  1. 05/13/21 Tag C 2. 05/14/21 Perfal Perfal Perfal Perfal Perfal Perfal   | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla<br>complete. | SEE RULE 19.1 pletion.  Discussion of the second from the seco | in 5500 to 5112.  sx class C crut from the sx class C crut of | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. V<br>om 3104' to 2390'. V<br>om 1520' to 1270'. V<br>f wellhead and remo                               | WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC woc. Tag TOC ove. Install dry h                   | ttach wellbore d<br>at 3665'.<br>at 2380'.<br>at 1270'. |                                  |        |
| OTHER:  13. Describe proposed comproposed  | posed or complete<br>y proposed work).<br>npletion or recomp<br>IBP at 5500'. Spot 40<br>t 4026'. OCD Kerry F<br>t 3054'. OCD Kerry F<br>t 1470'. OCD Kerry F<br>t 383', sqz 130 sx cla<br>complete. | D sx class C cmt from Fortner is ok spot 45 Fortner is ok spot 25 sass C cmt from 383' t   | in 5500 to 5112.  sx class C crut from the sx class C crut of | ertinent details, ar<br>For Multiple Co<br>om 4076' to 3671'. V<br>om 3104' to 2390'. V<br>om 1520' to 1270'. V<br>f wellhead and remo                               | WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC woc. Tag TOC ove. Install dry h                   | at 3665'.<br>at 2380'.<br>at 1270',<br>ole marker.      |                                  |        |
| of starting an<br>proposed con<br>1. 05/13/21 Tag C<br>2. 05/14/21 Perf al<br>Perf al<br>Perf al   | posed or completer y proposed work). npletion or recomp IBP at 5500'. Spot 40 t 4026'. OCD Kerry F t 3054'. OCD Kerry F t 1470'. OCD Kerry F t 383', sqz 130 sx cla complete.                        | SEE RULE 19.1 pletion.  D sx class C cmt from fortner is ok spot 45 fortner is ok spot 25 per center is ok spot 25 per ce | ig Release Date  The plete to the bes   | ertinent details, ar For Multiple Co om 4076' to 3671'. \ om 3104' to 2390'. \ om 1520' to 1270'. \ f wellhead and remo e:  t of my knowledg  Agent  sunsetwellservi | ompletions: All WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC ove. Install dry hoge and belief. | at 3665'. at 2380'. at 1270'. ole marker.  DATE 05      | agram of<br>5/18/21<br>2-561-860 | 000    |
| OTHER:  13. Describe proposed constarting an proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf at Perf  | posed or completer y proposed work). npletion or recomp IBP at 5500'. Spot 40 t 4026'. OCD Kerry F t 3054'. OCD Kerry F t 1470'. OCD Kerry F t 383', sqz 130 sx cla complete.                        | SEE RULE 19.1 pletion.  D sx class C cmt from fortner is ok spot 45 fortner is ok spot 25 per center is ok spot 25 per ce | ig Release Date  The plete to the bes   | ertinent details, ar For Multiple Co om 4076' to 3671'. \ om 3104' to 2390'. \ om 1520' to 1270'. \ f wellhead and remo e:  t of my knowledg  Agent  sunsetwellservi | ompletions: All WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC ove. Install dry hoge and belief. | at 3665'. at 2380'. at 1270'. ole marker.  DATE 05      | agram of<br>5/18/21<br>2-561-860 | 000    |
| OTHER:  13. Describe proposed constarting an proposed con  1. 05/13/21 Tag C 2. 05/14/21 Perf at Perf  | posed or completer y proposed work). npletion or recomp IBP at 5500'. Spot 40 t 4026'. OCD Kerry F t 3054'. OCD Kerry F t 1470'. OCD Kerry F t 383', sqz 130 sx cla complete.                        | D sx class C cmt from 5 ortner is ok spot 45 fortner is ok spot 25 sass C cmt from 383' t  | ig Release Date  The plete to the bes   | ertinent details, ar For Multiple Co om 4076' to 3671'. \ om 3104' to 2390'. \ om 1520' to 1270'. \ f wellhead and remo e:  t of my knowledg  Agent  sunsetwellservi | ompletions: All WOC. Tag TOC WOC. Tag TOC WOC. Tag TOC ove. Install dry hoge and belief. | at 3665'. at 2380'. at 1270'. ole marker.  DATE 05      | agram of<br>5/18/21<br>2-561-860 | 000    |



| LEASE NAME | State "Q"    |
|------------|--------------|
| WELL#      | #001         |
| API#       | 30.025.07046 |
| COUNTY     | LEA, NM      |

## **FINAL P&A WB DIAGRAM**

0

17 1/4" Hole 13 3/8" 48# @ 333' w/ 350 sx to surf

653

1306

1959

2612

11" Hole 8 5/8" 36# @ 3004' w/ 1400 sx to surf

3265

3918

TOC @ 4020' Cal

4571


5224

5877

6530

CIBP @ 6400' w/ 1 sx cmt

7 7/8" Hole 5 1/2" 17# @ 6530' w/ 500 sx Cal TOC @ 4020'



TD@ 6530'

5. PUH & perf @ 383' & sqz'd 130 sx Class "C" cmt from 383' to surf, CIRC 5 1/2" to surf. RDMO, cut off WH, install dry hole marker, clean location, P&A complete 05-17-2021.

4. PUH & perf @ 1470', pressured up, Kerry Fortner w/ OCD ok'd to spot 25 sx Class "C" cmt from 1520'-1270', tagged TOC @ 1270'.

3. PUH & perf @ 3054', pressured up, Kerry Fortner w/ OCD ok'd to spot 75 sx Class "C" cmt from 3104'-2390', tagged TOC @ 2380'.

2.. PUH & perf @ 4026', pressured up, Kerry Fortner w/ OCD ok'd to spot 45 sx Class "C" cmt from 4076'-3671', tagged TOC @ 3665'.

 MIRU P&A rig. RIH w/ tbg & tagged CIBP @ 5500', CIRC w/ MLF, Spotted 40 sx Class "C" cmt from 5500'-5112'.

Blinebry perfs @ 5520'-5879'

Tubb perfs @ 6015'-6296'

Drinkard perfs @ 6470'-6528'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 29606

## **CONDITIONS**

| Operator:               | OGRID:                         |
|-------------------------|--------------------------------|
| APACHE CORPORATION      | 873                            |
| 303 Veterans Airpark Ln | Action Number:                 |
| Midland, TX 79705       | 29606                          |
|                         | Action Type:                   |
|                         | [C-103] Sub. Plugging (C-103P) |

## CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| kfortner   | None      | 6/15/2021      |