Received by OCD: 6/23/20212:44:19 F	State of New Mexico Energy, Minerals and Natural Resources	Form C-103 ¹ of 3				
<u>District I</u> – (575) 393-6161	Revised July 18, 2013 WELL API NO.					
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSERVATION DIVISION	30-015-28412				
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	5. Indicate Type of Lease					
1000 Rio Brazos Rd., Aztec, NM 87410	STATE FEE S					
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No.					
SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR. USE "APPLICA"	7. Lease Name or Unit Agreement Name Thomas AJJ					
PROPOSALS.) 1. Type of Well: Oil Well	8. Well Number 6					
2. Name of Operator EOG Resources, Inc.	9. OGRID Number 7377					
3. Address of Operator	10. Pool name or Wildcat					
104 South Fourth Street, Artesia, NN	Dagger Draw; Upper Penn, North					
4. Well Location Unit Letter I : 19	980 feet from the South line and	660 feet from the East line				
Section 8	Township 19S Range 25E	NMPM Eddy County				
	11. Elevation (Show whether DR, RKB, RT, GR, et	<i>c.</i>)				
12 Charle A	3535'GR	Papart or Other Date				
•	opropriate Box to Indicate Nature of Notice	•				
NOTICE OF INT PERFORM REMEDIAL WORK □	ENTION TO: SU PLUG AND ABANDON □ REMEDIAL WO	BSEQUENT REPORT OF: RK □ ALTERING CASING □				
 -	 -	RILLING OPNS. □ P AND A □				
	MULTIPLE COMPL CASING/CEME					
DOWNHOLE COMMINGLE						
CLOSED-LOOP SYSTEM OTHER:	□ OTHER:	П				
	operations. (Clearly state all pertinent details, and give p	pertinent dates, including estimated date of starting any				
	.15.7.14 NMAC. For Multiple Completions: Attach wel	lbore diagram of proposed completion or				
recompletion.						
CANOL MIDIL INTEROP BUT	1.5 1/1000/ 1 71002 1000/ 5	(7175) DHI 1 1 1 1 1 (6)				
	th free-point tool (100% stuck at 7190', 100% free CD-Artesia and he gave permission to set plug at 7	,				
	e gel mud. Spotted a 30 sx Class "C" cement plug fi					
6/8/21 – Spotted a 35 sx Class "C" cer	ment plug from 6152'-5937', tagged. Spotted a 30 s	x Class "C" cement plug from 5520'-5341' calc				
	nt plug from 4690'-4541' calc TOC. Spotted a 25 s					
1250'-1045', tagged.	to establish rate through perf. Tested to 500 psi, goo	od. Spotted a 55 sx Class C cement plug from				
	nent plug from 660'-511' calc TOC. Perforated 150	'. Attempted to establish rate through perf.				
	sx Class "C" cement from 200' and circulated to su					
6/17/21 - Cut off wellhead. Installed of	lry hole marker. Cover cellar and cut off anchors. <u>V</u>	VELL IS PLUGGED AND ABANDONED.				
		Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of				
		C-103Q (Subsequent Report of Well Plugging) which				
Spud Date:	I KIG KEJESSE I JSTE' I	nay be found at OCD Web Page, OCD Permitting @				
1		vww.emnrd.state.nm.us				
	is true and complete to the best of my knowledge and be	llief.				
signature Tina Huerta	TITLE Regulatory Specialist Da	ATE June 23, 2021				
Type or print name Tina Huerta For State Use Only	E-mail address: tina huerta@eogresources.com	PHONE: <u>575-748-4168</u>				
APPROVED BY:		ATE6/30/2021				
Conditions of Approval (if any):						

	Tho	omas /	AJJ 6	Se	c-TWN-RNG: FOOTAGES:	Sec. 8-19	S-25E & 660'FEL			30-015 3535	-28412		
Plug 8		W.							KB:				
					G DETAIL	1	1		1		1	1	
				#	HOLE SIZE	SIZE	WGHT	GRADE	Тор	Bottom	Sx Cmt	Circ/TOC	TOC Method
				Α	14 3/4	9 5/8	36	J-55	0	1,150	1300	Circ	
				В	8 3/4	7	23 & 26	N-80	0	8,235	1150	Circ	
Plug 7													
				FORMA	ATION TOPS								
						Formation	Тор			Formatio	n	Тор	
						San Andres	610						
						Glorieta	2032						
Plug 6	Α					Abo	4640						
						Wolfcamp	5470						
						Cisco	7080						
						Canyon	7625						
										<u> </u>			
			_	DV Too	ol @ 6,102'								
plug 5			_	OIDD	<u> </u>	V 044- 7/							
				CIBP	@ 7700' w/25 S	X Cmt to 78	5//						
				Perfora	tion Detail								
					Formation	Тор	Bottom		Treatme	ent			
Plug 4			_	Α	Canyon	7,759	7,824		Acideiz	e w/ 2500	gals 20% N	NEFE acid and ball s	sealers
				Plugs									
Plug 3				#	SX	Class	Тор	Bottom	Tag				
				1	30	С	6,951	7,130	N			<u> </u>	
			I	2	35	С	5,937	6,152					
Plug 2				3		С	5,341	5,520					
B14				4		С	4,541	4,690		1			1
Plug 1				5		С	1,933	2,082		-			+
				7		С	1,045	1,250		 			+
				8	1	C C	511 0	660 200		 			+
					33		1	200	IN				1
	Perf A												
								•			•		
	В	3											
		DDT-											
			8,235 MD 8,235 MD					6/23/	21				
		ıυ. (الاا كاك										

Released to Imaging: 6/30/2021 4:08:40 PM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 33396

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	33396
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date				
gcordero	None	6/30/2021				