

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P. O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-46633	⁵ Pool Name Bell Lake; Bone Spring, South	⁶ Pool Code 98264
⁷ Property Code 316706	⁸ Property Name Bell Lake Unit South	⁹ Well Number 233H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
K	5	24S	34E	K	1862	South	1945	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	23S	34E	C	103	North	1933	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/1/2020	¹⁵ C-129 Permit Number -	¹⁶ C-129 Effective Date -	¹⁷ C-129 Expiration Date -				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O

IV. Well Completion Data

10691 TVD


10691 TVD

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
3/9/2020	8/31/2020	18830 MD	18740 MD	11120 - 18707	-
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2	13 3/8	1350	1125		
12 1/4	9 5/8	5235	1265		
8 3/4	5 1/2	18813	3345		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
8/31/2020	9/1/2020	9/10/2020	24 hrs	-	2550
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
22	816	1909	1648		Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: Charlotte Van Valkenburg

Title: Mgr., Regulatory Compliance

E-mail Address: Charlotv@kfoc.net

Date: 11/24/2020 Phone: 918-491-4314

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 07/06/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT
As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46633	² Pool Code 98264	³ Pool Name Bell Lake; Bone Spring, South
⁴ Property Code 316706	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 233H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3596.6

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	5	24 S	34 E	K	1862	SOUTH	1945	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	23 S	34 E	C	103	NORTH	1933	WEST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill I	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 32 LAT. = 32.2683519N LONG. = 103.5005984W NMSP EAST (FT) N = 462358.11 E = 798724.66 W/4 CORNER SEC. 32 LAT. = 32.2610941N LONG. = 103.5005861W NMSP EAST (FT) N = 459717.74 E = 798748.94 AS-DRILLED KOP 2016' FSL, 1866' FWL LAT. = 32.2448522N LONG. = 103.4945058W NMSP EAST (FT) N = 453823.59 E = 800674.65 NW CORNER SEC. 5 LAT. = 32.2538360N LONG. = 103.5005766W NMSP EAST (FT) N = 457077.27 E = 798772.36 W/4 CORNER SEC. 5 LAT. = 32.2466023N LONG. = 103.5005464W NMSP EAST (FT) N = 454445.73 E = 798802.12 SW CORNER SEC. 5 LAT. = 32.2393444N LONG. = 103.5005242W NMSP EAST (FT) N = 451805.34 E = 798829.47		N89°36'56"E 2645.19 FT N89°34'11"E 2634.35 FT N/4 CORNER SEC. 32 LAT. = 32.2683440N LONG. = 103.4920425W NMSP EAST (FT) N = 462375.86 E = 801369.28 AS-DRILLED BOTTOM OF HOLE LAT. = 32.2680624N LONG. = 103.4943449W NMSP EAST (FT) N = 462267.82 E = 800658.40 N89°33'36"E 2640.66 FT N88°52'07"E 2622.56 FT N/4 CORNER SEC. 5 LAT. = 32.2538352N LONG. = 103.4920367W NMSP EAST (FT) N = 457097.54 E = 801412.43 BELL LAKE UNIT SOUTH 233H ELEV. = 3596.6 LAT. = 32.2444281N (NAD83) LONG. = 103.4942501W NMSP EAST (FT) N = 453669.91 E = 800754.91 SE CORNER SEC. 5 LAT. = 32.2539207N LONG. = 103.4835560W NMSP EAST (FT) N = 457149.32 E = 804033.96 E/4 CORNER SEC. 5 LAT. = 32.2465905N LONG. = 103.4834825W NMSP EAST (FT) N = 45482.78 E = 804077.79 SE CORNER SEC. 5 LAT. = 32.2393344N LONG. = 103.4834649W NMSP EAST (FT) N = 451843.03 E = 804104.13		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature <i>Charlotte Van Valkenburg</i> Date 11/24/2020 Printed Name Charlotte Van Valkenburg E-mail Address Charlotv@kfoc.net
AS-DRILLED FIRST TAKE POINT 2529' FNL, 1904' FWL LAT. = 32.2468859N LONG. = 103.4943890W NMSP EAST (FT) N = 454563.70 E = 800705.00 S/4 CORNER SEC. 5 LAT. = 32.2392987N LONG. = 103.4919593W NMSP EAST (FT) N = 451809.38 E = 801477.80		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JANUARY 21, 2020 Date of Survey Signature and Seal of Professional Surveyor Certificate Number FILIMON F JARAMILLO, PLS 12797 SURVEY NO. 6762B		



Kaiser-Francis Oil Company

Lea County, NM (NAD 83)

Sec 5-T24S-R34E

Bell Lake Unit South 233H

Wellbore #1

Survey: Survey #1

Standard Survey Report

26 March, 2020

KAISER-FRANCIS OIL COMPANY



Microsoft Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 5-T24S-R34E			
Site Position:		Northing:	453,577.65 usft	Latitude:	32.244965
From:	Map	Easting:	760,872.47 usft	Longitude:	-103.623242
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.38 °

Well	Bell Lake Unit South 233H					
Well Position	+N/-S	0.00 usft	Northing:	453,669.91 usft	Latitude:	32.244428
	+E/-W	0.00 usft	Easting:	800,754.91 usft	Longitude:	-103.494250
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,596.60 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	03/26/20	6.62	60.06	47,671.57935590

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	359.36	

Survey Program	Date	03/26/20			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
163.00	18,830.00	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
163.00	1.20	91.00	162.99	-0.03	1.71	-0.05	0.74	0.74	0.00	
1st MWD Survey										
203.00	0.20	235.00	202.99	-0.08	2.07	-0.10	3.42	-2.50	360.00	
305.00	0.50	54.00	304.98	0.08	2.28	0.06	0.69	0.29	175.49	
386.00	0.80	86.00	385.98	0.33	3.13	0.29	0.57	0.37	39.51	
661.00	0.60	111.00	660.96	-0.05	6.39	-0.12	0.13	-0.07	9.09	
792.00	0.40	51.00	791.96	-0.01	7.39	-0.09	0.40	-0.15	-45.80	
883.00	0.20	74.20	882.95	0.23	7.79	0.15	0.25	-0.22	25.49	
1,065.00	0.10	63.00	1,064.95	0.39	8.23	0.30	0.06	-0.05	-6.15	
1,157.00	0.50	33.00	1,156.95	0.76	8.52	0.67	0.45	0.43	-32.61	


Microsoft
 Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
1,248.00	0.50	41.00	1,247.95	1.40	9.00	1.30	0.08	0.00	8.79
1,340.00	0.50	11.00	1,339.95	2.09	9.34	1.99	0.28	0.00	-32.61
1,427.00	0.62	344.21	1,426.94	2.92	9.29	2.82	0.33	0.14	-30.79
1,518.00	0.70	308.61	1,517.94	3.74	8.72	3.64	0.45	0.09	-39.12
1,613.00	0.66	349.83	1,612.93	4.64	8.17	4.55	0.51	-0.04	43.39
1,708.00	0.75	350.18	1,707.92	5.79	7.96	5.70	0.09	0.09	0.37
1,803.00	0.70	355.11	1,802.91	6.98	7.81	6.89	0.08	-0.05	5.19
1,897.00	0.70	337.79	1,896.91	8.09	7.54	8.00	0.22	0.00	-18.43
1,991.00	0.70	345.00	1,990.90	9.17	7.18	9.09	0.09	0.00	7.67
2,086.00	0.70	337.18	2,085.89	10.27	6.80	10.19	0.10	0.00	-8.23
2,180.00	0.66	340.78	2,179.89	11.31	6.40	11.24	0.06	-0.04	3.83
2,274.00	0.97	348.87	2,273.88	12.60	6.07	12.53	0.35	0.33	8.61
2,368.00	1.01	350.89	2,367.86	14.20	5.78	14.13	0.06	0.04	2.15
2,462.00	1.10	345.35	2,461.85	15.89	5.43	15.83	0.14	0.10	-5.89
2,556.00	1.10	346.23	2,555.83	17.64	4.98	17.58	0.02	0.00	0.94
2,651.00	1.10	350.45	2,650.81	19.42	4.61	19.37	0.09	0.00	4.44
2,745.00	1.05	0.38	2,744.80	21.18	4.47	21.12	0.20	-0.05	10.56
2,839.00	1.01	0.47	2,838.78	22.87	4.48	22.81	0.04	-0.04	0.10
2,933.00	1.01	6.27	2,932.77	24.52	4.58	24.46	0.11	0.00	6.17
3,028.00	0.92	359.59	3,027.75	26.11	4.67	26.06	0.15	-0.09	-7.03
3,122.00	1.01	358.53	3,121.74	27.69	4.64	27.64	0.10	0.10	-1.13
3,216.00	1.10	357.39	3,215.72	29.42	4.58	29.37	0.10	0.10	-1.21
3,311.00	1.05	2.75	3,310.71	31.20	4.58	31.15	0.12	-0.05	5.64
3,405.00	1.14	7.94	3,404.69	32.99	4.75	32.94	0.14	0.10	5.52
3,499.00	1.14	6.09	3,498.67	34.85	4.98	34.79	0.04	0.00	-1.97
3,594.00	1.19	9.70	3,593.65	36.76	5.24	36.70	0.09	0.05	3.80
3,688.00	1.23	9.26	3,687.63	38.72	5.57	38.65	0.04	0.04	-0.47
3,782.00	1.27	9.52	3,781.61	40.74	5.90	40.67	0.04	0.04	0.28
3,877.00	1.19	8.64	3,876.59	42.75	6.23	42.68	0.09	-0.08	-0.93
3,971.00	1.14	12.60	3,970.57	44.63	6.58	44.55	0.10	-0.05	4.21
4,065.00	1.19	17.17	4,064.55	46.48	7.07	46.39	0.11	0.05	4.86
4,159.00	2.37	358.62	4,158.50	49.35	7.31	49.27	1.38	1.26	-19.73
4,254.00	3.74	357.48	4,253.36	54.41	7.13	54.33	1.44	1.44	-1.20
4,348.00	4.04	354.84	4,347.15	60.77	6.69	60.69	0.37	0.32	-2.81
4,443.00	3.69	354.84	4,441.93	67.15	6.12	67.08	0.37	-0.37	0.00
4,537.00	4.26	339.37	4,535.71	73.43	4.62	73.37	1.29	0.61	-16.46
4,631.00	4.75	336.56	4,629.42	80.27	1.84	80.24	0.57	0.52	-2.99
4,725.00	4.35	339.81	4,723.12	87.18	-0.94	87.19	0.51	-0.43	3.46
4,820.00	3.96	343.68	4,817.87	93.71	-3.11	93.74	0.51	-0.41	4.07
4,914.00	3.74	346.84	4,911.66	99.81	-4.72	99.86	0.33	-0.23	3.36
5,008.00	4.48	347.90	5,005.42	106.39	-6.18	106.45	0.79	0.79	1.13
5,103.00	4.66	349.83	5,100.11	113.82	-7.64	113.89	0.25	0.19	2.03
5,281.00	4.35	347.55	5,277.56	127.53	-10.38	127.63	0.20	-0.17	-1.28



Microsoft Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
5,376.00	4.35	342.80	5,372.29	134.48	-12.22	134.61	0.38	0.00	-5.00
5,470.00	4.26	330.41	5,466.03	140.93	-15.00	141.09	0.99	-0.10	-13.18
5,564.00	4.62	321.88	5,559.75	146.94	-19.06	147.15	0.80	0.38	-9.07
5,659.00	3.69	308.88	5,654.50	151.87	-23.80	152.13	1.39	-0.98	-13.68
5,753.00	3.34	304.92	5,748.32	155.34	-28.40	155.64	0.45	-0.37	-4.21
5,847.00	2.55	299.56	5,842.20	157.94	-32.46	158.29	0.89	-0.84	-5.70
5,941.00	2.46	289.45	5,936.11	159.64	-36.18	160.03	0.48	-0.10	-10.76
6,036.00	2.55	284.27	6,031.02	160.84	-40.15	161.28	0.26	0.09	-5.45
6,130.00	2.29	283.12	6,124.93	161.78	-44.01	162.26	0.28	-0.28	-1.22
6,224.00	1.80	284.79	6,218.87	162.58	-47.27	163.10	0.53	-0.52	1.78
6,318.00	0.44	233.03	6,312.85	162.74	-48.98	163.28	1.67	-1.45	-55.06
6,413.00	0.40	240.85	6,407.85	162.36	-49.56	162.91	0.07	-0.04	8.23
6,507.00	0.62	168.34	6,501.85	161.70	-49.75	162.25	0.67	0.23	-77.14
6,601.00	1.05	146.54	6,595.84	160.49	-49.17	161.03	0.56	0.46	-23.19
6,696.00	1.01	154.63	6,690.82	159.00	-48.33	159.54	0.16	-0.04	8.52
6,790.00	1.10	154.89	6,784.81	157.44	-47.59	157.96	0.10	0.10	0.28
6,884.00	0.92	154.01	6,878.79	155.94	-46.88	156.46	0.19	-0.19	-0.94
6,979.00	1.05	178.27	6,973.78	154.39	-46.52	154.90	0.46	0.14	25.54
7,073.00	1.14	182.05	7,067.76	152.59	-46.53	153.11	0.12	0.10	4.02
7,167.00	1.05	172.21	7,161.74	150.81	-46.44	151.32	0.22	-0.10	-10.47
7,261.00	1.05	161.75	7,255.73	149.13	-46.06	149.64	0.20	0.00	-11.13
7,356.00	1.14	161.40	7,350.71	147.41	-45.48	147.91	0.09	0.09	-0.37
7,450.00	1.05	172.21	7,444.69	145.67	-45.07	146.17	0.24	-0.10	11.50
7,544.00	0.57	271.87	7,538.69	144.83	-45.42	145.33	1.36	-0.51	106.02
7,638.00	1.10	280.93	7,632.68	145.02	-46.77	145.54	0.58	0.56	9.64
7,733.00	1.23	265.55	7,727.66	145.11	-48.68	145.65	0.36	0.14	-16.19
7,827.00	1.23	251.66	7,821.64	144.72	-50.65	145.28	0.32	0.00	-14.78
7,921.00	1.36	249.73	7,915.61	144.01	-52.65	144.60	0.15	0.14	-2.05
8,016.00	1.45	246.30	8,010.58	143.14	-54.81	143.75	0.13	0.09	-3.61
8,110.00	0.62	207.80	8,104.57	142.21	-56.13	142.83	1.11	-0.88	-40.96
8,204.00	0.53	176.25	8,198.56	141.33	-56.34	141.95	0.35	-0.10	-33.56
8,298.00	0.70	212.20	8,292.56	140.41	-56.62	141.04	0.44	0.18	38.24
8,393.00	0.79	232.15	8,387.55	139.52	-57.45	140.15	0.29	0.09	21.00
8,487.00	0.75	232.94	8,481.54	138.75	-58.45	139.40	0.04	-0.04	0.84
8,581.00	0.84	234.96	8,575.53	137.98	-59.51	138.64	0.10	0.10	2.15
8,676.00	0.79	236.01	8,670.52	137.22	-60.62	137.89	0.05	-0.05	1.11
8,770.00	1.05	252.10	8,764.51	136.59	-61.98	137.28	0.39	0.28	17.12
8,864.00	1.23	265.99	8,858.49	136.25	-63.80	136.96	0.35	0.19	14.78
8,958.00	1.14	277.85	8,952.47	136.31	-65.73	137.04	0.28	-0.10	12.62
9,053.00	1.27	280.84	9,047.45	136.64	-67.70	137.39	0.15	0.14	3.15
9,152.00	1.10	275.92	9,146.43	136.94	-69.73	137.72	0.20	-0.17	-4.97
9,246.00	0.35	241.46	9,240.42	136.90	-70.88	137.68	0.89	-0.80	-36.66
9,340.00	0.04	299.30	9,334.42	136.78	-71.16	137.57	0.35	-0.33	61.53


Microsoft
 Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
9,434.00	0.57	312.30	9,428.42	137.11	-71.53	137.90	0.57	0.56	13.83
9,529.00	1.49	313.80	9,523.40	138.28	-72.77	139.09	0.97	0.97	1.58
9,623.00	0.79	345.70	9,617.39	139.75	-73.82	140.57	0.98	-0.74	33.94
9,717.00	0.13	61.55	9,711.38	140.43	-73.88	141.25	0.82	-0.70	80.69
9,811.00	0.57	251.40	9,805.38	140.33	-74.23	141.16	0.74	0.47	-181.01
9,906.00	1.19	251.48	9,900.37	139.87	-75.61	140.71	0.65	0.65	0.08
9,990.00	1.19	259.13	9,984.35	139.43	-77.30	140.29	0.19	0.00	9.11
10,090.00	6.86	347.90	10,084.11	145.08	-79.57	145.96	6.94	5.67	88.77
10,137.00	14.51	358.89	10,130.26	153.72	-80.28	154.62	16.77	16.28	23.38
10,185.00	14.55	3.72	10,176.73	165.75	-80.00	166.64	2.53	0.08	10.06
10,232.00	17.85	3.02	10,221.85	178.84	-79.24	179.72	7.03	7.02	-1.49
10,279.00	24.57	1.61	10,265.65	195.82	-78.58	196.69	14.34	14.30	-3.00
10,326.00	32.13	1.79	10,306.98	218.11	-77.92	218.98	16.09	16.09	0.38
10,373.00	36.84	1.52	10,345.71	244.71	-77.15	245.56	10.03	10.02	-0.57
10,420.00	40.53	2.93	10,382.39	274.05	-76.00	274.89	8.07	7.85	3.00
10,468.00	44.35	4.16	10,417.81	306.38	-73.98	307.19	8.14	7.96	2.56
10,515.00	46.33	5.04	10,450.84	339.70	-71.30	340.48	4.42	4.21	1.87
10,562.00	47.87	3.98	10,482.84	374.02	-68.59	374.76	3.67	3.28	-2.26
10,609.00	52.79	1.70	10,512.83	410.14	-66.83	410.86	11.11	10.47	-4.85
10,656.00	59.82	1.08	10,538.89	449.20	-65.89	449.92	15.00	14.96	-1.32
10,703.00	64.97	0.03	10,560.66	490.84	-65.49	491.54	11.13	10.96	-2.23
10,751.00	67.60	359.06	10,579.97	534.78	-65.85	535.48	5.78	5.48	-2.02
10,798.00	69.80	0.56	10,597.04	578.56	-65.99	579.27	5.55	4.68	3.19
10,845.00	72.44	2.05	10,612.25	623.02	-64.97	623.71	6.37	5.62	3.17
10,892.00	76.40	2.58	10,624.87	668.24	-63.14	668.91	8.50	8.43	1.13
10,965.00	81.10	2.75	10,639.11	739.74	-59.81	740.37	6.44	6.44	0.23
11,012.00	85.01	3.81	10,644.79	786.31	-57.14	786.90	8.61	8.32	2.26
11,060.00	88.53	4.51	10,647.49	834.10	-53.66	834.65	7.48	7.33	1.46
11,104.81	89.18	3.29	10,648.39	878.80	-50.62	879.31	3.07	1.45	-2.71
LP 11104.51 MD/10648.38 TVD 878.50 N -50.63 W N: 454548.4 E: 800704.2									
11,154.00	89.89	1.96	10,648.79	927.93	-48.36	928.42	3.07	1.45	-2.71
11,248.00	89.54	0.38	10,649.26	1,021.91	-46.44	1,022.37	1.72	-0.37	-1.68
11,343.00	87.12	359.85	10,652.02	1,116.86	-46.25	1,117.31	2.61	-2.55	-0.56
11,437.00	86.11	358.80	10,657.57	1,210.69	-47.36	1,211.14	1.55	-1.07	-1.12
11,531.00	87.12	358.89	10,663.13	1,304.50	-49.25	1,304.98	1.08	1.07	0.10
11,626.00	88.26	358.45	10,666.95	1,399.40	-51.45	1,399.89	1.29	1.20	-0.46
11,720.00	90.73	358.18	10,667.78	1,493.35	-54.21	1,493.86	2.64	2.63	-0.29
11,814.00	91.30	358.27	10,666.12	1,587.29	-57.13	1,587.83	0.61	0.61	0.10
11,909.00	91.43	357.66	10,663.85	1,682.20	-60.50	1,682.77	0.66	0.14	-0.64
12,003.00	91.21	358.71	10,661.69	1,776.13	-63.47	1,776.73	1.14	-0.23	1.12
12,097.00	90.11	359.76	10,660.61	1,870.11	-64.73	1,870.72	1.62	-1.17	1.12
12,192.00	90.55	0.29	10,660.06	1,965.11	-64.69	1,965.71	0.73	0.46	0.56
12,286.00	89.14	0.38	10,660.31	2,059.10	-64.14	2,059.69	1.50	-1.50	0.10
12,380.00	90.02	0.29	10,661.00	2,153.10	-63.59	2,153.68	0.94	0.94	-0.10



Microsoft Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
12,475.00	91.69	1.61	10,659.58	2,248.07	-62.01	2,248.62	2.24	1.76	1.39	
12,569.00	91.16	1.61	10,657.25	2,342.00	-59.37	2,342.52	0.56	-0.56	0.00	
12,663.00	88.75	0.82	10,657.32	2,435.97	-57.38	2,436.46	2.70	-2.56	-0.84	
12,758.00	89.54	1.17	10,658.74	2,530.95	-55.73	2,531.41	0.91	0.83	0.37	
12,852.00	90.20	1.96	10,658.95	2,624.91	-53.16	2,625.34	1.10	0.70	0.84	
12,946.00	88.75	0.12	10,659.81	2,718.89	-51.46	2,719.29	2.49	-1.54	-1.96	
13,040.00	88.84	359.85	10,661.79	2,812.86	-51.48	2,813.27	0.30	0.10	-0.29	
13,135.00	88.66	0.64	10,663.86	2,907.84	-51.08	2,908.23	0.85	-0.19	0.83	
13,229.00	90.24	0.38	10,664.76	3,001.83	-50.24	3,002.20	1.70	1.68	-0.28	
13,323.00	90.99	1.00	10,663.76	3,095.82	-49.11	3,096.17	1.04	0.80	0.66	
13,418.00	92.44	1.79	10,660.91	3,190.74	-46.80	3,191.07	1.74	1.53	0.83	
13,512.00	92.13	0.47	10,657.16	3,284.65	-44.94	3,284.94	1.44	-0.33	-1.40	
13,606.00	89.41	359.15	10,655.90	3,378.63	-45.26	3,378.92	3.22	-2.89	-1.40	
13,701.00	88.88	358.09	10,657.32	3,473.59	-47.54	3,473.90	1.25	-0.56	-1.12	
13,795.00	90.07	357.92	10,658.18	3,567.52	-50.82	3,567.87	1.28	1.27	-0.18	
13,889.00	91.52	357.83	10,656.88	3,661.45	-54.30	3,661.83	1.55	1.54	-0.10	
13,984.00	90.86	357.74	10,654.90	3,756.36	-57.97	3,756.77	0.70	-0.69	-0.09	
14,078.00	92.31	358.45	10,652.30	3,850.27	-61.10	3,850.71	1.72	1.54	0.76	
14,100.00	92.31	358.43	10,651.42	3,872.24	-61.69	3,872.69	0.10	0.00	-0.10	
Cross Section Line 14100 MD/10651.42 TVD 3872.24 N -61.69 W N: 457542.1 E: 800693.2										
14,172.00	92.31	358.36	10,648.51	3,944.15	-63.71	3,944.62	0.10	0.00	-0.10	
14,267.00	92.18	357.48	10,644.79	4,039.02	-67.16	4,039.52	0.94	-0.14	-0.93	
14,361.00	91.08	357.30	10,642.12	4,132.88	-71.43	4,133.42	1.19	-1.17	-0.19	
14,455.00	88.26	356.69	10,642.66	4,226.74	-76.36	4,227.33	3.07	-3.00	-0.65	
14,550.00	88.62	356.69	10,645.25	4,321.54	-81.84	4,322.19	0.38	0.38	0.00	
14,644.00	89.27	357.57	10,646.98	4,415.41	-86.55	4,416.10	1.16	0.69	0.94	
14,738.00	89.98	358.18	10,647.59	4,509.34	-90.04	4,510.07	1.00	0.76	0.65	
14,833.00	87.96	358.18	10,649.30	4,604.27	-93.05	4,605.03	2.13	-2.13	0.00	
14,928.00	88.18	358.71	10,652.50	4,699.18	-95.63	4,699.96	0.60	0.23	0.56	
15,023.00	88.88	359.68	10,654.94	4,794.14	-96.96	4,794.93	1.26	0.74	1.02	
15,117.00	90.37	0.82	10,655.55	4,888.13	-96.55	4,888.91	2.00	1.59	1.21	
15,213.00	90.64	359.24	10,654.71	4,984.13	-96.50	4,984.90	1.67	0.28	-1.65	
15,308.00	88.48	358.71	10,655.44	5,079.10	-98.20	5,079.89	2.34	-2.27	-0.56	
15,403.00	88.04	358.36	10,658.32	5,174.03	-100.63	5,174.83	0.59	-0.46	-0.37	
15,499.00	87.78	358.89	10,661.82	5,269.94	-102.93	5,270.76	0.61	-0.27	0.55	
15,594.00	88.18	359.15	10,665.17	5,364.86	-104.56	5,365.70	0.50	0.42	0.27	
15,689.00	89.63	359.68	10,666.99	5,459.84	-105.52	5,460.68	1.63	1.53	0.56	
15,785.00	88.13	358.53	10,668.86	5,555.80	-107.02	5,556.66	1.97	-1.56	-1.20	
15,880.00	87.65	358.53	10,672.36	5,650.71	-109.46	5,651.58	0.51	-0.51	0.00	
15,975.00	87.43	358.62	10,676.44	5,745.59	-111.82	5,746.48	0.25	-0.23	0.09	
16,070.00	88.04	358.89	10,680.19	5,840.49	-113.88	5,841.40	0.70	0.64	0.28	
16,166.00	87.87	358.89	10,683.62	5,936.41	-115.74	5,937.34	0.18	-0.18	0.00	
16,261.00	88.88	359.33	10,686.31	6,031.36	-117.22	6,032.30	1.16	1.06	0.46	



Microsoft Survey Report

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit South 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3596.6+23.0 @ 3619.60usft
Site:	Sec 5-T24S-R34E	MD Reference:	3596.6+23.0 @ 3619.60usft
Well:	Bell Lake Unit South 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
16,356.00	89.63	0.03	10,687.55	6,126.35	-117.75	6,127.29	1.08	0.79	0.74	
16,451.00	89.85	0.47	10,687.98	6,221.35	-117.33	6,222.28	0.52	0.23	0.46	
16,547.00	89.54	1.00	10,688.49	6,317.34	-116.10	6,318.25	0.64	-0.32	0.55	
16,642.00	89.49	1.08	10,689.29	6,412.32	-114.38	6,413.20	0.10	-0.05	0.08	
16,737.00	89.63	0.64	10,690.02	6,507.31	-112.95	6,508.17	0.49	0.15	-0.46	
16,833.00	90.24	1.35	10,690.13	6,603.29	-111.28	6,604.13	0.98	0.64	0.74	
16,928.00	89.63	0.82	10,690.24	6,698.27	-109.48	6,699.08	0.85	-0.64	-0.56	
17,023.00	89.71	1.17	10,690.79	6,793.26	-107.83	6,794.04	0.38	0.08	0.37	
17,119.00	90.55	1.52	10,690.57	6,889.23	-105.58	6,889.98	0.95	0.87	0.36	
17,214.00	90.86	1.70	10,689.40	6,984.19	-102.91	6,984.90	0.38	0.33	0.19	
17,309.00	90.55	0.64	10,688.23	7,079.16	-100.97	7,079.84	1.16	-0.33	-1.12	
17,405.00	89.89	0.64	10,687.86	7,175.15	-99.90	7,175.82	0.69	-0.69	0.00	
17,500.00	88.84	359.76	10,688.91	7,270.14	-99.57	7,270.80	1.44	-1.11	-0.93	
17,595.00	88.04	358.80	10,691.50	7,365.10	-100.76	7,365.76	1.32	-0.84	-1.01	
17,690.00	88.09	358.53	10,694.71	7,460.02	-102.97	7,460.70	0.29	0.05	-0.28	
17,786.00	88.53	358.62	10,697.54	7,555.95	-105.36	7,556.65	0.47	0.46	0.09	
17,881.00	88.53	358.89	10,699.98	7,650.89	-107.42	7,651.62	0.28	0.00	0.28	
17,976.00	90.24	359.41	10,701.00	7,745.87	-108.83	7,746.61	1.88	1.80	0.55	
18,072.00	92.70	1.00	10,698.53	7,841.83	-108.49	7,842.55	3.05	2.56	1.66	
18,167.00	91.96	1.08	10,694.67	7,936.73	-106.77	7,937.43	0.78	-0.78	0.08	
18,262.00	89.36	359.94	10,693.58	8,031.71	-105.92	8,032.40	2.99	-2.74	-1.20	
18,358.00	89.58	0.47	10,694.47	8,127.71	-105.58	8,128.38	0.60	0.23	0.55	
18,453.00	91.52	1.26	10,693.55	8,222.69	-104.14	8,223.34	2.20	2.04	0.83	
18,548.00	89.80	0.91	10,692.46	8,317.66	-102.35	8,318.29	1.85	-1.81	-0.37	
18,643.00	90.02	0.91	10,692.61	8,412.65	-100.84	8,413.25	0.23	0.23	0.00	
18,770.00	90.73	1.52	10,691.78	8,539.62	-98.14	8,540.18	0.74	0.56	0.48	
Last MWD Survey 18770 MD/10691.78 TVD 8539.62 N -98.14 W N: 462209.5 E: 800656.7										
18,830.00	90.73	1.52	10,691.01	8,599.59	-96.55	8,600.13	0.00	0.00	0.00	
PTB 18830 MD/10691.01 TVD 8599.59 N -96.55 W N: 462269.5 E: 800658.3										

Survey Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
163.00	162.99	-0.03	1.71	1st MWD Survey	
11,104.81	10,648.39	878.80	-50.62	LP 11104.51 MD/10648.38 TVD 878.50 N -50.63 W N: 454548.4 E: 800704.2	
14,100.00	10,651.42	3,872.24	-61.69	Cross Section Line 14100 MD/10651.42 TVD 3872.24 N -61.69 W N: 457542.1	
18,770.00	10,691.78	8,539.62	-98.14	Last MWD Survey 18770 MD/10691.78 TVD 8539.62 N -98.14 W N: 462209.5 E: 800656.7	
18,830.00	10,691.01	8,599.59	-96.55	PTB 18830 MD/10691.01 TVD 8599.59 N -96.55 W N: 462269.5 E: 800658.3	

Checked By: _____ Approved By: _____ Date: _____

State of New Mexico
Energy, Minerals and Natural Resources

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-46633
5. Indicate Type of Lease STATE ☐ FEE ☐ Federal ☒
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Bell Lake Unit South
8. Well Number 233H
9. OGRID Number 12361
10. Pool name or Wildcat Bell Lake; Bone Spring, South

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Kaiser-Francis Oil Company

3. Address of Operator
P. O. Box 21468, Tulsa, OK 74121-1468

4. Well Location
Unit Letter K : 1862 feet from the South line and 1945 feet from the West line
Section 05 Township 24S Range 34E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3597 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Completion began 6/29/2020 Completion finished 8/31/2020

- MIRU WL.
- TCP'd first stage @ 18585' - 18707'. Broke down perms.
- Stage frac'd lateral 11120' - 18707' in 43 stages w/426653 bbls fluid + 18282777# sd.
- Drilled out plugs and cleaned out lateral to PBTD w/coiled tbq. Flowed back well.

Spud Date:

3/9/2020

Rig Release Date:

3/24/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jan Valkenburg TITLE Mgr., Regulatory Compliance DATE 11/24/2020

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised April 3, 2017

1. WELL API NO. 30-025-46633

2. Type of Lease
☐ STATE ☐ FEE ☒ FED/INDIAN

3. State Oil & Gas Lease No. -

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)

☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33: attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

7. Type of Completion:

☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator

Kaiser-Francis Oil Company

5. Lease Name or Unit Agreement Name

Bell Lake Unit South

6. Well Number:

233H

10. Address of Operator

P. O. Box 21468, Tulsa, OK 74121-1468

9. OGRID

12361

11. Pool name or Wildcat

Bell Lake; Bone Spring, South

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	05	24S	34E	K	1862	South	1945	West	Lea
BH:	C	32	23S	34E	C	103	North	1933	West	Lea

13. Date Spudded 3/9/2020	14. Date T.D. Reached 3/22/2020	15. Date Rig Released 3/24/2020	16. Date Completed (Ready to Produce) 8/31/2020	17. Elevations (DF and RKB, RT, GR, etc.) 3597 GR
------------------------------	------------------------------------	------------------------------------	--	--

18. Total Measured Depth of Well 18830 (MD) 10691 (TVD)	19. Plug Back Measured Depth 18740 (MD) 10691 (TVD)	20. Was Directional Survey Made? Yes	21. Type Electric and Other Logs Run None
--	--	---	--

22. Producing Interval(s), of this completion - Top, Bottom, Name

11120 - 18707

Bone Spring

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54.5	1350	17 1/2	1125 sxs	-0-
9 5/8	40	5235	12 1/4	1265 sxs	-0-
5 1/2	20	18813	8 3/4	3345 sxs	-0-

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
None	-	-	-	-

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
None	-	None

26. Perforation record (interval, size, and number)

11120 - 18707 .42 2076

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
11120 - 18707	426653 bbls fluid + 18282777# sd

28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
8/31/2020	Flowing	Producing

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
9/10/2020	24	22		816	1648	1909	2020

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)
-	2550		816	1648	1909	46

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Test Witnessed By

-

31. List Attachments

C-104 NW, C-103 Casing detail, C-103 completion, Final survey, drilled w/HSU

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. Rig Release Date:

34. If an on-site burial was used at the well, report the exact location of the on-site burial:

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: *Charlotte Van Valkenburg* Name: Charlotte Van Valkenburg Title: Mgr., Regulatory Compliance Date: 4/1/2021
E-mail Address: Charlottv@kfoc.net

INSTRUCTIONS

Bell Lake Unit South 233H

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 5250	T. Morrison	
T. Drinkard	T. Bone Springs 1st 9834	T. Todilto	
T. Abo	T. Up Avalon 8832	T. Entrada	
T. Wolfcamp	T. 2 Bone Sprg Lm 10271	T. Wingate	
T. Penn	T. 2 Bone Sprg Sd 10529	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

**OIL OR GAS
SANDS OR ZONES**

No. 1, from 11120 to 18707

No. 3, from to

No. 2, from to

No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Unk. to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
5250			Delaware				
8832			Up Avalon				
9834			1st Bone Spring				
10271			2nd Bone Spring Lm				
10529			2nd Bone Spring Sd				

State of New Mexico
Energy, Minerals and Natural Resources

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-46633
5. Indicate Type of Lease STATE ☐ FEE ☐ Federal ☐
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Bell Lake Unit South
8. Well Number 233H
9. OGRID Number 12361
10. Pool name or Wildcat Bell Lake; Bone Spring, South
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3597 GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐
2. Name of Operator Kaiser-Francis Oil Company
3. Address of Operator P. O. Box 21468, Tulsa, OK 74121-1468
4. Well Location Unit Letter K : 1862 feet from the South line and 1945 feet from the West line Section 05 Township 24S Range 34E NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3597 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Casing Detail ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/11/2020 13 3/8", 54.5#, J55 set @ 1350' & cmt'd w/1125 sxs. TOC @ surface. Pressure tested to 1500# - good.
3/14/2020 9 5/8", 40#, P110 set @ 5235' & cmt'd w/1265 sxs. TOC @ surface. Pressure tested to 1500# - good.
3/24/2020 5 1/2", 20#, P110 set @ 18813' & cmt'd w/3345 sxs. TOC @ surface. Pressure tested to 10,000# - good.

Spud Date:

3/9/2020

Rig Release Date:

3/24/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jan Valkenburg TITLE Mgr., Regulatory Compliance DATE 11/24/2020
Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 22612

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 22612
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 22612

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 22612
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/6/2021