

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Colgate Operating, LLC 300 N Marienfeld Street, Suite 1000 Midland, Tx 79701		² OGRID Number 371449	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30 – 015 – 46354	⁵ Pool Name WINCHESTER; BONE SPRING		⁶ Pool Code 65010
⁷ Property Code 326127	⁸ Property Name LADY FRANKLIN 25 STATE		⁹ Well Number 123H

II. ¹⁰ Surface Location

UL or lot no. L	Section 25	Township 19S	Range 28E	Lot Idn	Feet from the 1381	North/South Line South	Feet from the 265	East/West line West	County Eddy
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. I	Section 25	Township 19S	Range 28E	Lot Idn	Feet from the 2301	North/South line South	Feet from the 33	East/West line East	County Eddy
¹² Lse Code S	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
329097	LM TOUCHDOWN, LLC	O
329097	LM TOUCHDOWN, LLC	G

IV. Well Completion Data

²¹ Spud Date 01/31/2021	²² Ready Date 04/20/2021	²³ TD 12,533 MD 7,735 TVD	²⁴ PBSD 12,434 MD 7,755 TVD	²⁵ Perforations 8,150-12,325 MD 7,697-7,759 TVD	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5		13.375		336	414
12.25		9.625		3,022	701
8.75		5.5		12,518	1,475

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Mikah Thomas			Approved by: KURT SIMMONS		
Title: Operations Tech			Title: NMOC, SANTA FE		
E-mail Address: mthomas@colgateenergy.com			Approval Date: 07/08/2021		
Date: 04/22/2020		Phone: 432-695-4272	RT C-104 EXPIRES 07/20/21		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-015-46354	2 Pool Code 65010	3 Pool Name WINCHESTER; BONE SPRING
4 Property Code 326127	5 Property Name LADY FRANKLIN 25 STATE	6 Well Number 123H
7 OGRID No. 371449	8 Operator Name COLGATE OPERATING, LLC	9 Elevation 3336.0'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	25	19-S	28-E		1381'	SOUTH	265'	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	19-S	28-E		2301'	SOUTH	33'	EAST	EDDY
12 Dedicated Acres 160	13 Joint or Infill	14 Consolidation Code	15 Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16 CORNER DATA NEW MEXICO EAST - NAD 83 A - FOUND IRON PIPE W/ BRASS CAP N:596295.73' E:601180.65' B - FOUND IRON PIPE W/ BRASS CAP N:596322.31' E:603791.70' C - FOUND IRON PIPE W/ BRASS CAP N:596349.69' E:606402.97' D - FOUND IRON PIPE W/ BRASS CAP N:593708.88' E:606413.64' E - FOUND IRON PIPE W/ BRASS CAP N:591051.64' E:606427.41' F - FOUND BENT IRON PIPE W/ BRASS CAP N:591033.50' E:603813.10' G - FOUND BENT IRON PIPE W/ NO CAP N:591014.52' E:601198.97' H - FOUND IRON PIPE W/ BRASS CAP N:593665.17' E:601188.55'	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>[Signature]</i> 3/16/2021 Signature Date Mikah Thomas Printed Name mthomas@colgateenergy.com E-mail Address 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor Garrett J. Smelker 25036 02/25/2021 Certificate Number
	SURFACE HOLE LOCATION (SHL) NEW MEXICO EAST - NAD 83 X=601458.58 LAT.= 32.62839776° N Y=592397.19 LONG.= 104.13804340° W NEW MEXICO EAST - NAD 27 X=560278.63 LAT.= 32.62828034° N Y=592335.29 LONG.= -104.13753615° W 1381' FSL, 265' FWL - SECTION 25 60' FSL, 265' FWL - LEASE LINE
	FIRST TAKE POINT (FTP) NEW MEXICO EAST - NAD 83 X=601483.75 LAT.= 32.63069212° N Y=593231.94 LONG.= 104.13795665° W NEW MEXICO EAST - NAD 27 X=560303.82 LAT.= 32.63057473° N Y=593170.02 LONG.= -104.13744933° W 2215' FSL, 294' FWL - SECTION 25 426' FNL, 294' FWL - LEASE LINE MD = 7,560.55'



Directional Survey Report

Company: **Colgate Operating, LLC**
 Well: **Lady Franklin 25 State 123H**
 County: **Eddy**
 State: **New Mexico**
 Field: **Winchester; Bone Spring**
 API: **30-015-46354**
 Rig: **H&P 510**
 Service Co: **Gordon Technologies LLC**
 Job #: **GT-210024**
 Survey Calc: **Minimum Curvature**

Well Surface Location
 Latitude: **32.62839776**
 Longitude: **-104.1380434**
 Reference: **NAD 1983**
 Y (Northing): **592397.19**
 X (Easting): **601458.58**
 Field Engr: **Dean Sanchez**
Bart Couvillion

Report Date: **Feb 08 2021**
 Time: **16:02**
 Mag Reference: **Grid North**
 Mag Correction: **7.088**
 Vert Sect. Azi: **89.59**
 Perm Datum: **Mean Sea Level**
 Depth Ref: **Rotary Table**
 RKB Height: **30**
 GL Elev: **3336**

Survey	MD	Inc	Azimuth	TVD	VS	NS	EW	Length	DLS	Temp	Distance	Azimuth	Source
Tie In	0	0	0	0	0	0	0	0	0	0	0	0	
1	200.00	0.56	342.72	200.00	-0.29	0.94	-0.29	200.00	0.28	53.60	0.98	342.72	MWD Run 1
2	271.00	1.14	3.19	270.99	-0.34	1.98	-0.36	71.00	0.90	55.40	2.01	349.76	MWD Run 1
3	427.00	1.86	354.02	426.93	-0.49	6.03	-0.53	156.00	0.49	68.00	6.06	354.94	MWD Run 2
4	521.00	2.35	336.03	520.87	-1.41	9.31	-1.48	94.00	0.87	71.60	9.43	350.98	MWD Run 2
5	636.00	2.25	337.30	635.78	-3.21	13.55	-3.31	115.00	0.10	78.80	13.95	346.28	MWD Run 2
6	730.00	2.42	357.04	729.70	-4.00	17.23	-4.12	94.00	0.87	84.20	17.72	346.55	MWD Run 2
7	825.00	2.58	355.00	824.61	-4.26	21.36	-4.41	95.00	0.20	87.80	21.81	348.33	MWD Run 2
8	919.00	3.74	350.32	918.47	-4.92	26.50	-5.11	94.00	1.26	96.80	26.98	349.08	MWD Run 2
9	1014.00	5.74	350.60	1013.14	-6.16	34.24	-6.41	95.00	2.10	98.60	34.83	349.40	MWD Run 2
10	1108.00	5.20	348.22	1106.71	-7.74	43.05	-8.05	94.00	0.62	104.00	43.80	349.41	MWD Run 2
11	1203.00	5.24	346.97	1201.32	-9.54	51.50	-9.90	95.00	0.13	105.80	52.44	349.11	MWD Run 2
12	1297.00	5.34	343.20	1294.92	-11.71	59.86	-12.14	94.00	0.38	109.40	61.08	348.54	MWD Run 2
13	1391.00	8.06	344.16	1388.26	-14.70	70.39	-15.20	94.00	2.90	102.20	72.01	347.81	MWD Run 2
14	1486.00	8.08	343.69	1482.32	-18.30	83.21	-18.89	95.00	0.07	102.20	85.32	347.21	MWD Run 2
15	1580.00	8.26	341.95	1575.37	-22.15	95.97	-22.84	94.00	0.33	104.00	98.65	346.61	MWD Run 2
16	1675.00	8.47	341.79	1669.36	-26.36	109.11	-27.14	95.00	0.22	107.60	112.44	346.03	MWD Run 2
17	1769.00	9.01	341.30	1762.27	-30.79	122.66	-31.67	94.00	0.58	109.40	126.68	345.52	MWD Run 2
18	1864.00	9.17	341.31	1856.07	-35.50	136.87	-36.48	95.00	0.17	111.20	141.65	345.08	MWD Run 2
19	1958.00	9.46	340.36	1948.83	-40.39	151.25	-41.48	94.00	0.35	113.00	156.83	344.67	MWD Run 2
20	2053.00	9.77	338.70	2042.50	-45.84	166.12	-47.03	95.00	0.44	114.80	172.65	344.19	MWD Run 2
21	2147.00	9.88	340.21	2135.12	-51.36	181.14	-52.66	94.00	0.30	118.40	188.64	343.79	MWD Run 2
22	2242.00	9.76	350.31	2228.73	-55.37	196.75	-56.78	95.00	1.81	118.40	204.78	343.90	MWD Run 2
23	2336.00	10.17	347.26	2321.31	-58.42	212.70	-59.95	94.00	0.71	120.20	220.99	344.26	MWD Run 2
24	2431.00	10.99	347.54	2414.70	-62.10	229.73	-63.75	95.00	0.86	118.40	238.41	344.49	MWD Run 2
25	2525.00	10.99	349.40	2506.97	-65.56	247.29	-67.33	94.00	0.38	122.00	256.29	344.77	MWD Run 2
26	2620.00	10.20	354.72	2600.35	-67.87	264.57	-69.77	95.00	1.32	122.00	273.61	345.23	MWD Run 2
27	2714.00	11.42	353.10	2692.68	-69.63	282.10	-71.65	94.00	1.34	123.80	291.06	345.75	MWD Run 2
28	2808.00	12.05	353.26	2784.72	-71.77	301.09	-73.92	94.00	0.67	125.60	310.03	346.21	MWD Run 2
29	2903.00	12.82	353.19	2877.49	-74.03	321.40	-76.33	95.00	0.81	127.40	330.35	346.64	MWD Run 2
30	2949.00	13.27	353.73	2922.30	-75.14	331.72	-77.52	46.00	1.01	125.60	340.66	346.85	MWD Run 2
31	3066.00	13.33	353.55	3036.16	-77.93	358.47	-80.50	117.00	0.06	93.20	367.40	347.34	MWD Run 3
32	3161.00	13.25	351.62	3128.62	-80.59	380.13	-83.31	95.00	0.47	96.80	389.15	347.64	MWD Run 3
33	3255.00	12.94	348.96	3220.17	-84.03	401.12	-86.90	94.00	0.72	100.40	410.43	347.78	MWD Run 3
34	3350.00	12.64	345.10	3312.82	-88.59	421.61	-91.61	95.00	0.95	102.20	431.45	347.74	MWD Run 3
35	3444.00	9.29	350.24	3405.09	-92.40	439.04	-95.54	94.00	3.71	104.00	449.31	347.72	MWD Run 3
36	3539.00	8.99	345.97	3498.88	-95.39	453.80	-98.64	95.00	0.78	105.80	464.39	347.74	MWD Run 3
37	3633.00	8.57	342.05	3591.78	-99.23	467.58	-102.58	94.00	0.78	107.60	478.70	347.63	MWD Run 3
38	3727.00	8.04	337.64	3684.80	-103.80	480.32	-107.24	94.00	0.88	109.40	492.15	347.41	MWD Run 3
39	3822.00	7.88	4.05	3778.91	-105.78	492.96	-109.31	95.00	3.82	113.00	504.94	347.50	MWD Run 3
40	3916.00	7.74	357.19	3872.05	-105.54	505.71	-109.16	94.00	1.00	114.80	517.36	347.82	MWD Run 3
41	4011.00	7.51	356.54	3966.21	-106.14	518.29	-109.85	95.00	0.26	113.00	529.80	348.03	MWD Run 3
42	4105.00	7.32	350.69	4059.42	-107.39	530.32	-111.19	94.00	0.83	114.80	541.85	348.16	MWD Run 3
43	4200.00	7.04	348.77	4153.68	-109.42	542.00	-113.30	95.00	0.38	116.60	553.72	348.19	MWD Run 3
44	4294.00	6.74	346.76	4247.00	-111.73	553.02	-115.69	94.00	0.41	118.40	565.00	348.18	MWD Run 3
45	4388.00	6.59	346.85	4340.36	-114.14	563.65	-118.18	94.00	0.17	120.20	575.90	348.16	MWD Run 3
46	4483.00	6.32	347.59	4434.76	-116.43	574.06	-120.54	95.00	0.29	123.80	586.58	348.14	MWD Run 3
47	4578.00	5.96	350.17	4529.22	-118.32	584.02	-122.51	95.00	0.48	125.60	596.73	348.15	MWD Run 3

48	4672.00	6.01	350.59	4622.70	-119.89	593.68	-124.14	94.00	0.07	125.60	606.52	348.19	MWD Run 3
49	4767.00	6.42	351.21	4717.15	-121.44	603.84	-125.77	95.00	0.43	127.40	616.79	348.23	MWD Run 3
50	4862.00	6.75	352.65	4811.52	-122.89	614.61	-127.29	95.00	0.39	127.40	627.66	348.30	MWD Run 3
51	4956.00	6.94	347.88	4904.85	-124.71	625.65	-129.19	94.00	0.64	127.40	638.85	348.33	MWD Run 3
52	5051.00	6.58	343.84	4999.19	-127.36	636.48	-131.91	95.00	0.63	125.60	650.01	348.29	MWD Run 3
53	5145.00	6.59	344.18	5092.57	-130.25	646.84	-134.88	94.00	0.04	127.40	660.76	348.22	MWD Run 3
54	5240.00	7.01	344.98	5186.90	-133.16	657.69	-137.87	95.00	0.45	129.20	671.98	348.16	MWD Run 3
55	5335.00	6.90	345.50	5281.20	-136.01	668.81	-140.80	95.00	0.14	131.00	683.47	348.11	MWD Run 3
56	5429.00	7.40	343.55	5374.47	-139.06	680.09	-143.93	94.00	0.60	131.00	695.15	348.05	MWD Run 3
57	5524.00	7.43	342.23	5468.68	-142.58	691.80	-147.54	95.00	0.18	131.00	707.36	347.96	MWD Run 3
58	5618.00	7.25	340.02	5561.91	-146.39	703.17	-151.42	94.00	0.35	132.80	719.28	347.85	MWD Run 3
59	5713.00	5.17	352.37	5656.35	-148.93	713.05	-154.04	95.00	2.59	134.60	729.50	347.81	MWD Run 3
60	5807.00	5.07	348.71	5749.97	-150.25	721.32	-155.42	94.00	0.36	134.60	737.88	347.84	MWD Run 3
61	5902.00	5.30	341.35	5844.59	-152.42	729.60	-157.64	95.00	0.74	136.40	746.43	347.81	MWD Run 3
62	5996.00	5.23	335.05	5938.19	-155.56	737.60	-160.84	94.00	0.62	138.20	754.93	347.70	MWD Run 3
63	6090.00	4.36	330.73	6031.86	-159.06	744.60	-164.39	94.00	1.00	138.20	762.53	347.55	MWD Run 3
64	6185.00	4.31	356.91	6126.60	-160.97	751.32	-166.35	95.00	2.07	138.20	769.52	347.52	MWD Run 3
65	6279.00	3.83	347.21	6220.36	-161.81	757.91	-167.24	94.00	0.89	136.40	776.14	347.56	MWD Run 3
66	6373.00	5.74	355.56	6314.03	-162.82	765.66	-168.30	94.00	2.15	138.20	783.94	347.60	MWD Run 3
67	6467.00	4.79	351.86	6407.63	-163.67	774.23	-169.22	94.00	1.07	140.00	792.51	347.67	MWD Run 3
68	6562.00	4.29	348.25	6502.33	-164.91	781.63	-170.50	95.00	0.61	140.00	800.01	347.69	MWD Run 3
69	6656.00	3.29	359.13	6596.13	-165.62	787.77	-171.26	94.00	1.30	140.00	806.17	347.73	MWD Run 3
70	6751.00	3.01	14.95	6690.99	-164.98	792.90	-170.66	95.00	0.96	141.80	811.06	347.85	MWD Run 3
71	6845.00	2.91	4.42	6784.86	-164.13	797.66	-169.84	94.00	0.59	141.80	815.54	347.98	MWD Run 3
72	6940.00	2.52	357.78	6879.76	-163.99	802.15	-169.74	95.00	0.52	141.80	819.91	348.05	MWD Run 3
73	7056.00	2.66	11.80	6995.64	-163.50	807.33	-169.28	116.00	0.56	123.80	824.89	348.16	MWD Run 4
74	7151.00	6.39	68.86	7090.36	-158.09	811.40	-163.90	95.00	5.70	127.40	827.79	348.58	MWD Run 4
75	7246.00	18.23	83.51	7183.03	-138.30	815.00	-144.13	95.00	12.80	129.20	827.65	349.97	MWD Run 4
76	7340.00	26.12	86.43	7270.01	-102.96	817.96	-108.81	94.00	8.47	132.80	825.16	352.42	MWD Run 4
77	7435.00	37.57	80.65	7350.60	-53.29	823.98	-59.18	95.00	12.46	134.60	826.11	355.89	MWD Run 4
78	7530.00	43.86	84.50	7422.58	8.18	831.85	2.23	95.00	7.12	136.40	831.86	0.15	MWD Run 4
79	7624.00	54.73	81.20	7483.80	78.80	840.87	72.79	94.00	11.87	138.20	844.02	4.95	MWD Run 4
80	7719.00	61.23	79.73	7534.14	158.28	854.25	152.17	95.00	6.97	141.80	867.69	10.10	MWD Run 4
81	7813.00	58.76	77.32	7581.14	238.16	870.42	231.94	94.00	3.44	141.80	900.79	14.92	MWD Run 4
82	7908.00	62.21	80.58	7627.95	319.39	886.21	313.06	95.00	4.71	141.80	939.88	19.46	MWD Run 4
83	8003.00	74.08	86.81	7663.27	406.91	895.67	400.51	95.00	13.89	143.60	981.14	24.09	MWD Run 4
84	8097.00	86.47	90.69	7679.13	499.35	897.62	492.94	94.00	13.79	145.40	1024.07	28.77	MWD Run 4
85	8192.00	87.81	90.36	7683.87	594.22	896.75	587.81	95.00	1.46	147.20	1072.23	33.24	MWD Run 4
86	8286.00	87.82	90.15	7687.45	688.14	896.33	681.75	94.00	0.23	149.00	1126.14	37.26	MWD Run 4
87	8381.00	88.04	89.98	7690.87	783.08	896.23	776.68	95.00	0.29	150.80	1185.94	40.91	MWD Run 4
88	8475.00	88.21	89.31	7693.94	877.03	896.81	870.63	94.00	0.74	150.80	1249.90	44.15	MWD Run 4
89	8570.00	88.01	88.99	7697.08	971.97	898.22	965.57	95.00	0.40	152.60	1318.76	47.07	MWD Run 4
90	8664.00	89.69	87.75	7698.97	1065.93	900.89	1059.51	94.00	2.21	152.60	1390.74	49.63	MWD Run 4
91	8759.00	90.22	87.13	7699.05	1160.86	905.14	1154.41	95.00	0.87	154.40	1466.95	51.90	MWD Run 4
92	8853.00	90.74	86.91	7698.26	1254.76	910.03	1248.28	94.00	0.60	154.40	1544.78	53.91	MWD Run 4
93	8948.00	90.73	86.58	7697.04	1349.63	915.42	1343.12	95.00	0.35	156.20	1625.41	55.72	MWD Run 4
94	9042.00	90.84	86.67	7695.75	1443.50	920.96	1436.95	94.00	0.15	156.20	1706.74	57.34	MWD Run 4
95	9137.00	91.37	86.30	7693.92	1538.34	926.78	1531.75	95.00	0.68	156.20	1790.30	58.82	MWD Run 4
96	9231.00	90.00	86.39	7692.79	1632.18	932.76	1625.55	94.00	1.46	156.20	1874.16	60.15	MWD Run 4
97	9326.00	89.23	88.85	7693.43	1727.12	936.71	1720.46	95.00	2.70	154.40	1958.93	61.43	MWD Run 4
98	9420.00	90.11	88.79	7693.97	1821.11	938.65	1814.44	94.00	0.93	156.20	2042.85	62.65	MWD Run 4
99	9514.00	90.83	88.57	7693.20	1915.09	940.82	1908.41	94.00	0.81	158.00	2127.71	63.76	MWD Run 4
100	9609.00	90.24	90.97	7692.31	2010.08	941.20	2003.39	95.00	2.60	156.20	2213.47	64.84	MWD Run 4
101	9703.00	90.66	91.34	7691.57	2104.04	939.30	2097.37	94.00	0.60	158.00	2298.10	65.87	MWD Run 4
102	9797.00	90.56	91.83	7690.57	2197.98	936.70	2191.33	94.00	0.53	156.20	2383.13	66.86	MWD Run 4
103	9892.00	89.05	91.36	7690.90	2292.91	934.05	2286.29	95.00	1.66	154.40	2469.73	67.78	MWD Run 4
104	9987.00	89.64	91.42	7691.98	2387.86	931.74	2381.25	95.00	0.63	156.20	2557.05	68.63	MWD Run 4
105	10081.00	88.38	91.14	7693.60	2481.80	929.65	2475.22	94.00	1.38	158.00	2644.04	69.41	MWD Run 4
106	10176.00	88.48	90.66	7696.21	2576.74	928.16	2570.17	95.00	0.52	159.80	2732.63	70.14	MWD Run 4
107	10271.00	88.94	90.72	7698.35	2671.70	927.02	2665.14	95.00	0.48	159.80	2821.76	70.82	MWD Run 4
108	10365.00	89.40	90.87	7699.71	2765.67	925.72	2759.12	94.00	0.51	161.60	2910.27	71.45	MWD Run 4
109	10460.00	90.04	90.79	7700.18	2860.65	924.35	2854.11	95.00	0.68	163.40	3000.06	72.05	MWD Run 4
110	10554.00	90.21	90.72	7699.97	2954.63	923.12	2948.10	94.00	0.19	163.40	3089.24	72.61	MWD Run 4
111	10648.00	90.59	90.86	7699.32	3048.60	921.82	3042.09	94.00	0.44	163.40	3178.68	73.14	MWD Run 4
112	10743.00	91.14	90.79	7697.88	3143.57	920.45	3137.07	95.00	0.58	163.40	3269.31	73.65	MWD Run 4
113	10838.00	91.61	90.41	7695.60	3238.53	919.46	3232.03	95.00	0.64	165.20	3360.27	74.12	MWD Run 4

114	10932.00	89.50	88.09	7694.69	3332.51	920.69	3326.01	94.00	3.33	163.40	3451.09	74.53	MWD Run 4
115	11027.00	88.99	88.06	7695.94	3427.47	923.88	3420.95	95.00	0.53	163.40	3543.50	74.89	MWD Run 4
116	11121.00	86.72	86.53	7699.45	3521.32	928.31	3514.77	94.00	2.91	163.40	3635.29	75.21	MWD Run 4
117	11216.00	86.88	86.53	7704.75	3616.04	934.05	3609.44	95.00	0.16	165.20	3728.34	75.49	MWD Run 4
118	11310.00	87.68	86.72	7709.21	3709.80	939.58	3703.18	94.00	0.87	165.20	3820.51	75.76	MWD Run 4
119	11404.00	88.37	86.73	7712.46	3803.63	944.95	3796.96	94.00	0.73	167.00	3912.78	76.02	MWD Run 4
120	11498.00	89.05	86.91	7714.58	3897.50	950.16	3890.80	94.00	0.76	165.20	4005.13	76.28	MWD Run 4
121	11593.00	89.63	86.70	7715.67	3992.38	955.46	3985.64	95.00	0.65	165.20	4098.57	76.52	MWD Run 4
122	11687.00	87.62	88.93	7717.93	4086.29	959.04	4079.54	94.00	3.19	163.40	4190.75	76.77	MWD Run 4
123	11782.00	87.63	88.93	7721.86	4181.21	960.80	4174.44	95.00	0.01	163.40	4283.58	77.04	MWD Run 4
124	11876.00	88.59	88.50	7724.96	4275.14	962.91	4268.36	94.00	1.11	163.40	4375.63	77.29	MWD Run 4
125	11971.00	86.07	91.23	7729.39	4370.02	963.13	4363.24	95.00	3.91	163.40	4468.28	77.55	MWD Run 4
126	12065.00	86.76	91.30	7735.26	4463.80	961.05	4457.03	94.00	0.74	165.20	4559.47	77.83	MWD Run 4
127	12159.00	87.02	91.02	7740.36	4557.62	959.16	4550.88	94.00	0.40	165.20	4650.86	78.10	MWD Run 4
128	12254.00	86.67	90.87	7745.59	4652.45	957.59	4645.72	95.00	0.40	163.40	4743.38	78.35	MWD Run 4
129	12349.00	87.05	90.69	7750.79	4747.29	956.30	4740.57	95.00	0.44	163.40	4836.06	78.59	MWD Run 4
130	12444.00	87.51	90.21	7755.30	4842.17	955.55	4835.46	95.00	0.70	165.20	4928.97	78.82	MWD Run 4
131	12473.00	87.40	90.14	7756.59	4871.14	955.47	4864.43	29.00	0.42	165.20	4957.38	78.89	MWD Run 4
PTB	12533.00	87.40	90.14	7759.31	4931.08	955.32	4924.37	60.00	0.01	0.00	5016.18	79.02	MWD Run 4

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 25114

ACKNOWLEDGMENTS

Operator: COLGATE OPERATING, LLC 300 North Marienfeld Street Midland, TX 79701	OGRID: 371449
	Action Number: 25114
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 25114

CONDITIONS

Operator: COLGATE OPERATING, LLC 300 North Marienfeld Street Midland, TX 79701	OGRID: 371449
	Action Number: 25114
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 expires 07/20/21.	7/8/2021