

Well Name: RESOLUTE 12 FED COM	Well Location: T25S / R32E / SEC 12 / SESE / 32.1385369 / -103.6219146	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110835	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254760500X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Jan 12, 2021	Time Sundry Submitted:	8:21:16 AM
Date Operation will begin:	Dec 28, 2020	Time Operation will begin:	11:00:00 AM
Field Contact Name:	Dane Hooker	Field Contact Number:	4326863600
Rig Name:	H&P	Rig Number:	642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0		11220	11220	-7724

Procedure Description: Intermediate Hole @ 11,715' MD, 11,691' TVD
Casing shoe @ 11,701' MD
7-5/8", 29.7#, HCP-110 MO-FXL
Stage 1: Cement w/ 405 sx Class H (1.20 yld, 15.6 ppg)
Good test casing to 2,600 psi for 30 min - OK. Did not circ cement to surface, TOC @ 7,000' by Calc
Stage 2: Bradenhead squeeze w/ 1,000 sx Class H (1.41 yld, 14.8 ppg)
Stage 3: Top out w/ 270 sx Class C (1.41 yld, 14.8 ppg), Lines flushed w/ 5 bbls FW, TOC @ 56' by Echometer

Disposition:	Accepted
Accepted Date:	07/30/2021

Well Name: RESOLUTE 12 FED COM	Well Location: T25S / R32E / SEC 12 / SESE / 32.1385369 / -103.6219146	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110835	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254760500X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Jan 18, 2021	Time Sundry Submitted:	7:28:47 AM
Date Operation will begin:	Jan 11, 2021	Time Operation will begin:	6:30:00 AM
Field Contact Name:	Dane Hooker	Field Contact Number:	4326863600
Rig Name:	H&P	Rig Number:	642

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11220	11220	-7724	22568	12350	-8854
PRODUCTION	10720	10720	-7224	11220	11220	-7724
PRODUCTION	0	0	3675	10720	10720	-7224

Procedure Description:	Production Hole @ 22,640' MD, 12,392' TVD Casing shoe @ 22,625' MD, 12,386' TVD 5-1/2", 20#, ECP-110 DWC (0' - 11,153') (MJ @ 12,838' and 20,321') 5-1/2", 20#, ECP-110 TLW-SC (11,153' - 11,743') 5-1/2", 20#, ECP-110 DWC (11,743' - 22,625') Cement w/ 970 sx Class H (1.23 yld, 14.8 ppg) Bump plug, no casing test (wet shoe). Did not circ cement to surface, TOC @ 10,550' by CBL Rig Release 1/12/21
Disposition:	Accepted
Accepted Date:	07/30/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 39131

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 39131
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/2/2021