

Well Name: VALIANT 24 FED COM	Well Location: T25S / R32E / SEC 24 / NWSE / 32.114437 / -103.6272332	County or Parish/State: LEA / NM
Well Number: 509H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15317	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254797100X1	Well Status: Approved Application for Permit to Drill	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	01/19/2021	Time Sundry Submitted:	12:17:31 PM
Date Operation Will Begin:	12/07/2020	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	11/05/2020		
US Well Number	3002547971		
Field Contact Name:	E DEL VALLE	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	12-08-2020 20" CONDUCTOR @ 122'		
Disposition:	Accepted		
Accepted Date:	05/17/2021		

Well Name: VALIANT 24 FED COM	Well Location: T25S / R32E / SEC 24 / NWSE / 32.114437 / -103.6272332	County or Parish/State: LEA / NM
Well Number: 509H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15317	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254797100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Jan 21, 2021	Time Sundry Submitted:	8:23:48 AM
Date Operation will begin:	Jan 3, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	E Del Valle	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3138	4000	4000	-541
SURFACE	0	0	3459	980	980	2479
INTERMEDIATE	4000	4000	-553	4775	4755	-1296

Procedure Description:	<p>1-4-2021 16" HOLE 1-4-2021 Surface Hole @ 927' MD, 926' TVD Casing shoe @ 912' MD Ran 13-3/8" 54.5# J-55 SC Lead Cement w/ 395 sx Class C (1.79 yld, 13.5 ppg), \trail w/ 100 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,550 psi for 30 min -Good. Circ 216 sx cement to surface</p> <p>1-16-2021 12 - 1/4" hole 1-16-2021 1st Intermediate Hole @ 4,880' MD, 4,825' TVD Casing shoe @ 4,865' MD Ran 9-5/8", 40#, J-55 LTC (0' - 3,522') Ran 9-5/8", 40#, HCK-55 LTC (3,522' - 4,865') Lead Cement w/ 1,115 sx Class C + (2.18 yld, 12.7 ppg), Trail w/290 sx Class C (1.39 yld, 14.8 ppg) Test casing to 2,000 psi for 30 min - Good. Circ 335 sx cement to surface Resume drilling 8-3/4" hole</p>
Disposition:	Accepted
Accepted Date:	07/30/2021

Well Name: VALIANT 24 FED COM

Well Location: T25S / R32E / SEC 24 /
NWSE / 32.114437 / -103.6272332

County or Parish/State: LEA /
NM

Well Number: 509H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM15317

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254797100X1

Well Status: Drilling Well

Operator: EOG RESOURCES
INCORPORATED

CONFIDENTIAL

Well Name: VALIANT 24 FED COM	Well Location: T25S / R32E / SEC 24 / NWSE / 32.114437 / -103.6272332	County or Parish/State: LEA / NM
Well Number: 509H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15317	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254797100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Feb 1, 2021	Time Sundry Submitted:	9:59:40 AM
Date Operation will begin:	Jan 26, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	E DEL VALLE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	hp246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	0	0	3138	11361	11361	-7902
PRODUCTION	11361	11361	-7902	18558	11015	-7556

Procedure Description:	1-27-2021 8-1/2 " HOLE 1-27-2021 Production Hole @ 18,204' MD, 10,653' TVD Casing Shoe @ 18,189' MD, 10,653' TVD 5-1/2", 20#, HCP-110, DWC (MJ @ 9,994' and 17,717') Lead Cement w/ 515 sx Class L (3.74 yld, 10.5 ppg), Trail w/1,765 sx Class H (1.23 yld, 14.5 ppg) Did not circ cement to surface, TOC @ 3,865' by Calc RR 1-28-2021 Completion to follow
Disposition:	Accepted
Accepted Date:	07/30/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 39485

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 39485
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	8/3/2021