

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: RUTHLESS 11 FED COM Well Location: T25S / R32E / SEC 11 / County or Parish/State: LEA /

NWNE / 32.1510322 / -103.6430557 N

Well Number: 723H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM15317 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254775500X1 **Well Status:** Approved Application for **Operator:** EOG RESOURCES

Permit to Drill INCORPORATED

KZ

### **Notice of Intent**

Type of Submission: Notice of Intent

Type of Action Other

Date Sundry Submitted: 05/17/2021 Time Sundry Submitted: 06:49

Date proposed operation will begin: 05/16/2021

Procedure Description: EOG respectfully requests an amendment to our approved APD for this well to reflect the

following changes: Change SHL to T-25-S R-32-E Sec 11 498 feet FNL 1855 feet FEL Lea Co, NM

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

### **NOI Attachments**

### **Procedure Description**

RUTHLESS\_11\_FED\_COM\_723H\_C\_102\_20210517064913.pdf

ceived by OCD: 5/24/2021 2:40:54 PM
Well Name: RUTHLESS 11 FED COM Well Location: T25S / R32E / SEC 11 / County or Parish/State: LEA7

NWNE / 32.1510322 / -103.6430557

Well Number: 723H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM15317 Unit or CA Name: Unit or CA Number:

US Well Number: 300254775500X1 Well Status: Approved Application for Operator: EOG RESOURCES

Permit to Drill INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: STAR HARRELL Signed on: MAY 17, 2021 06:49 AM

Name: EOG RESOURCES INCORPORATED

**Title:** Regulatory Specialist

Street Address: 5509 CHAMPIONS DRIVE

City: MIDLAND State: TX

Phone: (432) 848-9161

Email address: STAR\_HARRELL@EOGRESOURCES.COM

# Field Representative

Representative Name: Eric Brorman
Street Address: 5509 Champions Drive

City: Midland State: TX Zip: 79706

Phone: (432)556-1276

Email address: eric\_brorman@eogresources.com

# **BLM Point of Contact**

BLM POC Name: CHRISTOPHER WALLS

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752342234 BLM POC Email Address: cwalls@blm.gov

**Disposition:** Approved **Disposition Date:** 05/24/2021

Signature: Chris Walls

Page 2 of 2

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT


# WELL LOCATION AND ACREAGE DEDICATION PLAT

	<sup>1</sup> API Number <b>30-025-4775</b> 5		<sup>2</sup> Pool Code 98180	<sup>3</sup> Pool Name WC-025 G-09 S253309P; Upper Wolfcamp			
<sup>4</sup> P	Property Code		<sup>5</sup> Pr	<sup>6</sup> Well Number			
;	329701		RUTHLESS	723H			
7	OGRID No.		<sup>8</sup> O <sub>I</sub>	perator Name	<sup>9</sup> Elevation		
	7377	EOG RESOURCES, INC. 3513'					

<sup>10</sup>Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
В	11	25-S	32-E	1	498'	NORTH	1855'	EAST	LEA	
	11 Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
0	14	25-S	32-E	-	100'	SOUTH	1980'	EAST	LEA	
12Dedicated Acres	<sup>13</sup> Joint or l	Infill 14Co	nsolidation Co	de <sup>15</sup> Ord	er No.					
640.00										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



#### **Revised Permit Information 3/30/2021:**

Well Name: Ruthless 11 Fed Com #723H

Location:

SHL: 498' FNL & 1855' FEL, Section 11, T-25-S, R-32-E, Lea Co., N.M. BHL: 100' FSL & 1980' FEL, Section 14, T-25-S, R-32-E, Lea Co., N.M.

#### **Design A**

**Casing Program:** 

Hole		Csg				DF <sub>min</sub>	DF <sub>min</sub>	DF <sub>min</sub>
Size	Interval	OD	Weight	Grade	Conn	Collapse	Burst	Tension
12.25"	0'-1,050'	9.625"	36#	J-55	LTC	1.125	1.25	1.60
8.75"	0'-11,170'	7.625"	29.7#	HCP-110	FXL	1.125	1.25	1.60
6.75"	0'-10,670'	5.5"	20#	P-110EC	DWC/C-IS	1.125	1.25	1.60
					MS			
6.75"	10,670'-11,170'	5.5"	20#	P-110EC	VAM SFC	1.125	1.25	1.60
6.75"	11,170' – 22,775'	5.5"	20#	P-110EC	DWC/C-IS	1.125	1.25	1.60
					MS			

Variance is requested to wave the centralizer requirements for the 7-5/8" casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to wave any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests variance to allow deviation from the 0.422" annulus clearance requirement from Onshore Order #2 under the following conditions:

- Annular clearance to meet or exceed 0.422" between intermediate casing ID and production casing coupling only on the first 500' overlap between both casing strings.
- Annular clearance less than 0.422" is acceptable for the curve and lateral portions of the production open hole section.

**Cement Program:** 

Cement 1 IV	951 41111				
	No.	Wt.	Yld		
Depth	Sacks	ppg	Ft <sup>3</sup> /sk	Slurry Description	
1,050'	300	13.5	1.73	Lead: Class C + $4.0\%$ Bentonite Gel + $0.5\%$ CaCl <sub>2</sub> + $0.25$	
9-5/8"				lb/sk Cello-Flake (TOC @ Surface)	
	80	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2%	
				Sodium Metasilicate (TOC @ 850')	
11,170'	490	14.2	1.11	1st Stage (Tail): Class C + 0.6% Halad-9 + 0.45% HR-601 +	
7-5/8"				3% Microbond (TOC @ 7,000')	
	1,190	14.8	1.5	2 <sup>nd</sup> Stage (Bradenhead squeeze): Class C + 3% Salt + 1%	
				PreMag-M + 6% Bentonite Gel (TOC @ surface)	
22,775'	1,030	14.2	1.31	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3%	
5-1/2"				Microbond (TOC @ 10,670')	

Additive	Purpose		
Bentonite Gel	Lightweight/Lost circulation prevention		
Calcium Chloride	Accelerator		
Cello-flake	Lost circulation prevention		
Sodium Metasilicate	Accelerator		
MagOx	Expansive agent		
Pre-Mag-M	Expansive agent		
Sodium Chloride	Accelerator		
FL-62	Fluid loss control		
Halad-344	Fluid loss control		
Halad-9	Fluid loss control		
HR-601	Retarder		
Microbond	Expansive Agent		

EOG requests variance from minimum standards to pump a two stage cement job on the 7-5/8" intermediate casing string with the first stage being pumped conventionally with the calculated TOC at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 1,000 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (2.30 yld, 12.91 ppg) will be executed as a contingency. Top of cement will be verified by Echo-meter.

EOG will include the final fluid top verified by Echo-meter and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program.

EOG will report to the BLM the volume of fluid (limited to 5 bbls) used to flush intermediate casing valves following backside cementing procedures.

#### Mud Program:


Depth	Type	Weight (ppg)	Viscosity	Water Loss	
0 – 1,050'	Fresh - Gel	8.6-8.8	28-34	N/c	
1,050' – 11,170'	Brine	10.0-10.2	28-34	N/c	
11,170' – 12,833'	Oil Base	8.7-9.4	58-68	N/c - 6	
12,883' – 22,775'	Oil Base	10.0-14.0	58-68	3 - 6	
Lateral					

498' FNL 1855' FEL Section 11 T-25-S, R-32-E

**Revised Wellbore** 

API: 30-025-47755

KB: 3,538' GL: 3,513'



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 29321

#### **CONDITIONS**

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	29321
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

#### CONDITIONS

Created By	Condition	Condition Date
pkautz	None	8/4/2021