Received by OCD: 3/15/2021 8:06:43 AM

<i>ceeived by</i> 0 c <i>D. 5</i> /15	AUAL 0.00.75 23					1 uge 1 v
Form 3160-5 (June 2015)	DEPARTM	UNITED STATES PARTMENT OF THE INTERIOR REAU OF LAND MANAGEMENT			FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018 5. Lease Serial No.	
Do not us	se this form fo	r proposals	ORTS ON WELLS to drill or to re-enter a APD) for such proposa		6. If Indian, Allottee or '	Tribe Name
SL	IBMIT IN TRIPLIC	ATE - Other instr	ructions on page 2		7. If Unit of CA/Agreen	nent, Name and/or No.
1. Type of Well			1 0		_	
Oil Well	Gas Well	Other			8. Well Name and No.	
2. Name of Operator					9. API Well No.	
3a. Address			3b. Phone No. <i>(include area co</i>	ode)	10. Field and Pool or Ex	xploratory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				11. Country or Parish, State		
	12. CHECK THE	APPROPRIATE E	BOX(ES) TO INDICATE NATU	RE OF NOT	ICE, REPORT OR OTHE	ER DATA
TYPE OF SUBMISS	ION	TYPE OF ACTION				
Notice of Intent		cidize lter Casing	Deepen Hydraulic Fracturing	=	luction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Report		asing Repair hange Plans	New Construction Plug and Abandon	Tem	omplete porarily Abandon	Other
Final Abandonment N	Notice C	onvert to Injectior	n Plug Back	Wate	er Disposal	
the proposal is to deepen the Bond under which th completion of the involv	a directionally or reco the work will be perfo red operations. If the comment Notices must	omplete horizontal nned or provide th operation results i	lly, give subsurface locations and ne Bond No. on file with BLM/B in a multiple completion or reco	d measured a BIA. Required mpletion in a	nd true vertical depths of l subsequent reports must new interval, a Form 316	c and approximate duration thereof. If all pertinent markers and zones. Attach be filed within 30 days following 50-4 must be filed once testing has been e operator has detennined that the site

Accepted	for	Record	Only
----------	-----	--------	------

X7

NMOCD 8/9/21

SUBJECT TO LIKE APPROVAL BY BLM

14. hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
Signature Stephen Janacek	Date		
THE SPACE FOR FEDERAL OR STATE OFICE USE			
Approved by Jernifert Conchery	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lea which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any	person knowingly and willfully to make to any	department or agency of the United States	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Page 2 of 8

Amoco Federal 1 30-005-20588 Jalapeno Corporation March 12, 2021 Conditions of Approval

- 1. Operator shall place CIBP at 3,511' (50'-100' above top most perf) and places 25 sx of Class C cement on top. <u>WOC and TAG.</u>
- 2. Operator shall place a balanced Class C cement plug from 2,884'-2,611' to seal the top of the San Andres as proposed.
- 3. Operator shall perf and squeeze at 2,242'. Operator shall place a balanced Class C cement plug from 2,242'-1,650' to seal the Yates Formation. <u>WOC and TAG.</u>
- 4. Operator shall perf and squeeze at 1,249'. Operator shall place a balanced Class C cement plug from 1,249'-976' to seal the Salt Formation. <u>WOC and TAG.</u>
- 5. Operator shall perf and squeeze at 327'. Operator shall place a balanced Class C cement plug from 327'-surface to seal the 8-5/8'' shoe. <u>WOC and TAG.</u>
- 6. Surface reclamation will need to be completed once the well bore has been plugged. Please contact <u>rflores@blm.gov</u> for additional information.
- 7. See Attached for general plugging stipulations.

JAM 03122021

BUREAU OF LAND MANAGEMENT Roswell Field Office 2909 W. Second Street Roswell, New Mexico 88201 575-627-0272

General Requirements for Plug Backs

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from this approval.

If you are unable to plug back the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged back. Failure to do so will result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plug back operations. Call 575-627-0205.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. **Before pumping cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.**

Unless otherwise specified in the approved procedure, the cement plug shall consist of either **Neat Class** "C", for up to 7,500 feet of depth or **Neat Class** "H", for deeper than 7,500 feet plugs.

6. <u>Subsequent Plug back Reporting</u>: Within 30 days after plug back work is completed, file one original and three copies of the Subsequent Report, Form 3160-5 to BLM. The report should give in detail the manner in which the plug back work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date work was completed.</u>

7. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Oxy proposed plugging procedure

Notice of Intent to PA

Amoco Federal #1

30-005-20588

OXY PERMIAN LP

PROCEDURE

10# MLF between plugs. Utilize above ground steel tanks.

SET CIBP @3511'. DUMP BAIL 5 SX CL C CMT.

SPOT 25 SX CL C CMT 2884'-2611'.

PERF 2242'. SQZ 190 SX CL C CMT 2242'-1650'. TAG.


PERF 1249'. SQZ 35 SX CL C CMT 1249'-976'. TAG.


PERF 327'. CIRCULATE 105 SX CL C CMT 327'-SURFACE. VERIFY CMT TO SURFACE.

FORMATION TOPS

FORMATION	TOF	BOTTOM
Elevation 4225	КВ	
Rustler	1199'	1700'
Yates	1700'	1874'
Seven Rivers	1874'	2192'
Bowers	2192'	2364'
San Andres	2834'	3378'
Pi	3378'	3523'
P 1	25201	3611'
2	3611'	3707'
2 3	3707'	3803' TD

Stephen Janacek 3/8/2021 Current Wellbore
AMOCO FEDERAL #1
30-005-20588-0000





District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OCCIDENTAL PERMIAN LTD	157984
P.O. Box 4294	Action Number:
Houston, TX 772104294	20726
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	BLM well follow like approvals from BLM	8/9/2021

CONDITIONS

Page 8 of 8

Action 20726