

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/8/21
⁴ API Number 30-015-47176	⁵ Pool Name ; LAGUNA SALADO; BONE SPRING	⁶ Pool Code 96721
⁷ Property Code 328289	⁸ Property Name HOT POTATO 26-23 FED	⁹ Well Number 333H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	26	23S	29E		325	South	1499	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	23	23S	29E		40	North	1256	East	EDDY
¹² Lse Code F	¹³ Producing Method Code	¹⁴ Gas Connection Date 4/8/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas

IV. Well Completion Data

²¹ Spud Date 9/28/20	²² Ready Date 4/8/21	²³ TD 20601	²⁴ PBTB 20540.5/10188.2	²⁵ Perforations 10300 - 20485	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	379	305		
12.25	10.75	3222	550		
9.875	8 5/8	9665	865		
7.875	5.5	20585.8	2264		

V. Well Test Data Tubing: 3/15/2021: 2-7/8, L-80, 9982.4, 299 jts

³¹ Date New Oil 4/21/21	³² Gas Delivery Date 4/21/21	³³ Test Date 4/21/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 1344 bbl	³⁹ Water 4651 bbl	⁴⁰ Gas 2851 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jenny Harms			Approved by: KURT SIMMONS		
Title: Regulatory Specialist			Title: NMOCD, SANTA FE		
E-mail Address: jenny.harms@div.com			Approval Date: 08/30/2021		
Date: 7/12/2021		Phone: 405-552-6560			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011

Submit one copy to
appropriate District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47176	² Pool Code 96721	³ Pool Name LAGUNA SALADO; BONE SPRING
⁴ Property Code 328289	⁵ Property Name HOT POTATO 26-23 FED	⁶ Well Number 333H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3069.8'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	26	23-S	29-E		325	SOUTH	1499	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	23	23-S	29-E		41	NORTH	1256	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION


I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Jenny Harms 5-4-2021
Signature Date
JENNY HARMS
Printed Name
JENNY.HARMS@DVN.COM
E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

04/22/2021
Date of Survey
Signature and Seal of Professional Surveyor:



NOTES:

1. BEARINGS SHOWN ARE GRID BASED ON THE NEW MEXICO STATE PLANE EAST ZONE COORDINATE SYSTEM (3001), NAD 83 (2011), BASED FROM GPS OBSERVATIONS, OCCUPYING A WHS CONTROL POINT (5/8" REBAR), LOCATED AT NORTH: 456034.443, EAST: 653560.641, ELEVATION: 3101.4, DETERMINED BY AN OPUS SOLUTION ON NOVEMBER 9TH, 2019.
2. DISTANCES DEPICTED HEREON ARE REPORTED AS GROUND DISTANCE IN US SURVEY FEET USING A COMBINED SCALE FACTOR OF 1.000220989
3. ELEVATIONS SHOWN HEREON ARE EXISTING GROUND ELEVATIONS AND ARE OF NAVD 88 COMPUTED USING GEIOD 12B.
4. DRILL PATH INFORMATION HAS BEEN PROVIDED TO WHS BY THE CLIENT
5. SURFACE HOLE LOCATIONS (SHL) ARE DERIVED FROM THE ORIGINALLY PLATTED WELL LOCATIONS.

Certificate No. 23261 Albert Dehoyos
Drawn by: JSP Checked by: ARD Date: 04/22/2021

Intent ☐ As Drilled ☒

API # 3001547176		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: HOT POTATO 26-23 FED	Well Number 333H

Kick Off Point (KOP)

UL P	Section 26	Township 23-S	Range 29-E	Lot	Feet 32	From N/S SOUTH	Feet 1269	From E/W EAST	County EDDY
Latitude 32.268689°					Longitude -103.950876°			NAD 83	

First Take Point (FTP)

UL P	Section 26	Township 23-S	Range 29-E	Lot	Feet 213	From N/S SOUTH	Feet 1289	From E/W EAST	County EDDY
Latitude 32.269185°					Longitude -103.950936°			NAD 83	

Last Take Point (LTP)

UL A	Section 23	Township 23-S	Range 29-E	Lot	Feet 245	From N/S NORTH	Feet 1252	From E/W EAST	County EDDY
Latitude 32.297142°					Longitude -103.950864°			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes provide API if available, Operator name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

STATE OF NEW MEXICO
COUNTY OF EDDY

I, **Seth Crawley**, certify that; I am employed by **Skyline Directional Drilling, LLC**; that I did on the day(s) of **9/28/2020 to 10/29/2020** did conduct or supervise the taking of MWD surveys from a depth of **172 feet to a depth of 20,601 feet**; that the data is true, correct, complete and within the limitations of the tool as set forth by **Skyline Directional Drilling, LLC**; that I am authorized and qualified to make this report; that this survey was conducted at the request of **Devon Energy Production Co.** for the **Hot Potato 26-23 Fed 333H** with the **API # 30-015-47176** in the Bone Spring field of **Eddy County, New Mexico**; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by **Skyline Directional Drilling, LLC**.

A handwritten signature in cursive script that reads 'Seth Crawley'. The signature is written in black ink and is positioned above a horizontal line.

Seth Crawley
Senior Well Planner



Devon Energy Production Company, L.P.

Eddy Co, New Mexico (NAD-83)

Sec 26-23S-29E (HotPotato)

Hot Potato 26-23 Fed 333H

OH

Design: As Drilled

Standard Survey Report

09 November, 2020





Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Project	Eddy Co, New Mexico (NAD-83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 26-23S-29E (HotPotato)		
Site Position:		Northing:	461,984.30 usft
From:	Map	Easting:	659,318.63 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 16' 10.174 N
		Longitude:	103° 57' 5.814 W

Well	Hot Potato 26-23 Fed 333H		
Well Position	+N/-S	0.0 usft	Northing: 461,984.30 usft
	+E/-W	0.0 usft	Easting: 659,318.63 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
Grid Convergence:	0.20 °	Ground Level:	3,070.0 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	9/4/2020	6.79
			Dip Angle (°)
			60.00
			Field Strength (nT)
			47,597.15566243

Design	As Drilled		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°)
			0.01

Survey Program	Date	11/2/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
172.0	20,601.0	MWD (OH)	MWD	MWD - Skyline

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
172.0	0.44	64.68	172.0	0.3	0.6	0.3	0.26	0.26	0.00	
266.0	0.44	60.02	266.0	0.6	1.2	0.6	0.04	0.00	-4.96	
308.0	0.53	68.54	308.0	0.8	1.6	0.8	0.27	0.21	20.29	
419.0	0.70	68.10	419.0	1.2	2.7	1.2	0.15	0.15	-0.40	
514.0	0.79	39.36	514.0	1.9	3.6	1.9	0.40	0.09	-30.25	
607.0	0.44	19.41	607.0	2.8	4.1	2.8	0.44	-0.38	-21.45	
702.0	0.26	30.22	702.0	3.3	4.4	3.3	0.20	-0.19	11.38	
797.0	1.45	144.30	797.0	2.5	5.2	2.5	1.66	1.25	120.08	
891.0	3.16	143.60	890.9	-0.5	7.4	-0.5	1.82	1.82	-0.74	



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
986.0	5.19	140.26	985.6	-6.0	11.7	-6.0	2.15	2.14	-3.52
1,081.0	5.98	138.50	1,080.2	-13.0	17.7	-13.0	0.85	0.83	-1.85
1,175.0	5.63	138.33	1,173.7	-20.1	24.1	-20.1	0.37	-0.37	-0.18
1,270.0	5.10	134.72	1,268.3	-26.5	30.1	-26.5	0.66	-0.56	-3.80
1,364.0	4.88	135.08	1,361.9	-32.3	35.9	-32.3	0.24	-0.23	0.38
1,460.0	4.75	139.91	1,457.6	-38.2	41.4	-38.2	0.44	-0.14	5.03
1,555.0	4.62	138.68	1,552.3	-44.1	46.4	-44.1	0.17	-0.14	-1.29
1,651.0	4.26	141.40	1,648.0	-49.8	51.2	-49.8	0.43	-0.38	2.83
1,746.0	3.56	135.25	1,742.8	-54.7	55.5	-54.7	0.86	-0.74	-6.47
1,842.0	4.04	147.64	1,838.5	-59.6	59.4	-59.6	0.99	0.50	12.91
1,938.0	4.22	157.05	1,934.3	-65.7	62.6	-65.7	0.73	0.19	9.80
2,033.0	3.91	146.77	2,029.1	-71.7	65.7	-71.7	0.83	-0.33	-10.82
2,129.0	3.78	143.51	2,124.8	-77.0	69.4	-76.9	0.26	-0.14	-3.40
2,224.0	4.09	137.54	2,219.6	-82.0	73.6	-82.0	0.54	0.33	-6.28
2,319.0	5.19	139.03	2,314.3	-87.7	78.7	-87.7	1.16	1.16	1.57
2,415.0	4.00	135.34	2,410.0	-93.4	83.9	-93.4	1.28	-1.24	-3.84
2,510.0	4.09	137.19	2,504.8	-98.2	88.5	-98.2	0.17	0.09	1.95
2,606.0	4.40	133.85	2,600.5	-103.3	93.5	-103.3	0.41	0.32	-3.48
2,702.0	4.53	146.24	2,696.2	-109.0	98.2	-109.0	1.01	0.14	12.91
2,797.0	5.05	153.88	2,790.9	-115.9	102.2	-115.8	0.87	0.55	8.04
2,892.0	5.67	157.75	2,885.5	-124.0	105.8	-123.9	0.76	0.65	4.07
2,988.0	5.71	150.02	2,981.0	-132.5	110.0	-132.5	0.80	0.04	-8.05
3,084.0	5.23	148.79	3,076.6	-140.4	114.6	-140.3	0.51	-0.50	-1.28
3,161.0	4.31	147.29	3,153.3	-145.8	118.0	-145.8	1.21	-1.19	-1.95
3,275.0	3.21	146.94	3,267.0	-152.1	122.1	-152.1	0.97	-0.96	-0.31
3,370.0	3.12	142.81	3,361.9	-156.4	125.1	-156.4	0.26	-0.09	-4.35
3,466.0	3.25	143.34	3,457.7	-160.6	128.3	-160.6	0.14	0.14	0.55
3,561.0	3.21	139.21	3,552.6	-164.8	131.6	-164.8	0.25	-0.04	-4.35
3,656.0	2.81	140.00	3,647.5	-168.6	134.9	-168.6	0.42	-0.42	0.83
3,751.0	2.68	139.65	3,742.4	-172.1	137.8	-172.1	0.14	-0.14	-0.37
3,847.0	3.78	131.30	3,838.2	-175.9	141.6	-175.9	1.24	1.15	-8.70
3,943.0	4.26	131.47	3,934.0	-180.3	146.7	-180.3	0.50	0.50	0.18
4,038.0	3.69	129.10	4,028.7	-184.6	151.7	-184.6	0.62	-0.60	-2.49
4,133.0	3.52	127.25	4,123.5	-188.3	156.4	-188.3	0.22	-0.18	-1.95
4,229.0	4.26	133.49	4,219.3	-192.5	161.3	-192.5	0.89	0.77	6.50
4,324.0	4.79	133.14	4,314.0	-197.7	166.8	-197.6	0.56	0.56	-0.37
4,420.0	4.84	127.96	4,409.7	-202.9	172.9	-202.9	0.46	0.05	-5.40
4,516.0	4.75	126.90	4,505.4	-207.8	179.3	-207.8	0.13	-0.09	-1.10
4,611.0	4.66	127.08	4,600.0	-212.5	185.5	-212.4	0.10	-0.09	0.19
4,706.0	4.62	126.46	4,694.7	-217.1	191.6	-217.0	0.07	-0.04	-0.65
4,802.0	4.48	125.50	4,790.4	-221.5	197.8	-221.5	0.17	-0.15	-1.00
4,897.0	4.53	119.52	4,885.1	-225.5	204.1	-225.5	0.50	0.05	-6.29
4,993.0	4.92	128.92	4,980.8	-230.0	210.6	-230.0	0.90	0.41	9.79



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5,088.0	5.41	135.34	5,075.4	-235.7	216.9	-235.7	0.80	0.52	6.76	
5,183.0	5.32	136.04	5,170.0	-242.1	223.1	-242.1	0.12	-0.09	0.74	
5,279.0	5.45	136.48	5,265.6	-248.6	229.3	-248.6	0.14	0.14	0.46	
5,374.0	4.57	136.04	5,360.2	-254.6	235.1	-254.6	0.93	-0.93	-0.46	
5,469.0	3.74	136.66	5,455.0	-259.6	239.8	-259.6	0.87	-0.87	0.65	
5,565.0	3.65	153.88	5,550.8	-264.6	243.3	-264.6	1.16	-0.09	17.94	
5,659.0	3.65	159.33	5,644.6	-270.1	245.7	-270.1	0.37	0.00	5.80	
5,755.0	2.51	161.00	5,740.4	-274.9	247.5	-274.9	1.19	-1.19	1.74	
5,851.0	1.85	180.78	5,836.4	-278.5	248.1	-278.4	1.03	-0.69	20.60	
5,946.0	1.67	186.05	5,931.3	-281.4	247.9	-281.4	0.25	-0.19	5.55	
6,042.0	1.45	180.69	6,027.3	-284.0	247.8	-284.0	0.27	-0.23	-5.58	
6,137.0	1.54	180.52	6,122.3	-286.5	247.8	-286.4	0.09	0.09	-0.18	
6,233.0	1.58	170.41	6,218.2	-289.1	248.0	-289.0	0.29	0.04	-10.53	
6,329.0	0.84	198.62	6,314.2	-291.0	248.0	-291.0	0.97	-0.77	29.39	
6,424.0	0.57	191.68	6,409.2	-292.1	247.6	-292.1	0.30	-0.28	-7.31	
6,520.0	0.70	225.25	6,505.2	-293.0	247.1	-293.0	0.40	0.14	34.97	
6,615.0	0.75	199.59	6,600.2	-294.0	246.5	-294.0	0.34	0.05	-27.01	
6,711.0	0.97	217.25	6,696.2	-295.3	245.8	-295.2	0.36	0.23	18.40	
6,806.0	0.44	38.48	6,791.2	-295.6	245.6	-295.6	1.48	-0.56	-188.18	
6,901.0	0.75	38.40	6,886.2	-294.8	246.2	-294.8	0.33	0.33	-0.08	
6,997.0	0.70	10.45	6,982.2	-293.8	246.7	-293.8	0.37	-0.05	-29.11	
7,092.0	0.53	15.37	7,077.1	-292.8	246.9	-292.8	0.19	-0.18	5.18	
7,187.0	0.35	107.57	7,172.1	-292.4	247.3	-292.4	0.68	-0.19	97.05	
7,283.0	0.48	104.40	7,268.1	-292.6	247.9	-292.6	0.14	0.14	-3.30	
7,378.0	0.70	151.07	7,363.1	-293.2	248.6	-293.2	0.54	0.23	49.13	
7,473.0	1.63	152.48	7,458.1	-294.9	249.5	-294.9	0.98	0.98	1.48	
7,568.0	2.20	137.98	7,553.1	-297.5	251.4	-297.5	0.78	0.60	-15.26	
7,664.0	3.52	126.20	7,648.9	-300.6	255.0	-300.6	1.50	1.38	-12.27	
7,759.0	2.99	133.76	7,743.8	-304.0	259.1	-304.0	0.72	-0.56	7.96	
7,854.0	0.75	192.21	7,838.7	-306.4	260.8	-306.3	2.82	-2.36	61.53	
7,950.0	0.66	267.44	7,934.7	-307.0	260.1	-307.0	0.90	-0.09	78.36	
8,044.0	0.53	231.76	8,028.7	-307.3	259.2	-307.3	0.41	-0.14	-37.96	
8,140.0	0.92	225.08	8,124.7	-308.1	258.3	-308.1	0.41	0.41	-6.96	
8,235.0	2.20	280.62	8,219.7	-308.3	256.0	-308.3	1.94	1.35	58.46	
8,330.0	2.02	294.42	8,314.6	-307.3	252.7	-307.3	0.57	-0.19	14.53	
8,426.0	1.63	306.73	8,410.6	-305.8	250.0	-305.8	0.57	-0.41	12.82	
8,521.0	2.11	304.44	8,505.5	-304.0	247.5	-304.0	0.51	0.51	-2.41	
8,617.0	2.37	303.74	8,601.4	-301.9	244.4	-301.9	0.27	0.27	-0.73	
8,712.0	1.58	322.28	8,696.4	-299.7	242.0	-299.7	1.06	-0.83	19.52	
8,808.0	2.37	318.50	8,792.3	-297.2	239.8	-297.2	0.83	0.82	-3.94	
8,903.0	2.55	322.72	8,887.2	-294.1	237.3	-294.0	0.27	0.19	4.44	
8,999.0	2.24	316.04	8,983.2	-291.0	234.7	-291.0	0.43	-0.32	-6.96	
9,095.0	1.01	11.24	9,079.1	-288.8	233.5	-288.8	1.94	-1.28	57.50	



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,190.0	0.40	338.89	9,174.1	-287.7	233.6	-287.7	0.74	-0.64	-34.05
9,286.0	0.97	238.79	9,270.1	-287.8	232.7	-287.8	1.16	0.59	-104.27
9,381.0	1.10	234.83	9,365.1	-288.8	231.3	-288.7	0.16	0.14	-4.17
9,477.0	0.84	207.76	9,461.1	-289.9	230.2	-289.9	0.54	-0.27	-28.20
9,572.0	0.84	202.14	9,556.1	-291.2	229.6	-291.1	0.09	0.00	-5.92
9,610.0	0.75	198.27	9,594.1	-291.7	229.5	-291.6	0.28	-0.24	-10.18
9,678.0	1.27	199.32	9,662.1	-292.8	229.1	-292.8	0.77	0.76	1.54
9,774.0	2.42	314.11	9,758.0	-292.4	227.3	-292.4	3.30	1.20	119.57
KOP: 9774' MD									
9,870.0	10.95	347.60	9,853.3	-282.1	223.8	-282.0	9.41	8.89	34.89
9,965.0	20.26	351.11	9,944.7	-256.9	219.4	-256.9	9.85	9.80	3.69
10,041.6	31.39	351.88	10,013.6	-224.0	214.5	-224.0	14.54	14.54	1.00
Cross 100' FSL: 10041' MD, 1284' FEL									
10,060.0	34.07	351.99	10,029.0	-214.1	213.1	-214.1	14.54	14.54	0.62
10,155.0	48.44	358.58	10,100.3	-151.9	208.5	-151.9	15.79	15.13	6.94
10,251.0	63.21	5.44	10,154.1	-72.8	211.7	-72.8	16.47	15.39	7.15
10,346.0	79.91	6.93	10,184.1	16.4	221.4	16.5	17.64	17.58	1.57
10,443.0	87.78	2.45	10,194.5	112.5	229.2	112.5	9.32	8.11	-4.62
LP: 10443' MD/10194' TVD									
10,538.0	87.56	1.48	10,198.3	207.3	232.5	207.4	1.05	-0.23	-1.02
10,634.0	87.21	0.60	10,202.7	303.2	234.2	303.2	0.99	-0.36	-0.92
10,729.0	87.21	359.99	10,207.3	398.1	234.7	398.1	0.64	0.00	-0.64
10,825.0	87.96	0.16	10,211.4	494.0	234.8	494.0	0.80	0.78	0.18
10,920.0	89.54	359.37	10,213.4	589.0	234.5	589.0	1.86	1.66	-0.83
11,015.0	91.08	0.25	10,212.9	684.0	234.1	684.0	1.87	1.62	0.93
11,111.0	89.58	359.55	10,212.4	780.0	234.0	780.0	1.72	-1.56	-0.73
11,205.0	89.10	358.85	10,213.5	874.0	232.7	874.0	0.90	-0.51	-0.74
11,301.0	89.23	358.23	10,214.9	969.9	230.2	969.9	0.66	0.14	-0.65
11,396.0	91.47	359.20	10,214.3	1,064.9	228.1	1,064.9	2.57	2.36	1.02
11,492.0	91.69	358.76	10,211.6	1,160.8	226.4	1,160.9	0.51	0.23	-0.46
11,587.0	92.18	358.49	10,208.4	1,255.8	224.1	1,255.8	0.59	0.52	-0.28
11,681.0	91.08	0.16	10,205.7	1,349.7	223.0	1,349.7	2.13	-1.17	1.78
11,777.0	91.60	0.08	10,203.5	1,445.7	223.2	1,445.7	0.55	0.54	-0.08
11,873.0	90.86	0.34	10,201.4	1,541.7	223.5	1,541.7	0.82	-0.77	0.27
11,968.0	91.08	0.25	10,199.8	1,636.6	224.0	1,636.7	0.25	0.23	-0.09
12,064.0	89.10	0.16	10,199.7	1,732.6	224.4	1,732.7	2.06	-2.06	-0.09
12,159.0	88.97	359.37	10,201.3	1,827.6	224.0	1,827.6	0.84	-0.14	-0.83
12,255.0	88.97	358.58	10,203.0	1,923.6	222.3	1,923.6	0.82	0.00	-0.82
12,351.0	88.88	357.70	10,204.8	2,019.5	219.2	2,019.5	0.92	-0.09	-0.92
12,446.0	91.96	357.70	10,204.1	2,114.4	215.3	2,114.4	3.24	3.24	0.00
12,542.0	90.90	358.85	10,201.7	2,210.3	212.5	2,210.4	1.63	-1.10	1.20
12,637.0	90.77	358.41	10,200.3	2,305.3	210.2	2,305.3	0.48	-0.14	-0.46
12,733.0	91.03	358.14	10,198.8	2,401.3	207.3	2,401.3	0.39	0.27	-0.28
12,829.0	91.25	357.97	10,196.9	2,497.2	204.0	2,497.2	0.29	0.23	-0.18



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,924.0	91.25	358.76	10,194.8	2,592.1	201.3	2,592.1	0.83	0.00	0.83
13,019.0	89.76	1.31	10,194.0	2,687.1	201.4	2,687.1	3.11	-1.57	2.68
13,115.0	89.93	1.04	10,194.3	2,783.1	203.4	2,783.1	0.33	0.18	-0.28
13,211.0	89.93	0.87	10,194.4	2,879.1	205.0	2,879.1	0.18	0.00	-0.18
13,306.0	88.88	359.55	10,195.4	2,974.1	205.3	2,974.1	1.78	-1.11	-1.39
13,402.0	88.57	359.20	10,197.5	3,070.0	204.3	3,070.1	0.49	-0.32	-0.36
13,497.0	90.81	0.08	10,198.0	3,165.0	203.7	3,165.0	2.53	2.36	0.93
13,593.0	90.55	359.81	10,196.9	3,261.0	203.6	3,261.0	0.39	-0.27	-0.28
13,688.0	90.55	359.55	10,196.0	3,356.0	203.0	3,356.0	0.27	0.00	-0.27
13,784.0	90.64	359.72	10,195.0	3,452.0	202.4	3,452.0	0.20	0.09	0.18
13,880.0	90.73	359.64	10,193.8	3,548.0	201.9	3,548.0	0.13	0.09	-0.08
13,974.0	90.59	359.29	10,192.7	3,642.0	201.0	3,642.0	0.40	-0.15	-0.37
14,070.0	91.08	359.81	10,191.3	3,738.0	200.3	3,738.0	0.74	0.51	0.54
14,166.0	89.85	359.90	10,190.6	3,834.0	200.0	3,834.0	1.28	-1.28	0.09
14,261.0	89.67	359.55	10,191.0	3,929.0	199.6	3,929.0	0.41	-0.19	-0.37
14,357.0	89.67	359.29	10,191.5	4,025.0	198.6	4,025.0	0.27	0.00	-0.27
14,452.0	89.32	359.02	10,192.3	4,119.9	197.2	4,120.0	0.47	-0.37	-0.28
14,547.0	90.55	359.72	10,192.5	4,214.9	196.1	4,215.0	1.49	1.29	0.74
14,643.0	89.89	359.72	10,192.1	4,310.9	195.7	4,310.9	0.69	-0.69	0.00
14,738.0	89.71	359.72	10,192.4	4,405.9	195.2	4,405.9	0.19	-0.19	0.00
14,833.0	89.36	359.46	10,193.2	4,500.9	194.5	4,500.9	0.46	-0.37	-0.27
14,928.0	90.42	359.29	10,193.4	4,595.9	193.5	4,595.9	1.13	1.12	-0.18
15,023.0	89.98	358.85	10,193.0	4,690.9	191.9	4,690.9	0.66	-0.46	-0.46
15,119.0	89.58	358.67	10,193.4	4,786.9	189.9	4,786.9	0.46	-0.42	-0.19
15,213.0	90.33	358.76	10,193.5	4,880.9	187.8	4,880.9	0.80	0.80	0.10
15,309.0	90.77	358.76	10,192.6	4,976.8	185.7	4,976.8	0.46	0.46	0.00
15,321.9	90.78	358.82	10,192.4	4,989.7	185.4	4,989.7	0.47	0.09	0.46
Cross Section 26 to 23: 15321.9' MD, 1313' FEL									
15,404.0	90.86	359.20	10,191.2	5,071.8	184.0	5,071.8	0.47	0.09	0.46
15,499.0	90.95	0.43	10,189.7	5,166.8	183.7	5,166.8	1.30	0.09	1.29
15,595.0	90.46	0.25	10,188.5	5,262.8	184.3	5,262.8	0.54	-0.51	-0.19
15,690.0	89.45	358.93	10,188.6	5,357.8	183.6	5,357.8	1.75	-1.06	-1.39
15,786.0	90.90	359.37	10,188.3	5,453.8	182.2	5,453.8	1.58	1.51	0.46
15,881.0	90.15	359.64	10,187.4	5,548.8	181.3	5,548.8	0.84	-0.79	0.28
15,976.0	92.18	2.45	10,185.5	5,643.7	183.1	5,643.7	3.65	2.14	2.96
16,072.0	92.62	3.06	10,181.5	5,739.5	187.7	5,739.5	0.78	0.46	0.64
16,167.0	91.34	4.12	10,178.2	5,834.3	193.6	5,834.3	1.75	-1.35	1.12
16,262.0	90.29	3.33	10,176.9	5,929.0	199.8	5,929.1	1.38	-1.11	-0.83
16,358.0	88.18	3.50	10,178.1	6,024.9	205.5	6,024.9	2.21	-2.20	0.18
16,453.0	89.23	3.59	10,180.3	6,119.7	211.4	6,119.7	1.11	1.11	0.09
16,548.0	88.92	3.06	10,181.8	6,214.5	216.9	6,214.5	0.65	-0.33	-0.56
16,644.0	88.44	2.45	10,184.0	6,310.3	221.5	6,310.4	0.81	-0.50	-0.64
16,739.0	88.13	1.66	10,186.9	6,405.2	224.9	6,405.3	0.89	-0.33	-0.83
16,834.0	90.46	1.22	10,188.0	6,500.2	227.3	6,500.2	2.50	2.45	-0.46



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
16,930.0	90.29	0.95	10,187.4	6,596.2	229.1	6,596.2	0.33	-0.18	-0.28
17,026.0	90.20	0.69	10,187.0	6,692.2	230.5	6,692.2	0.29	-0.09	-0.27
17,121.0	90.11	0.34	10,186.7	6,787.2	231.3	6,787.2	0.38	-0.09	-0.37
17,216.0	90.77	0.25	10,186.0	6,882.2	231.8	6,882.2	0.70	0.69	-0.09
17,311.0	90.51	0.08	10,185.0	6,977.2	232.1	6,977.2	0.33	-0.27	-0.18
17,406.0	91.08	0.08	10,183.6	7,072.1	232.2	7,072.2	0.60	0.60	0.00
17,501.0	91.43	359.72	10,181.6	7,167.1	232.1	7,167.1	0.53	0.37	-0.38
17,597.0	91.82	359.55	10,178.8	7,263.1	231.5	7,263.1	0.44	0.41	-0.18
17,693.0	91.12	359.64	10,176.4	7,359.0	230.8	7,359.1	0.74	-0.73	0.09
17,788.0	88.62	0.08	10,176.6	7,454.0	230.5	7,454.1	2.67	-2.63	0.46
17,884.0	89.10	0.25	10,178.5	7,550.0	230.8	7,550.0	0.53	0.50	0.18
17,979.0	88.97	359.64	10,180.1	7,645.0	230.7	7,645.0	0.66	-0.14	-0.64
18,075.0	88.79	359.29	10,182.0	7,741.0	229.8	7,741.0	0.41	-0.19	-0.36
18,170.0	88.66	358.93	10,184.1	7,835.9	228.4	7,836.0	0.40	-0.14	-0.38
18,266.0	89.32	358.05	10,185.8	7,931.9	225.8	7,931.9	1.15	0.69	-0.92
18,361.0	89.23	357.70	10,187.0	8,026.8	222.3	8,026.8	0.38	-0.09	-0.37
18,457.0	91.38	357.97	10,186.5	8,122.7	218.7	8,122.8	2.26	2.24	0.28
18,552.0	91.47	357.53	10,184.1	8,217.6	215.0	8,217.7	0.47	0.09	-0.46
18,648.0	92.66	357.62	10,180.6	8,313.5	210.9	8,313.5	1.24	1.24	0.09
18,743.0	91.65	0.08	10,177.1	8,408.4	209.0	8,408.4	2.80	-1.06	2.59
18,839.0	88.75	0.60	10,176.7	8,504.4	209.6	8,504.4	3.07	-3.02	0.54
18,934.0	88.75	0.25	10,178.8	8,599.4	210.3	8,599.4	0.37	0.00	-0.37
19,029.0	88.31	359.64	10,181.2	8,694.3	210.2	8,694.3	0.79	-0.46	-0.64
19,125.0	88.00	359.02	10,184.3	8,790.3	209.1	8,790.3	0.72	-0.32	-0.65
19,221.0	88.44	358.76	10,187.3	8,886.2	207.2	8,886.2	0.53	0.46	-0.27
19,316.0	88.92	358.76	10,189.5	8,981.2	205.1	8,981.2	0.51	0.51	0.00
19,412.0	89.63	358.58	10,190.7	9,077.1	202.9	9,077.1	0.76	0.74	-0.19
19,507.0	91.34	359.20	10,189.9	9,172.1	201.1	9,172.1	1.91	1.80	0.65
19,603.0	91.87	358.93	10,187.2	9,268.0	199.5	9,268.1	0.62	0.55	-0.28
19,698.0	92.53	359.29	10,183.6	9,363.0	198.0	9,363.0	0.79	0.69	0.38
19,793.0	90.68	0.08	10,180.9	9,457.9	197.5	9,457.9	2.12	-1.95	0.83
19,888.0	91.60	0.43	10,179.0	9,552.9	197.9	9,552.9	1.04	0.97	0.37
19,984.0	92.88	0.34	10,175.3	9,648.8	198.6	9,648.8	1.34	1.33	-0.09
20,079.0	91.78	1.13	10,171.4	9,743.7	199.8	9,743.8	1.43	-1.16	0.83
20,174.0	87.12	359.20	10,172.3	9,838.7	200.1	9,838.7	5.31	-4.91	-2.03
20,270.0	87.21	358.93	10,177.1	9,934.6	198.5	9,934.6	0.30	0.09	-0.28
20,366.0	87.87	359.02	10,181.2	10,030.5	196.8	10,030.5	0.69	0.69	0.09
20,461.0	87.74	358.58	10,184.8	10,125.4	194.8	10,125.4	0.48	-0.14	-0.46
20,540.0	87.43	357.97	10,188.2	10,204.3	192.4	10,204.3	0.87	-0.39	-0.77
20,540.3	87.43	357.97	10,188.2	10,204.6	192.4	10,204.6	0.00	0.00	0.00
Cross 100' FNL:20540' MD, 1254' FEL									
20,601.0	87.43	357.97	10,190.9	10,265.2	190.3	10,265.2	0.00	0.00	0.00
PTB: 39' FNL/1256' FEL									



Skyline Directional Survey Report



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
9,774.0	9,758.0	-292.4	227.3	KOP: 9774' MD
10,041.6	10,013.6	-224.0	214.5	Cross 100' FSL: 10041' MD, 1284' FEL
10,443.0	10,194.5	112.5	229.2	LP: 10443' MD/10194' TVD
15,321.9	10,192.4	4,989.7	185.4	Cross Section 26 to 23: 15321.9' MD, 1313' FEL
20,540.3	10,188.2	10,204.6	192.4	Cross 100' FNL:20540' MD, 1254' FEL
20,601.0	10,190.9	10,265.2	190.3	PTB: 39' FNL/1256' FEL

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------



Devon Energy Production Company, L.P.

Eddy Co, New Mexico (NAD-83)

Sec 26-23S-29E (HotPotato)

Hot Potato 26-23 Fed 333H

OH

Design: As Drilled

Survey Report - Geographic

09 November, 2020





Skyline Directional

Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Project	Eddy Co, New Mexico (NAD-83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 26-23S-29E (HotPotato)			
Site Position:		Northing:	461,984.30 usft	Latitude:	32° 16' 10.174 N
From:	Map	Easting:	659,318.63 usft	Longitude:	103° 57' 5.814 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.20 °

Well	Hot Potato 26-23 Fed 333H					
Well Position	+N/-S	0.0 usft	Northing:	461,984.30 usft	Latitude:	32° 16' 10.174 N
	+E/-W	0.0 usft	Easting:	659,318.63 usft	Longitude:	103° 57' 5.814 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,070.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	9/4/2020	6.79	60.00	47,597.15566243

Design	As Drilled				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	0.01	

Survey Program	Date	11/2/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
172.0	20,601.0	MWD (OH)	MWD	MWD - Skyline	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	461,984.30	659,318.63	32° 16' 10.174 N	103° 57' 5.814 W
172.0	0.44	64.68	172.0	0.3	0.6	461,984.58	659,319.23	32° 16' 10.177 N	103° 57' 5.807 W
266.0	0.44	60.02	266.0	0.6	1.2	461,984.92	659,319.87	32° 16' 10.180 N	103° 57' 5.799 W
308.0	0.53	68.54	308.0	0.8	1.6	461,985.07	659,320.19	32° 16' 10.181 N	103° 57' 5.795 W
419.0	0.70	68.10	419.0	1.2	2.7	461,985.51	659,321.30	32° 16' 10.186 N	103° 57' 5.783 W
514.0	0.79	39.36	514.0	1.9	3.6	461,986.23	659,322.25	32° 16' 10.193 N	103° 57' 5.771 W
607.0	0.44	19.41	607.0	2.8	4.1	461,987.07	659,322.78	32° 16' 10.201 N	103° 57' 5.765 W
702.0	0.26	30.22	702.0	3.3	4.4	461,987.60	659,323.01	32° 16' 10.206 N	103° 57' 5.763 W
797.0	1.45	144.30	797.0	2.5	5.2	461,986.81	659,323.82	32° 16' 10.198 N	103° 57' 5.753 W
891.0	3.16	143.60	890.9	-0.5	7.4	461,983.75	659,326.05	32° 16' 10.168 N	103° 57' 5.727 W
986.0	5.19	140.26	985.6	-6.0	11.7	461,978.34	659,330.35	32° 16' 10.114 N	103° 57' 5.677 W
1,081.0	5.98	138.50	1,080.2	-13.0	17.7	461,971.33	659,336.38	32° 16' 10.045 N	103° 57' 5.608 W



Skyline Directional Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,175.0	5.63	138.33	1,173.7	-20.1	24.1	461,964.22	659,342.69	32° 16' 9.974 N	103° 57' 5.534 W
1,270.0	5.10	134.72	1,268.3	-26.5	30.1	461,957.77	659,348.78	32° 16' 9.910 N	103° 57' 5.464 W
1,364.0	4.88	135.08	1,361.9	-32.3	35.9	461,952.00	659,354.58	32° 16' 9.853 N	103° 57' 5.396 W
1,460.0	4.75	139.91	1,457.6	-38.2	41.4	461,946.06	659,360.02	32° 16' 9.794 N	103° 57' 5.333 W
1,555.0	4.62	138.68	1,552.3	-44.1	46.4	461,940.18	659,365.08	32° 16' 9.736 N	103° 57' 5.275 W
1,651.0	4.26	141.40	1,648.0	-49.8	51.2	461,934.49	659,369.86	32° 16' 9.679 N	103° 57' 5.219 W
1,746.0	3.56	135.25	1,742.8	-54.7	55.5	461,929.64	659,374.13	32° 16' 9.631 N	103° 57' 5.169 W
1,842.0	4.04	147.64	1,838.5	-59.6	59.4	461,924.67	659,378.04	32° 16' 9.582 N	103° 57' 5.124 W
1,938.0	4.22	157.05	1,934.3	-65.7	62.6	461,918.56	659,381.23	32° 16' 9.521 N	103° 57' 5.087 W
2,033.0	3.91	146.77	2,029.1	-71.7	65.7	461,912.63	659,384.37	32° 16' 9.462 N	103° 57' 5.051 W
2,129.0	3.78	143.51	2,124.8	-77.0	69.4	461,907.35	659,388.04	32° 16' 9.410 N	103° 57' 5.008 W
2,224.0	4.09	137.54	2,219.6	-82.0	73.6	461,902.33	659,392.19	32° 16' 9.360 N	103° 57' 4.960 W
2,319.0	5.19	139.03	2,314.3	-87.7	78.7	461,896.59	659,397.30	32° 16' 9.303 N	103° 57' 4.901 W
2,415.0	4.00	135.34	2,410.0	-93.4	83.9	461,890.93	659,402.50	32° 16' 9.247 N	103° 57' 4.841 W
2,510.0	4.09	137.19	2,504.8	-98.2	88.5	461,886.08	659,407.13	32° 16' 9.199 N	103° 57' 4.787 W
2,606.0	4.40	133.85	2,600.5	-103.3	93.5	461,881.02	659,412.11	32° 16' 9.149 N	103° 57' 4.729 W
2,702.0	4.53	146.24	2,696.2	-109.0	98.2	461,875.32	659,416.87	32° 16' 9.092 N	103° 57' 4.674 W
2,797.0	5.05	153.88	2,790.9	-115.9	102.2	461,868.44	659,420.80	32° 16' 9.024 N	103° 57' 4.628 W
2,892.0	5.67	157.75	2,885.5	-124.0	105.8	461,860.35	659,424.42	32° 16' 8.943 N	103° 57' 4.587 W
2,988.0	5.71	150.02	2,981.0	-132.5	110.0	461,851.82	659,428.60	32° 16' 8.859 N	103° 57' 4.538 W
3,084.0	5.23	148.79	3,076.6	-140.4	114.6	461,843.94	659,433.25	32° 16' 8.781 N	103° 57' 4.484 W
3,161.0	4.31	147.29	3,153.3	-145.8	118.0	461,838.51	659,436.63	32° 16' 8.727 N	103° 57' 4.445 W
3,275.0	3.21	146.94	3,267.0	-152.1	122.1	461,832.23	659,440.69	32° 16' 8.665 N	103° 57' 4.398 W
3,370.0	3.12	142.81	3,361.9	-156.4	125.1	461,827.94	659,443.70	32° 16' 8.622 N	103° 57' 4.363 W
3,466.0	3.25	143.34	3,457.7	-160.6	128.3	461,823.67	659,446.91	32° 16' 8.580 N	103° 57' 4.326 W
3,561.0	3.21	139.21	3,552.6	-164.8	131.6	461,819.50	659,450.25	32° 16' 8.538 N	103° 57' 4.287 W
3,656.0	2.81	140.00	3,647.5	-168.6	134.9	461,815.70	659,453.49	32° 16' 8.501 N	103° 57' 4.250 W
3,751.0	2.68	139.65	3,742.4	-172.1	137.8	461,812.22	659,456.42	32° 16' 8.466 N	103° 57' 4.216 W
3,847.0	3.78	131.30	3,838.2	-175.9	141.6	461,808.43	659,460.25	32° 16' 8.428 N	103° 57' 4.171 W
3,943.0	4.26	131.47	3,934.0	-180.3	146.7	461,803.98	659,465.30	32° 16' 8.384 N	103° 57' 4.113 W
4,038.0	3.69	129.10	4,028.7	-184.6	151.7	461,799.71	659,470.32	32° 16' 8.342 N	103° 57' 4.055 W
4,133.0	3.52	127.25	4,123.5	-188.3	156.4	461,796.02	659,475.01	32° 16' 8.305 N	103° 57' 4.000 W
4,229.0	4.26	133.49	4,219.3	-192.5	161.3	461,791.78	659,479.95	32° 16' 8.263 N	103° 57' 3.943 W
4,324.0	4.79	133.14	4,314.0	-197.7	166.8	461,786.64	659,485.40	32° 16' 8.212 N	103° 57' 3.879 W
4,420.0	4.84	127.96	4,409.7	-202.9	172.9	461,781.41	659,491.52	32° 16' 8.160 N	103° 57' 3.808 W
4,516.0	4.75	126.90	4,505.4	-207.8	179.3	461,776.53	659,497.89	32° 16' 8.111 N	103° 57' 3.734 W
4,611.0	4.66	127.08	4,600.0	-212.5	185.5	461,771.84	659,504.11	32° 16' 8.065 N	103° 57' 3.662 W
4,706.0	4.62	126.46	4,694.7	-217.1	191.6	461,767.24	659,510.27	32° 16' 8.019 N	103° 57' 3.591 W
4,802.0	4.48	125.50	4,790.4	-221.5	197.8	461,762.77	659,516.43	32° 16' 7.975 N	103° 57' 3.519 W
4,897.0	4.53	119.52	4,885.1	-225.5	204.1	461,758.76	659,522.72	32° 16' 7.935 N	103° 57' 3.446 W
4,993.0	4.92	128.92	4,980.8	-230.0	210.6	461,754.31	659,529.22	32° 16' 7.890 N	103° 57' 3.370 W
5,088.0	5.41	135.34	5,075.4	-235.7	216.9	461,748.56	659,535.54	32° 16' 7.833 N	103° 57' 3.297 W
5,183.0	5.32	136.04	5,170.0	-242.1	223.1	461,742.21	659,541.74	32° 16' 7.770 N	103° 57' 3.225 W
5,279.0	5.45	136.48	5,265.6	-248.6	229.3	461,735.70	659,547.97	32° 16' 7.706 N	103° 57' 3.153 W
5,374.0	4.57	136.04	5,360.2	-254.6	235.1	461,729.70	659,553.70	32° 16' 7.646 N	103° 57' 3.086 W
5,469.0	3.74	136.66	5,455.0	-259.6	239.8	461,724.73	659,558.46	32° 16' 7.597 N	103° 57' 3.031 W
5,565.0	3.65	153.88	5,550.8	-264.6	243.3	461,719.70	659,561.95	32° 16' 7.547 N	103° 57' 2.991 W
5,659.0	3.65	159.33	5,644.6	-270.1	245.7	461,714.22	659,564.32	32° 16' 7.493 N	103° 57' 2.963 W
5,755.0	2.51	161.00	5,740.4	-274.9	247.5	461,709.37	659,566.09	32° 16' 7.444 N	103° 57' 2.943 W
5,851.0	1.85	180.78	5,836.4	-278.5	248.1	461,705.83	659,566.75	32° 16' 7.409 N	103° 57' 2.935 W
5,946.0	1.67	186.05	5,931.3	-281.4	247.9	461,702.92	659,566.58	32° 16' 7.381 N	103° 57' 2.937 W
6,042.0	1.45	180.69	6,027.3	-284.0	247.8	461,700.32	659,566.42	32° 16' 7.355 N	103° 57' 2.939 W
6,137.0	1.54	180.52	6,122.3	-286.5	247.8	461,697.84	659,566.40	32° 16' 7.330 N	103° 57' 2.940 W
6,233.0	1.58	170.41	6,218.2	-289.1	248.0	461,695.25	659,566.61	32° 16' 7.305 N	103° 57' 2.937 W
6,329.0	0.84	198.62	6,314.2	-291.0	248.0	461,693.27	659,566.60	32° 16' 7.285 N	103° 57' 2.938 W



Skyline Directional Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,424.0	0.57	191.68	6,409.2	-292.1	247.6	461,692.15	659,566.28	32° 16' 7.274 N	103° 57' 2.941 W
6,520.0	0.70	225.25	6,505.2	-293.0	247.1	461,691.27	659,565.77	32° 16' 7.265 N	103° 57' 2.947 W
6,615.0	0.75	199.59	6,600.2	-294.0	246.5	461,690.28	659,565.15	32° 16' 7.256 N	103° 57' 2.955 W
6,711.0	0.97	217.25	6,696.2	-295.3	245.8	461,689.04	659,564.45	32° 16' 7.243 N	103° 57' 2.963 W
6,806.0	0.44	38.48	6,791.2	-295.6	245.6	461,688.68	659,564.19	32° 16' 7.240 N	103° 57' 2.966 W
6,901.0	0.75	38.40	6,886.2	-294.8	246.2	461,689.46	659,564.80	32° 16' 7.247 N	103° 57' 2.959 W
6,997.0	0.70	10.45	6,982.2	-293.8	246.7	461,690.53	659,565.30	32° 16' 7.258 N	103° 57' 2.953 W
7,092.0	0.53	15.37	7,077.1	-292.8	246.9	461,691.52	659,565.52	32° 16' 7.268 N	103° 57' 2.950 W
7,187.0	0.35	107.57	7,172.1	-292.4	247.3	461,691.86	659,565.91	32° 16' 7.271 N	103° 57' 2.946 W
7,283.0	0.48	104.40	7,268.1	-292.6	247.9	461,691.67	659,566.58	32° 16' 7.269 N	103° 57' 2.938 W
7,378.0	0.70	151.07	7,363.1	-293.2	248.6	461,691.06	659,567.25	32° 16' 7.263 N	103° 57' 2.930 W
7,473.0	1.63	152.48	7,458.1	-294.9	249.5	461,689.35	659,568.15	32° 16' 7.246 N	103° 57' 2.920 W
7,568.0	2.20	137.98	7,553.1	-297.5	251.4	461,686.80	659,570.00	32° 16' 7.221 N	103° 57' 2.898 W
7,664.0	3.52	126.20	7,648.9	-300.6	255.0	461,683.69	659,573.61	32° 16' 7.190 N	103° 57' 2.856 W
7,759.0	2.99	133.76	7,743.8	-304.0	259.1	461,680.26	659,577.75	32° 16' 7.156 N	103° 57' 2.808 W
7,854.0	0.75	192.21	7,838.7	-306.4	260.8	461,677.93	659,579.41	32° 16' 7.133 N	103° 57' 2.789 W
7,950.0	0.66	267.44	7,934.7	-307.0	260.1	461,677.29	659,578.72	32° 16' 7.127 N	103° 57' 2.797 W
8,044.0	0.53	231.76	8,028.7	-307.3	259.2	461,677.00	659,577.84	32° 16' 7.124 N	103° 57' 2.807 W
8,140.0	0.92	225.08	8,124.7	-308.1	258.3	461,676.18	659,576.95	32° 16' 7.116 N	103° 57' 2.818 W
8,235.0	2.20	280.62	8,219.7	-308.3	256.0	461,675.98	659,574.62	32° 16' 7.114 N	103° 57' 2.845 W
8,330.0	2.02	294.42	8,314.6	-307.3	252.7	461,677.01	659,571.30	32° 16' 7.124 N	103° 57' 2.884 W
8,426.0	1.63	306.73	8,410.6	-305.8	250.0	461,678.52	659,568.66	32° 16' 7.139 N	103° 57' 2.914 W
8,521.0	2.11	304.44	8,505.5	-304.0	247.5	461,680.32	659,566.14	32° 16' 7.157 N	103° 57' 2.943 W
8,617.0	2.37	303.74	8,601.4	-301.9	244.4	461,682.42	659,563.03	32° 16' 7.178 N	103° 57' 2.980 W
8,712.0	1.58	322.28	8,696.4	-299.7	242.0	461,684.55	659,560.60	32° 16' 7.199 N	103° 57' 3.008 W
8,808.0	2.37	318.50	8,792.3	-297.2	239.8	461,687.08	659,558.47	32° 16' 7.224 N	103° 57' 3.033 W
8,903.0	2.55	322.72	8,887.2	-294.1	237.3	461,690.24	659,555.89	32° 16' 7.255 N	103° 57' 3.062 W
8,999.0	2.24	316.04	8,983.2	-291.0	234.7	461,693.29	659,553.29	32° 16' 7.286 N	103° 57' 3.093 W
9,095.0	1.01	11.24	9,079.1	-288.8	233.5	461,695.47	659,552.16	32° 16' 7.307 N	103° 57' 3.106 W
9,190.0	0.40	338.89	9,174.1	-287.7	233.6	461,696.60	659,552.20	32° 16' 7.319 N	103° 57' 3.105 W
9,286.0	0.97	238.79	9,270.1	-287.8	232.7	461,696.49	659,551.38	32° 16' 7.318 N	103° 57' 3.115 W
9,381.0	1.10	234.83	9,365.1	-288.8	231.3	461,695.55	659,549.95	32° 16' 7.308 N	103° 57' 3.131 W
9,477.0	0.84	207.76	9,461.1	-289.9	230.2	461,694.39	659,548.87	32° 16' 7.297 N	103° 57' 3.144 W
9,572.0	0.84	202.14	9,556.1	-291.2	229.6	461,693.13	659,548.28	32° 16' 7.284 N	103° 57' 3.151 W
9,610.0	0.75	198.27	9,594.1	-291.7	229.5	461,692.64	659,548.10	32° 16' 7.280 N	103° 57' 3.153 W
9,678.0	1.27	199.32	9,662.1	-292.8	229.1	461,691.50	659,547.71	32° 16' 7.268 N	103° 57' 3.158 W
9,774.0	2.42	314.11	9,758.0	-292.4	227.3	461,691.91	659,545.90	32° 16' 7.272 N	103° 57' 3.179 W
KOP: 9774' MD									
9,870.0	10.95	347.60	9,853.3	-282.1	223.8	461,702.25	659,542.48	32° 16' 7.375 N	103° 57' 3.218 W
9,965.0	20.26	351.11	9,944.7	-256.9	219.4	461,727.37	659,537.99	32° 16' 7.624 N	103° 57' 3.269 W
10,041.6	31.39	351.88	10,013.6	-224.0	214.5	461,760.33	659,533.11	32° 16' 7.950 N	103° 57' 3.325 W
Cross 100' FSL: 10041' MD, 1284' FEL									
10,060.0	34.07	351.99	10,029.0	-214.1	213.1	461,770.18	659,531.71	32° 16' 8.047 N	103° 57' 3.341 W
10,155.0	48.44	358.58	10,100.3	-151.9	208.5	461,832.41	659,527.10	32° 16' 8.663 N	103° 57' 3.392 W
10,251.0	63.21	5.44	10,154.1	-72.8	211.7	461,911.48	659,530.29	32° 16' 9.446 N	103° 57' 3.351 W
10,346.0	79.91	6.93	10,184.1	16.4	221.4	462,000.75	659,540.02	32° 16' 10.329 N	103° 57' 3.234 W
10,443.0	87.78	2.45	10,194.5	112.5	229.2	462,096.77	659,547.87	32° 16' 11.279 N	103° 57' 3.139 W
LP: 10443' MD/10194' TVD									
10,538.0	87.56	1.48	10,198.3	207.3	232.5	462,191.63	659,551.13	32° 16' 12.217 N	103° 57' 3.097 W
10,634.0	87.21	0.60	10,202.7	303.2	234.2	462,287.51	659,552.87	32° 16' 13.166 N	103° 57' 3.073 W
10,729.0	87.21	359.99	10,207.3	398.1	234.7	462,382.40	659,553.36	32° 16' 14.105 N	103° 57' 3.063 W
10,825.0	87.96	0.16	10,211.4	494.0	234.8	462,478.31	659,553.48	32° 16' 15.054 N	103° 57' 3.058 W
10,920.0	89.54	359.37	10,213.4	589.0	234.5	462,573.29	659,553.09	32° 16' 15.994 N	103° 57' 3.058 W
11,015.0	91.08	0.25	10,212.9	684.0	234.1	462,668.28	659,552.78	32° 16' 16.934 N	103° 57' 3.058 W
11,111.0	89.58	359.55	10,212.4	780.0	234.0	462,764.28	659,552.61	32° 16' 17.884 N	103° 57' 3.056 W



Skyline Directional Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,205.0	89.10	358.85	10,213.5	874.0	232.7	462,858.26	659,551.30	32° 16' 18.814 N	103° 57' 3.067 W
11,301.0	89.23	358.23	10,214.9	969.9	230.2	462,954.22	659,548.85	32° 16' 19.764 N	103° 57' 3.092 W
11,396.0	91.47	359.20	10,214.3	1,064.9	228.1	463,049.19	659,546.72	32° 16' 20.704 N	103° 57' 3.113 W
11,492.0	91.69	358.76	10,211.6	1,160.8	226.4	463,145.13	659,545.01	32° 16' 21.653 N	103° 57' 3.129 W
11,587.0	92.18	358.49	10,208.4	1,255.8	224.1	463,240.05	659,542.73	32° 16' 22.593 N	103° 57' 3.151 W
11,681.0	91.08	0.16	10,205.7	1,349.7	223.0	463,334.00	659,541.63	32° 16' 23.522 N	103° 57' 3.160 W
11,777.0	91.60	0.08	10,203.5	1,445.7	223.2	463,429.98	659,541.83	32° 16' 24.472 N	103° 57' 3.154 W
11,873.0	90.86	0.34	10,201.4	1,541.7	223.5	463,525.95	659,542.18	32° 16' 25.422 N	103° 57' 3.146 W
11,968.0	91.08	0.25	10,199.8	1,636.6	224.0	463,620.94	659,542.67	32° 16' 26.362 N	103° 57' 3.136 W
12,064.0	89.10	0.16	10,199.7	1,732.6	224.4	463,716.93	659,543.01	32° 16' 27.312 N	103° 57' 3.128 W
12,159.0	88.97	359.37	10,201.3	1,827.6	224.0	463,811.92	659,542.62	32° 16' 28.252 N	103° 57' 3.129 W
12,255.0	88.97	358.58	10,203.0	1,923.6	222.3	463,907.88	659,540.91	32° 16' 29.201 N	103° 57' 3.145 W
12,351.0	88.88	357.70	10,204.8	2,019.5	219.2	464,003.82	659,537.79	32° 16' 30.151 N	103° 57' 3.177 W
12,446.0	91.96	357.70	10,204.1	2,114.4	215.3	464,098.73	659,533.98	32° 16' 31.090 N	103° 57' 3.218 W
12,542.0	90.90	358.85	10,201.7	2,210.3	212.5	464,194.65	659,531.09	32° 16' 32.039 N	103° 57' 3.247 W
12,637.0	90.77	358.41	10,200.3	2,305.3	210.2	464,289.61	659,528.82	32° 16' 32.979 N	103° 57' 3.270 W
12,733.0	91.03	358.14	10,198.8	2,401.3	207.3	464,385.56	659,525.93	32° 16' 33.929 N	103° 57' 3.300 W
12,829.0	91.25	357.97	10,196.9	2,497.2	204.0	464,481.48	659,522.67	32° 16' 34.878 N	103° 57' 3.333 W
12,924.0	91.25	358.76	10,194.8	2,592.1	201.3	464,576.42	659,519.96	32° 16' 35.818 N	103° 57' 3.361 W
13,019.0	89.76	1.31	10,194.0	2,687.1	201.4	464,671.41	659,520.02	32° 16' 36.758 N	103° 57' 3.356 W
13,115.0	89.93	1.04	10,194.3	2,783.1	203.4	464,767.39	659,521.99	32° 16' 37.707 N	103° 57' 3.330 W
13,211.0	89.93	0.87	10,194.4	2,879.1	205.0	464,863.37	659,523.59	32° 16' 38.657 N	103° 57' 3.307 W
13,306.0	88.88	359.55	10,195.4	2,974.1	205.3	464,958.36	659,523.94	32° 16' 39.597 N	103° 57' 3.299 W
13,402.0	88.57	359.20	10,197.5	3,070.0	204.3	465,054.33	659,522.89	32° 16' 40.547 N	103° 57' 3.307 W
13,497.0	90.81	0.08	10,198.0	3,165.0	203.7	465,149.32	659,522.29	32° 16' 41.487 N	103° 57' 3.310 W
13,593.0	90.55	359.81	10,196.9	3,261.0	203.6	465,245.32	659,522.20	32° 16' 42.437 N	103° 57' 3.307 W
13,688.0	90.55	359.55	10,196.0	3,356.0	203.0	465,340.31	659,521.67	32° 16' 43.377 N	103° 57' 3.309 W
13,784.0	90.64	359.72	10,195.0	3,452.0	202.4	465,436.30	659,521.06	32° 16' 44.327 N	103° 57' 3.313 W
13,880.0	90.73	359.64	10,193.8	3,548.0	201.9	465,532.29	659,520.52	32° 16' 45.277 N	103° 57' 3.315 W
13,974.0	90.59	359.29	10,192.7	3,642.0	201.0	465,626.28	659,519.65	32° 16' 46.207 N	103° 57' 3.321 W
14,070.0	91.08	359.81	10,191.3	3,738.0	200.3	465,722.27	659,518.89	32° 16' 47.157 N	103° 57' 3.326 W
14,166.0	89.85	359.90	10,190.6	3,834.0	200.0	465,818.26	659,518.65	32° 16' 48.107 N	103° 57' 3.325 W
14,261.0	89.67	359.55	10,191.0	3,929.0	199.6	465,913.26	659,518.19	32° 16' 49.047 N	103° 57' 3.326 W
14,357.0	89.67	359.29	10,191.5	4,025.0	198.6	466,009.26	659,517.22	32° 16' 49.997 N	103° 57' 3.334 W
14,452.0	89.32	359.02	10,192.3	4,119.9	197.2	466,104.24	659,515.82	32° 16' 50.937 N	103° 57' 3.346 W
14,547.0	90.55	359.72	10,192.5	4,214.9	196.1	466,199.23	659,514.78	32° 16' 51.877 N	103° 57' 3.354 W
14,643.0	89.89	359.72	10,192.1	4,310.9	195.7	466,295.23	659,514.31	32° 16' 52.827 N	103° 57' 3.356 W
14,738.0	89.71	359.72	10,192.4	4,405.9	195.2	466,390.23	659,513.84	32° 16' 53.767 N	103° 57' 3.357 W
14,833.0	89.36	359.46	10,193.2	4,500.9	194.5	466,485.22	659,513.16	32° 16' 54.707 N	103° 57' 3.361 W
14,928.0	90.42	359.29	10,193.4	4,595.9	193.5	466,580.22	659,512.13	32° 16' 55.647 N	103° 57' 3.369 W
15,023.0	89.98	358.85	10,193.0	4,690.9	191.9	466,675.20	659,510.58	32° 16' 56.587 N	103° 57' 3.383 W
15,119.0	89.58	358.67	10,193.4	4,786.9	189.9	466,771.18	659,508.51	32° 16' 57.537 N	103° 57' 3.403 W
15,213.0	90.33	358.76	10,193.5	4,880.9	187.8	466,865.15	659,506.40	32° 16' 58.467 N	103° 57' 3.424 W
15,309.0	90.77	358.76	10,192.6	4,976.8	185.7	466,961.13	659,504.32	32° 16' 59.417 N	103° 57' 3.444 W
15,321.9	90.78	358.82	10,192.4	4,989.7	185.4	466,974.02	659,504.05	32° 16' 59.544 N	103° 57' 3.447 W
Cross Section 26 to 23: 15321.9' MD, 1313' FEL									
15,404.0	90.86	359.20	10,191.2	5,071.8	184.0	467,056.10	659,502.63	32° 17' 0.357 N	103° 57' 3.460 W
15,499.0	90.95	0.43	10,189.7	5,166.8	183.7	467,151.09	659,502.32	32° 17' 1.297 N	103° 57' 3.460 W
15,595.0	90.46	0.25	10,188.5	5,262.8	184.3	467,247.08	659,502.89	32° 17' 2.247 N	103° 57' 3.449 W
15,690.0	89.45	358.93	10,188.6	5,357.8	183.6	467,342.07	659,502.21	32° 17' 3.187 N	103° 57' 3.453 W
15,786.0	90.90	359.37	10,188.3	5,453.8	182.2	467,438.06	659,500.79	32° 17' 4.137 N	103° 57' 3.466 W
15,881.0	90.15	359.64	10,187.4	5,548.8	181.3	467,533.05	659,499.97	32° 17' 5.077 N	103° 57' 3.471 W
15,976.0	92.18	2.45	10,185.5	5,643.7	183.1	467,628.00	659,501.70	32° 17' 6.016 N	103° 57' 3.447 W
16,072.0	92.62	3.06	10,181.5	5,739.5	187.7	467,723.81	659,506.31	32° 17' 6.964 N	103° 57' 3.389 W
16,167.0	91.34	4.12	10,178.2	5,834.3	193.6	467,818.56	659,512.26	32° 17' 7.901 N	103° 57' 3.316 W



Skyline Directional Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,262.0	90.29	3.33	10,176.9	5,929.0	199.8	467,913.35	659,518.43	32° 17' 8.839 N	103° 57' 3.240 W
16,358.0	88.18	3.50	10,178.1	6,024.9	205.5	468,009.16	659,524.14	32° 17' 9.787 N	103° 57' 3.170 W
16,453.0	89.23	3.59	10,180.3	6,119.7	211.4	468,103.96	659,530.02	32° 17' 10.725 N	103° 57' 3.097 W
16,548.0	88.92	3.06	10,181.8	6,214.5	216.9	468,198.78	659,535.53	32° 17' 11.663 N	103° 57' 3.029 W
16,644.0	88.44	2.45	10,184.0	6,310.3	221.5	468,294.65	659,540.14	32° 17' 12.612 N	103° 57' 2.972 W
16,739.0	88.13	1.66	10,186.9	6,405.2	224.9	468,389.54	659,543.54	32° 17' 13.551 N	103° 57' 2.928 W
16,834.0	90.46	1.22	10,188.0	6,500.2	227.3	468,484.50	659,545.93	32° 17' 14.490 N	103° 57' 2.896 W
16,930.0	90.29	0.95	10,187.4	6,596.2	229.1	468,580.48	659,547.75	32° 17' 15.440 N	103° 57' 2.871 W
17,026.0	90.20	0.69	10,187.0	6,692.2	230.5	468,676.47	659,549.12	32° 17' 16.390 N	103° 57' 2.851 W
17,121.0	90.11	0.34	10,186.7	6,787.2	231.3	468,771.46	659,549.98	32° 17' 17.330 N	103° 57' 2.837 W
17,216.0	90.77	0.25	10,186.0	6,882.2	231.8	468,866.46	659,550.47	32° 17' 18.270 N	103° 57' 2.828 W
17,311.0	90.51	0.08	10,185.0	6,977.2	232.1	468,961.45	659,550.74	32° 17' 19.210 N	103° 57' 2.820 W
17,406.0	91.08	0.08	10,183.6	7,072.1	232.2	469,056.44	659,550.87	32° 17' 20.150 N	103° 57' 2.815 W
17,501.0	91.43	359.72	10,181.6	7,167.1	232.1	469,151.42	659,550.71	32° 17' 21.090 N	103° 57' 2.813 W
17,597.0	91.82	359.55	10,178.8	7,263.1	231.5	469,247.38	659,550.09	32° 17' 22.039 N	103° 57' 2.816 W
17,693.0	91.12	359.64	10,176.4	7,359.0	230.8	469,343.34	659,549.42	32° 17' 22.989 N	103° 57' 2.820 W
17,788.0	88.62	0.08	10,176.6	7,454.0	230.5	469,438.33	659,549.18	32° 17' 23.929 N	103° 57' 2.819 W
17,884.0	89.10	0.25	10,178.5	7,550.0	230.8	469,534.32	659,549.46	32° 17' 24.879 N	103° 57' 2.812 W
17,979.0	88.97	359.64	10,180.1	7,645.0	230.7	469,629.30	659,549.37	32° 17' 25.819 N	103° 57' 2.809 W
18,075.0	88.79	359.29	10,182.0	7,741.0	229.8	469,725.28	659,548.47	32° 17' 26.769 N	103° 57' 2.815 W
18,170.0	88.66	358.93	10,184.1	7,835.9	228.4	469,820.24	659,547.00	32° 17' 27.708 N	103° 57' 2.828 W
18,266.0	89.32	358.05	10,185.8	7,931.9	225.8	469,916.19	659,544.47	32° 17' 28.658 N	103° 57' 2.854 W
18,361.0	89.23	357.70	10,187.0	8,026.8	222.3	470,011.12	659,540.95	32° 17' 29.597 N	103° 57' 2.891 W
18,457.0	91.38	357.97	10,186.5	8,122.7	218.7	470,107.04	659,537.32	32° 17' 30.547 N	103° 57' 2.929 W
18,552.0	91.47	357.53	10,184.1	8,217.6	215.0	470,201.94	659,533.59	32° 17' 31.486 N	103° 57' 2.969 W
18,648.0	92.66	357.62	10,180.6	8,313.5	210.9	470,297.79	659,529.53	32° 17' 32.435 N	103° 57' 3.012 W
18,743.0	91.65	0.08	10,177.1	8,408.4	209.0	470,392.70	659,527.63	32° 17' 33.374 N	103° 57' 3.030 W
18,839.0	88.75	0.60	10,176.7	8,504.4	209.6	470,488.68	659,528.20	32° 17' 34.324 N	103° 57' 3.020 W
18,934.0	88.75	0.25	10,178.8	8,599.4	210.3	470,583.66	659,528.90	32° 17' 35.264 N	103° 57' 3.007 W
19,029.0	88.31	359.64	10,181.2	8,694.3	210.2	470,678.63	659,528.81	32° 17' 36.203 N	103° 57' 3.005 W
19,125.0	88.00	359.02	10,184.3	8,790.3	209.1	470,774.57	659,527.69	32° 17' 37.153 N	103° 57' 3.014 W
19,221.0	88.44	358.76	10,187.3	8,886.2	207.2	470,870.51	659,525.83	32° 17' 38.102 N	103° 57' 3.031 W
19,316.0	88.92	358.76	10,189.5	8,981.2	205.1	470,965.46	659,523.77	32° 17' 39.042 N	103° 57' 3.051 W
19,412.0	89.63	358.58	10,190.7	9,077.1	202.9	471,061.42	659,521.55	32° 17' 39.992 N	103° 57' 3.073 W
19,507.0	91.34	359.20	10,189.9	9,172.1	201.1	471,156.40	659,519.71	32° 17' 40.932 N	103° 57' 3.091 W
19,603.0	91.87	358.93	10,187.2	9,268.0	199.5	471,252.35	659,518.14	32° 17' 41.881 N	103° 57' 3.105 W
19,698.0	92.53	359.29	10,183.6	9,363.0	198.0	471,347.27	659,516.67	32° 17' 42.820 N	103° 57' 3.118 W
19,793.0	90.68	0.08	10,180.9	9,457.9	197.5	471,442.22	659,516.14	32° 17' 43.760 N	103° 57' 3.120 W
19,888.0	91.60	0.43	10,179.0	9,552.9	197.9	471,537.20	659,516.57	32° 17' 44.700 N	103° 57' 3.112 W
19,984.0	92.88	0.34	10,175.3	9,648.8	198.6	471,633.12	659,517.21	32° 17' 45.649 N	103° 57' 3.100 W
20,079.0	91.78	1.13	10,171.4	9,743.7	199.8	471,728.03	659,518.43	32° 17' 46.588 N	103° 57' 3.082 W
20,174.0	87.12	359.20	10,172.3	9,838.7	200.1	471,823.00	659,518.70	32° 17' 47.528 N	103° 57' 3.075 W
20,270.0	87.21	358.93	10,177.1	9,934.6	198.5	471,918.87	659,517.14	32° 17' 48.477 N	103° 57' 3.089 W
20,366.0	87.87	359.02	10,181.2	10,030.5	196.8	472,014.76	659,515.42	32° 17' 49.426 N	103° 57' 3.105 W
20,461.0	87.74	358.58	10,184.8	10,125.4	194.8	472,109.67	659,513.44	32° 17' 50.365 N	103° 57' 3.124 W
20,540.0	87.43	357.97	10,188.2	10,204.3	192.4	472,188.57	659,511.06	32° 17' 51.146 N	103° 57' 3.149 W
20,540.3	87.43	357.97	10,188.2	10,204.6	192.4	472,188.87	659,511.05	32° 17' 51.149 N	103° 57' 3.149 W
Cross 100' FNL:20540' MD, 1254' FEL									
20,601.0	87.43	357.97	10,190.9	10,265.2	190.3	472,249.47	659,508.90	32° 17' 51.749 N	103° 57' 3.171 W
PTB: 39' FNL/1256' FEL									



Skyline Directional
Survey Report - Geographic



Company:	Devon Energy Production Company, L.P.	Local Co-ordinate Reference:	Well Hot Potato 26-23 Fed 333H
Project:	Eddy Co, New Mexico (NAD-83)	TVD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Site:	Sec 26-23S-29E (HotPotato)	MD Reference:	Cactus 129: 3070' + 30' @ 3100.0usft
Well:	Hot Potato 26-23 Fed 333H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	As Drilled	Database:	Compass_DSN

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
9,774.0	9,758.0	-292.4	227.3	KOP: 9774' MD
10,041.6	10,013.6	-224.0	214.5	Cross 100' FSL: 10041' MD, 1284' FEL
10,443.0	10,194.5	112.5	229.2	LP: 10443' MD/10194' TVD
15,321.9	10,192.4	4,989.7	185.4	Cross Section 26 to 23: 15321.9' MD, 1313' FEL
20,540.3	10,188.2	10,204.6	192.4	Cross 100' FNL:20540' MD, 1254' FEL
20,601.0	10,190.9	10,265.2	190.3	PTB: 39' FNL/1256' FEL

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

WELL API NO.	30-015-47176
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	HOT POTATO 26-23 FED
8. Well Number	333H
9. OGRID Number	6137
10. Pool name or Wildcat	; LAGUNA SALADO; BONE SPRING

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator	Devon Energy Production Company, L.P.
3. Address of Operator	333 West Sheridan, Oklahoma City, OK 73102
4. Well Location	Unit Letter <u>O</u> : <u>325</u> feet from the <u>South</u> line and <u>1499</u> feet from the <u>East</u> line Section <u>26</u> Township <u>23S</u> Range <u>29E</u> NMPM County <u>EDDY</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

GL: 3069.8

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/12/2021-1/25/2021: MIRU WL & PT. TIH & ran CBL, TOC @ 320'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 10300-20485'. Frac totals 18438856# prop, 345574 bbl fluid, 60 bbls acid. DO plugs & CO to PBTD with float collar 20540.5/10188.2'. CHC, FWB, ND BOP. Tubing set: 3/15/2021, 2-7/8", L-80 @ 9982.4, 299 JNTS'. 4/8/2021: TOP

Rustler234

Salt523

Base of Salt2954

Lamar3192

Delaware3220

Cherry Canyon4045

Brushy Canyon5663

1st Bone Spring Lime6916

Bone Spring 1st7947

Bone Spring 2nd8762

3rd Bone Spring Lime9098

Bone Spring 3rd9895

Wolfcamp10221

Strawn11915

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenny Harms TITLE Regulatory Specialist DATE 7/12/2021

Type or print name Jenny Harms E-mail address: jenny.harms@dmn.com PHONE: 405-552-6560

For State Use Only Jenny Harms

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011					
		1. WELL API NO. 30-015-47176		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN		3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name HOT POTATO 26-23 FED							
				6. Well Number: 333H							
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator Devon Energy Production Company, L.P.				9. OGRID 6137							
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102				11. Pool name or Wildcat ; LAGUNA SALADO; BONE SPRING							
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	O	26	23S	29E		325	South	1499	East	EDDY	
BH:	A	23	23S	29E		40	North	1256	East	EDDY	
13. Date Spudded 9/28/20	14. Date T.D. Reached 10/28/20	15. Date Rig Released 10/30/20		16. Date Completed (Ready to Produce) 4/8/21		17. Elevations (DF and RKB, RT, GR, etc.) 3069.8 GL					
18. Total Measured Depth of Well 20601 MD, 10190.9 TVD		19. Plug Back Measured Depth 20540.5/10188.2		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run cbl					
22. Producing Interval(s), of this completion - Top, Bottom, Name 10300-20485, LAGUNA SALADO; BONE SPRING											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB/FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13.375		54.5		379		17.5		305			
10.75		45.5		3222		12.25		550			
8 5/8		32		9665		9.875		865			
5.5		20		20585.8		7.875		2264			
24. LINER RECORD						25. TUBING RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET				
						3/15/2021: 2-7/8, L-80, 9982.4, 299 jts					
26. Perforation record (interval, size, and number) 10300 - 20485, total 1166 holes					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10300-20485 Acidize and frac in 65 stages.						
28. PRODUCTION											
Date First Production 4/8/21		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in) Producing					
Date of Test 4/21/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1344	Gas - MCF 2851	Water - Bbl. 4651	Gas - Oil Ratio 2120				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By				
31. List Attachments Directional Survey											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD 1927 1983											
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 		Printed Name Jenny Harms		Title Regulatory Specialist		Date 7/12/2021					
E-mail Address jenny.harms@dv.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
RUSTLER - 234			
SALT - 523			
BASE OF SALT - 2954			
LAMAR - 3192			
DELAWARE - 3220			
CHERRY CANYON - 4045			
Brushy Canyon - 4663			
1st Bone Spring Lime - 6916			
Bone Spring 1st - 7947			
Bone Spring 2nd - 8762			
3rd Bone Spring Lime - 9098			
Bone Spring 3rd - 9895			
Wolfcamp - 10221			
Strawn - 11915			

No. 1, from..... to..... No. 3, from..... to.....
 No. 2, from..... N/A to..... N/A No. 4, from..... N/A to..... N/A
 N/A N/A N/A N/A

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 35982

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 35982
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 35982

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 35982
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/30/2021