

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47035	⁵ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP		⁶ Pool Code 98135
⁷ Property Code 325410	⁸ Property Name HYPERION STATE		⁹ Well Number 208H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	20	24-S	33-E	-	634'	NORTH	1247'	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	24-S	33-E	-	29'	SOUTH	335'	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/18/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	ENLINK MIDSTREAM OPERATING, LP 1722 ROUTH ST. SUITE 1300 DALLAS, TX 75201	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/21/2021	²² Ready Date 7/9/2021	²³ TD 17486'	²⁴ PBTD 17427'	²⁵ Perforations 12659' - 17339'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1206'	930 SKS		
9.875"	7.625"	11941'	1250 SKS		
6.75"	5.5"	17471'	520 SKS		

V. Well Test Data

³¹ Date New Oil 7/18/2021	³² Gas Delivery Date 7/18/2021	³³ Test Date 7/23/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2371
³⁷ Choke Size 40/64	³⁸ Oil 2097	³⁹ Water 6894	⁴⁰ Gas 4944		⁴¹ Test Method FLOWING
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Bill Ramsey			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: bramsey@taprk.com			Approval Date: 08/31/2021		
Date: 7/26/2021		Phone: 720-238-2787			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47035	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P: UPPER WOLFCAMP
⁴ Property Code 325410	⁵ Property Name HYPERION STATE	
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 208H ⁹ Elevation 3563'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	20	24-S	33-E	—	634'	NORTH	1247'	EAST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	24-S	33-E	—	29'	SOUTH	335'	EAST	LEA

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 20, TOWNSHIP 24-S, RANGE 33-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

TAP
ROCK



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

HYPERION STATE 208H PRE-COMPLETION	REVISION:		NOTES:
	INT	DATE	
DATE: 06/02/2021			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C_HYPERION_STATE_208H			
DRAWN BY: A.V.F.			
SHEET: 1 OF 1			

S:\SURVEY\TAPROCK\HYPERION_UNIT\FINAL_PRODUCTS\IC_HYPERION_STATE_208H.DWG 6/7/2021 9:39:12 AM abaeza



Operator: Tap Rock Resources LLC
Well Name: Hyperion State #208H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-47035

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 235' MD – 17,414' MD
Projection to Bit: 17,486' MD
Dates Performed: 3/21/2021 – 5/13/2021.
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid DDS

Location: Sec-20_T-24-S_R-33-E

Well: Hyperion State 208H

Rig: H&P 261

API or UWI: 30-025-47035

Job Number: ID2846

State: NM

Operating Company: Tap Rock Resources, LLC

County: Lea

Magnetic Declination: 6.00

Country: U.S.A.

Proposed Azimuth: 179.58

Comment

North Reference: GRID

Latitude: 0

Longitude: 0

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
235.00	0.84	239.00	234.99	-0.89	-1.48	239.00	1.72	0.88	0.36
325.00	0.97	222.39	324.98	-1.79	-2.56	235.00	3.12	1.77	0.32
414.00	0.53	229.51	413.97	-2.61	-3.38	232.26	4.27	2.59	0.50
503.00	0.57	219.49	502.97	-3.22	-3.97	230.94	5.11	3.19	0.12
601.00	0.62	186.88	600.96	-4.12	-4.34	226.49	5.99	4.09	0.34
695.00	0.57	193.65	694.96	-5.08	-4.52	221.61	6.80	5.05	0.09
790.00	1.05	163.76	789.95	-6.38	-4.38	214.50	7.74	6.35	0.66
885.00	1.23	178.27	884.93	-8.23	-4.11	206.53	9.20	8.20	0.36
980.00	0.88	151.02	979.91	-9.89	-3.73	200.64	10.57	9.86	0.63
1074.00	0.13	50.91	1073.91	-10.46	-3.29	197.48	10.96	10.43	0.97
1153.00	0.75	309.31	1152.91	-10.07	-3.62	199.79	10.70	10.04	1.00
1223.00	1.05	299.91	1222.90	-9.46	-4.53	205.60	10.49	9.43	0.48
1317.00	1.14	280.04	1316.88	-8.87	-6.20	214.96	10.82	8.82	0.41
1412.00	0.88	287.69	1411.87	-8.48	-7.83	222.70	11.54	8.42	0.31
1506.00	0.53	257.37	1505.86	-8.36	-8.94	226.92	12.24	8.29	0.53
1601.00	0.75	241.46	1600.86	-8.75	-9.91	228.56	13.22	8.68	0.30

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1695.00	0.97	261.85	1694.85	-9.16	-11.24	230.83	14.50	9.08	0.40
1789.00	0.57	247.61	1788.84	-9.45	-12.46	232.83	15.64	9.36	0.47
1884.00	0.62	269.41	1883.83	-9.63	-13.41	234.31	16.51	9.54	0.24
1977.00	0.66	247.96	1976.83	-9.84	-14.41	235.68	17.45	9.73	0.26
2072.00	0.79	54.78	2071.82	-9.67	-14.38	236.09	17.33	9.56	1.52
2166.00	1.63	52.49	2165.80	-8.48	-12.79	236.46	15.35	8.39	0.89
2261.00	2.51	41.86	2260.74	-6.11	-10.33	239.42	12.00	6.03	1.01
2355.00	2.86	61.11	2354.64	-3.44	-6.91	243.51	7.72	3.39	1.02
2448.00	3.82	59.00	2447.48	-0.73	-2.22	251.91	2.34	0.71	1.04
2543.00	4.70	57.33	2542.22	3.01	3.77	51.43	4.82	-2.98	0.94
2637.00	5.80	57.06	2635.82	7.67	11.00	55.11	13.41	-7.59	1.17
2731.00	7.30	59.35	2729.20	13.29	20.12	56.55	24.12	-13.15	1.62
2826.00	8.44	58.38	2823.31	20.03	31.25	57.35	37.12	-19.80	1.21
2920.00	9.49	57.42	2916.16	27.82	43.65	57.50	51.76	-27.50	1.13
3014.00	10.64	56.80	3008.71	36.74	57.45	57.40	68.19	-36.32	1.23
3109.00	11.21	60.67	3101.99	46.07	72.84	57.69	86.18	-45.53	0.98
3204.00	10.99	62.78	3195.21	54.73	88.94	58.39	104.43	-54.08	0.49
3298.00	10.77	67.44	3287.52	62.20	105.02	59.36	122.06	-61.43	0.96
3393.00	10.55	72.18	3380.89	68.27	121.49	60.67	139.36	-67.37	0.95
3487.00	10.42	75.61	3473.32	73.01	137.92	62.10	156.06	-72.00	0.68
3581.00	9.85	68.93	3565.85	78.02	153.66	63.08	172.33	-76.89	1.39
3675.00	9.49	58.29	3658.53	84.98	167.75	63.13	188.05	-83.75	1.94
3770.00	9.23	53.29	3752.26	93.65	180.53	62.58	203.37	-92.33	0.90
3863.00	8.97	55.66	3844.09	102.20	192.49	62.03	217.94	-100.79	0.49
3958.00	8.92	51.18	3937.94	111.00	204.34	61.49	232.54	-109.49	0.73
4052.00	8.66	50.03	4030.83	120.11	215.45	60.86	246.66	-118.53	0.33
4146.00	8.22	46.69	4123.82	129.27	225.76	60.21	260.15	-127.61	0.70
4240.00	8.92	43.44	4216.77	139.17	235.66	59.44	273.68	-137.44	0.91
4335.00	9.54	44.41	4310.54	150.14	246.23	58.63	288.40	-148.33	0.67
4430.00	10.02	47.75	4404.16	161.32	257.86	57.97	304.16	-159.42	0.78
4524.00	10.95	50.82	4496.59	172.46	270.83	57.51	321.08	-170.47	1.15
4618.00	10.86	49.86	4588.89	183.81	284.52	57.14	338.73	-181.72	0.22
4712.00	10.90	57.24	4681.20	194.32	298.77	56.96	356.41	-192.13	1.48
4807.00	11.78	63.48	4774.35	203.52	315.00	57.13	375.02	-201.20	1.59
4901.00	11.74	68.23	4866.38	211.35	332.47	57.56	393.96	-208.90	1.03
4994.00	10.64	67.00	4957.61	218.21	349.16	58.00	411.74	-215.65	1.21
5089.00	10.15	61.55	5051.05	225.63	364.59	58.25	428.76	-222.95	1.16

DigiDrill DataLogger

2/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5183.00	10.55	57.42	5143.53	234.21	379.12	58.29	445.63	-231.42	0.90
5278.00	12.00	54.25	5236.69	244.66	394.47	58.19	464.18	-241.76	1.66
5372.00	12.53	55.04	5328.54	256.21	410.76	58.05	484.11	-253.19	0.59
5466.00	12.88	53.81	5420.24	268.24	427.57	57.90	504.75	-265.10	0.47
5560.00	12.97	52.32	5511.86	280.87	444.37	57.70	525.70	-277.61	0.37
5654.00	12.97	50.65	5603.46	294.01	460.88	57.46	546.67	-290.62	0.40
5748.00	13.05	48.19	5695.05	307.77	476.95	57.17	567.63	-304.27	0.60
5842.00	13.76	47.22	5786.49	322.44	493.06	56.82	589.13	-318.82	0.79
5937.00	14.20	45.73	5878.68	338.25	509.70	56.43	611.72	-334.50	0.60
6031.00	13.85	43.35	5969.87	354.48	525.68	56.01	634.03	-350.62	0.72
6125.00	12.79	43.53	6061.34	370.20	540.57	55.59	655.18	-366.23	1.13
6219.00	12.22	43.00	6153.11	385.02	554.52	55.23	675.08	-380.95	0.62
6313.00	11.96	42.74	6245.03	399.45	567.91	54.88	694.33	-395.28	0.28
6406.00	11.12	41.60	6336.15	413.24	580.41	54.55	712.49	-408.97	0.94
6501.00	11.12	39.31	6429.37	427.18	592.29	54.20	730.27	-422.82	0.46
6594.00	11.69	35.79	6520.53	441.76	603.48	53.80	747.89	-437.32	0.97
6688.00	12.00	35.00	6612.53	457.49	614.66	53.34	766.22	-452.97	0.37
6782.00	11.30	32.98	6704.59	473.22	625.28	52.88	784.16	-468.62	0.86
6876.00	10.42	36.41	6796.91	487.78	635.34	52.48	800.99	-483.11	1.16
6969.00	10.07	35.71	6888.43	501.15	645.07	52.16	816.87	-496.41	0.40
7063.00	10.33	36.67	6980.94	514.59	654.90	51.84	832.89	-509.77	0.33
7157.00	10.46	40.63	7073.40	527.82	665.49	51.58	849.40	-522.93	0.77
7250.00	9.98	46.87	7164.93	539.74	676.87	51.43	865.72	-534.76	1.30
7344.00	10.07	48.71	7257.49	550.73	688.99	51.36	882.05	-545.67	0.35
7438.00	10.11	52.93	7350.04	561.13	701.75	51.35	898.51	-555.97	0.79
7531.00	9.32	56.36	7441.70	570.22	714.53	51.41	914.17	-564.97	1.05
7624.00	8.97	59.88	7533.52	578.03	727.07	51.51	928.85	-572.68	0.71
7719.00	8.70	68.67	7627.40	584.36	740.17	51.71	943.04	-578.92	1.45
7812.00	6.68	90.46	7719.58	586.88	752.14	52.04	954.01	-581.35	3.78
7906.00	5.58	92.84	7813.04	586.61	762.17	52.42	961.77	-581.00	1.20
7999.00	4.04	99.34	7905.71	585.85	769.92	52.73	967.47	-580.19	1.75
8093.00	4.18	102.42	7999.47	584.58	776.53	53.03	971.97	-578.87	0.28
8186.00	4.22	101.27	8092.22	583.18	783.20	53.33	976.47	-577.42	0.10
8279.00	3.69	102.77	8185.00	581.85	789.47	53.61	980.72	-576.04	0.58
8372.00	2.90	101.98	8277.84	580.70	794.69	53.84	984.25	-574.86	0.85
8466.00	2.99	104.26	8371.72	579.60	799.39	54.06	987.40	-573.72	0.16
8561.00	2.68	105.76	8466.60	578.39	803.93	54.27	990.37	-572.48	0.34

DigiDrill DataLogger

3/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8662.00	2.29	110.24	8567.51	577.05	808.10	54.47	992.98	-571.11	0.43
8756.00	2.29	105.84	8661.43	575.89	811.67	54.64	995.21	-569.92	0.19
8851.00	1.93	109.36	8756.37	574.84	815.00	54.80	997.33	-568.85	0.40
8944.00	1.71	112.96	8849.32	573.78	817.76	54.94	998.97	-567.77	0.27
9038.00	1.36	112.70	8943.29	572.80	820.08	55.07	1000.31	-566.77	0.37
9131.00	1.27	86.42	9036.26	572.44	822.12	55.15	1001.78	-566.40	0.65
9225.00	1.49	74.64	9130.23	572.83	824.34	55.21	1003.83	-566.77	0.38
9318.00	1.01	87.47	9223.21	573.18	826.33	55.25	1005.66	-567.11	0.59
9412.00	0.31	31.93	9317.21	573.43	827.29	55.27	1006.60	-567.36	0.93
9506.00	0.66	13.12	9411.20	574.18	827.55	55.25	1007.23	-568.10	0.40
9601.00	0.66	302.81	9506.20	575.01	827.21	55.20	1007.43	-568.93	0.80
9695.00	0.53	263.96	9600.19	575.25	826.32	55.16	1006.84	-569.18	0.44
9789.00	1.85	197.07	9694.17	573.76	825.45	55.20	1005.27	-567.69	1.82
9884.00	3.56	173.70	9789.07	569.36	825.32	55.40	1002.66	-563.30	2.11
9978.00	2.46	169.56	9882.94	564.48	826.01	55.65	1000.46	-558.41	1.19
10072.00	2.15	182.48	9976.86	560.73	826.29	55.84	998.59	-554.66	0.64
10165.00	0.88	185.65	10069.83	558.28	826.15	55.95	997.09	-552.21	1.37
10260.00	1.14	170.53	10164.81	556.62	826.23	56.03	996.24	-550.55	0.39
10353.00	0.88	141.09	10257.80	555.15	826.83	56.12	995.91	-549.07	0.61
10447.00	0.92	146.36	10351.79	553.96	827.70	56.21	995.98	-547.88	0.10
10541.00	0.70	117.18	10445.78	553.07	828.63	56.28	996.25	-546.98	0.49
10635.00	0.53	93.19	10539.77	552.78	829.58	56.32	996.88	-546.69	0.32
10729.00	1.01	128.17	10633.76	552.25	830.66	56.38	997.49	-546.14	0.69
10823.00	1.23	170.79	10727.75	550.74	831.48	56.48	997.33	-544.63	0.89
10917.00	0.97	194.61	10821.73	548.97	831.44	56.56	996.32	-542.86	0.55
11012.00	1.27	210.96	10916.71	547.29	830.69	56.62	994.78	-541.19	0.46
11106.00	0.75	264.49	11010.70	546.34	829.54	56.63	993.29	-540.24	1.09
11200.00	2.42	337.52	11104.67	548.11	828.17	56.50	993.13	-542.03	2.46
11295.00	2.15	336.82	11199.59	551.61	826.71	56.29	993.84	-545.53	0.29
11389.00	2.33	279.60	11293.53	553.55	824.13	56.11	992.77	-547.49	2.29
11484.00	3.16	250.78	11388.42	553.01	819.75	56.00	988.84	-546.98	1.67
11577.00	1.93	249.54	11481.33	551.61	815.86	55.94	984.84	-545.62	1.32
11671.00	0.88	223.79	11575.30	550.54	813.88	55.92	982.60	-544.56	1.28
11766.00	1.41	187.76	11670.28	548.86	813.22	55.98	981.10	-542.88	0.91
11860.00	1.32	224.14	11764.26	546.93	812.31	56.05	979.27	-540.96	0.91
11954.00	1.23	222.47	11858.24	545.41	810.87	56.07	977.23	-539.45	0.10
11980.00	1.19	210.26	11884.23	544.97	810.55	56.09	976.72	-539.02	1.00

DigiDrill DataLogger

4/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12001.00	1.10	206.57	11905.23	544.60	810.35	56.10	976.35	-538.65	0.55
12083.00	4.97	159.02	11987.10	540.58	811.27	56.32	974.88	-534.62	5.25
12178.00	19.69	166.66	12079.66	521.06	816.46	57.45	968.56	-515.06	15.56
12272.00	33.54	168.86	12163.50	479.97	825.18	59.82	954.61	-473.91	14.77
12366.00	42.55	167.89	12237.45	423.30	836.88	63.17	937.85	-417.15	9.61
12461.00	49.36	167.10	12303.46	356.68	851.69	67.28	923.36	-350.43	7.19
12555.00	55.69	173.70	12360.66	283.20	863.93	71.85	909.16	-276.86	8.73
12649.00	62.59	179.41	12408.88	202.75	868.63	76.86	891.98	-196.37	9.00
12743.00	69.14	179.41	12447.29	117.01	869.51	82.34	877.35	-110.64	6.97
12773.00	68.44	178.71	12458.14	89.05	869.97	84.16	874.52	-82.67	3.19
12837.00	67.91	178.62	12481.94	29.65	871.35	88.05	871.86	-23.27	0.84
12932.00	75.34	175.80	12511.87	-60.32	875.79	93.94	877.86	66.74	8.31
13026.00	89.01	173.96	12524.64	-152.85	884.10	99.81	897.22	159.32	14.67
13120.00	92.57	175.01	12523.34	-246.39	893.13	105.42	926.50	252.93	3.95
13215.00	88.04	179.32	12522.84	-341.22	897.83	110.81	960.48	347.79	6.58
13310.00	88.00	177.21	12526.12	-436.12	900.70	115.84	1000.73	442.71	2.22
13404.00	88.53	175.80	12528.96	-529.90	906.43	120.31	1049.96	536.53	1.60
13495.00	89.76	176.42	12530.32	-620.67	912.60	124.22	1103.67	627.35	1.51
13589.00	89.45	176.42	12530.97	-714.49	918.47	127.88	1163.65	721.20	0.33
13683.00	90.11	176.77	12531.33	-808.32	924.06	131.18	1227.71	815.07	0.79
13778.00	90.95	178.27	12530.45	-903.22	928.17	134.22	1295.11	910.00	1.81
13872.00	91.16	179.67	12528.72	-997.19	929.86	137.00	1363.46	1003.98	1.51
13967.00	91.25	179.94	12526.72	-1092.17	930.18	139.58	1434.60	1098.96	0.30
14062.00	92.35	180.11	12523.74	-1187.12	930.14	141.92	1508.12	1193.91	1.17
14156.00	91.43	180.38	12520.64	-1281.07	929.74	144.03	1582.89	1287.85	1.02
14251.00	90.77	179.76	12518.82	-1376.05	929.62	145.96	1660.63	1382.83	0.95
14345.00	90.51	179.85	12517.77	-1470.04	929.94	147.68	1739.49	1476.82	0.29
14439.00	90.15	180.73	12517.22	-1564.04	929.46	149.28	1819.37	1570.81	1.01
14533.00	88.48	179.41	12518.35	-1658.03	929.35	150.73	1900.72	1664.79	2.26
14628.00	87.43	178.79	12521.74	-1752.95	930.84	152.03	1984.77	1759.73	1.28
14722.00	86.33	178.53	12526.85	-1846.79	933.04	153.20	2069.10	1853.58	1.20
14817.00	92.79	178.53	12527.58	-1941.70	935.47	154.28	2155.30	1948.51	6.80
14911.00	92.04	178.09	12523.62	-2035.58	938.24	155.25	2241.40	2042.40	0.92
15006.00	91.91	178.27	12520.35	-2130.47	941.26	156.16	2329.14	2137.31	0.23
15100.00	93.19	179.76	12516.17	-2224.36	942.87	157.03	2415.94	2231.21	2.09
15194.00	92.53	179.94	12511.48	-2318.24	943.12	157.86	2502.74	2325.09	0.73
15289.00	94.77	180.64	12505.43	-2413.04	942.64	158.66	2590.62	2419.89	2.47

DigiDrill DataLogger

5/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15383.00	94.59	181.96	12497.76	-2506.70	940.51	159.43	2677.33	2513.53	1.41
15477.00	94.07	182.40	12490.66	-2600.37	936.95	160.19	2764.01	2607.16	0.72
15571.00	92.70	183.28	12485.11	-2694.08	932.30	160.91	2850.83	2700.84	1.73
15665.00	90.42	181.87	12482.55	-2787.94	928.08	161.59	2938.36	2794.67	2.85
15760.00	91.08	181.52	12481.31	-2882.89	925.27	162.21	3027.74	2889.60	0.79
15855.00	89.54	181.43	12480.79	-2977.86	922.82	162.78	3117.57	2984.54	1.62
15949.00	88.44	181.78	12482.45	-3071.81	920.19	163.32	3206.67	3078.47	1.23
16044.00	87.38	181.34	12485.92	-3166.71	917.60	163.84	3296.97	3173.35	1.21
16138.00	88.04	181.34	12489.67	-3260.60	915.41	164.32	3386.67	3267.23	0.70
16233.00	86.90	181.69	12493.87	-3355.48	912.90	164.78	3477.44	3362.08	1.26
16327.00	90.59	179.67	12495.92	-3449.43	911.79	165.19	3567.90	3456.02	4.47
16422.00	91.21	178.62	12494.43	-3544.40	913.20	165.55	3660.15	3551.00	1.28
16516.00	90.86	178.53	12492.73	-3638.36	915.54	165.88	3751.78	3644.97	0.38
16610.00	90.81	178.44	12491.36	-3732.31	918.02	166.18	3843.56	3738.94	0.11
16705.00	90.51	178.00	12490.27	-3827.26	920.98	166.47	3936.51	3833.91	0.56
16799.00	90.68	178.27	12489.29	-3921.21	924.03	166.74	4028.61	3927.88	0.34
16893.00	90.86	178.44	12488.03	-4015.16	926.73	167.00	4120.72	4021.85	0.26
16988.00	90.11	178.62	12487.23	-4110.12	929.17	167.26	4213.84	4116.83	0.81
17082.00	89.41	178.53	12487.62	-4204.09	931.51	167.51	4306.06	4210.81	0.75
17176.00	88.70	178.27	12489.17	-4298.04	934.13	167.74	4398.38	4304.78	0.80
17271.00	87.65	178.18	12492.20	-4392.95	937.07	167.96	4491.78	4399.70	1.11
17365.00	88.48	177.74	12495.37	-4486.83	940.42	168.16	4584.33	4493.61	1.00
17414.00	88.31	177.30	12496.74	-4535.77	942.54	168.26	4632.66	4542.56	0.96

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
17486.00	88.31	177.30	12498.87	-4607.66	945.93	168.40	4703.75	4614.47	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-47035										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Hyperion State Com				
						6. Well Number: 208H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC						9. OGRID 372043				
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO						11. Pool name or Wildcat WC-025 G-09 S243310P;UPPER WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	20	24-S	33-E	-	634'	North	1247'	East	LEA
BH:	P	20	24-S	33-E	-	29'	South	335'	East	LEA
13. Date Spudded 3/21/2021	14. Date T.D. Reached 5/13/2021		15. Date Rig Released 5/15/2021		16. Date Completed (Ready to Produce) 7/9/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3563 GR		
18. Total Measured Depth of Well 17486'			19. Plug Back Measured Depth 17427'		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run Gamma		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12659' - 17339'						Wolfcamp				
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1206'		17.5"		930 sks		0
7.625"		29.7		11941'		9.875"		1250 sks		0
5.5"		20		17471'		6.75"		520 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 12659 ft to 17339 ft, 1 SPF, .55 inch holes with 299 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12659' - 17339' 23 stage frac with 11,947,469 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 7/18/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/23/2021	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 2097	Gas - MCF 4944	Water - Bbl. 6894	Gas - Oil Ratio 2358			
Flow Tubing Press. 0	Casing Pressure 2371	Calculated 24-Hour Rate	Oil - Bbl. 2097	Gas - MCF 4944	Water - Bbl. 6894	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, As Drilled Plat										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst			Date 7/26/2021		
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1210		Quaternary					
1210	1642		Rustler					
1642	4570		Top of Salt					
4570	5073		Base of Salt					
5073	5143		Lamar					
5143	5150		Bell Canyon					
5150	6090		Ramsey Canyon					
6090	7656		Cherry Canyon					
7656	9090		Brushy Canyon					
9090	9492		Bone Spring Lime					
9492	10100		Avalon					
10100	10825		1st Bone Spring Sand					
10825	11996		2nd Bone Spring Sand					
11996	12334		3rd Bone Spring Sand					
12334			Wolfcamp					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 38099

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 38099
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 38099

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 38099
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/31/2021