

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60393
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Quatro Osos E&P, LLC		6. State Oil & Gas Lease No. K-2114
3. Address of Operator P.O. Box 1213; Roswell, NM 88202-1213		7. Lease Name or Unit Agreement Name LE Ranch 16
4. Well Location Unit Letter <u>H</u> : <u>1650</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>East</u> line Section <u>16</u> Township <u>11S</u> Range <u>28E</u> NMPM County <u>Chaves</u>		8. Well Number #15
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3715.0		9. OGRID Number 372241
		10. Pool name or Wildcat SE Chisum, San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

August 12, 2021-Moved in well service rig, reverse unit and BOP. Pulled rods and pump, laying down 27 heavily pitted rods. Pulled tubing. Picked up 3 each 3-1/2" drill collars with 4-1/2" drill bit and ran tubing to bottom tagging at 2226. Circulate hole to frac tank. Lay down drill collars and bit. Picked up packer and seating nipple and ran tubing back in hole setting packer at 2084. Rigged up Cudd and commence acidizing with 90/10 mix of 15% HCL and Xylene. Get 2,500 gallons away before tubing failed. Rig down and release Cudd crew. Come out of hole standing tubing in derrick. Shut down fr night.

August 13, 2021-Rig up tubing testers. Test tubing as it goes in hole. Reset packer at 2086. Rig Cudd back up. Commence completion of acid job. Rig down and release Cudd. Well flowing to frac tank for 1-1/2 hours unloading 50 bbls total fluid, pressure dropped to zero. Release crew until Monday August 16, 2021. August 14 & 15, 2021 checked well pressure with it showing zero.

August 16, 2021- Well at zero pressure. Relaease packer, added 2 joints to 2146. Circulate balance of surface held 40 bbls fresh water with 2% KCL. Come out of hole with tubing laying down packer and resetting seating nipple. Run back in holw with tubing setting seating nipple at 2146. Set tubing sslips in wellhead, rig up new surface valving and fittings.

Spud Date:

Rig Release Date:

CONTINUED ON ADDITIONAL PAGE

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Managing Member DATE 22 August 2021

Type or print name Rory McMinn E-mail address: rory@rmcminn.com PHONE: 575/626-7100

**For State Use Only**

APPROVED BY: John Garcia TITLE Petroleum Engineer DATE 9/2/2021

Conditions of Approval (if any):

Quatro Osos E&P, LLC, OGRID 372241

Addendum Page to C-103 Subsequent Remedial Work Well Report

August 16, 2021-Finish rigging up new surface valving and fittings. Pick up rebuilt 1-1/2" X 10' Rod pump. Run 85 rods (2125) + 18' pony rods. Set spacing on puming unit and kick off pumping unit. Pump had good action, but only on down stroke. Pulled rods & pump discovering that bottom 5 rods and rod pump covered with very thick paraffin that plugged off ball valve. Called for pump, setup for hot water treatment in morning. Release crew. Wait on replacement rebuilt pump until 6:00.

August 17, 2021-Rig up hot water treatment. Temperature at 150 degrees push 40 bbls down tubing and 20 bbls down backside. Rig down hot oiler. Run back in hole with new rebuilt pump 1-1/2" X 10' and 85 rods + 18' pony rods. Set pumping unit spacing and turn on pumping unit. Good pump action on both up & down stroke. Well pumping to production gunbarrel. Release pulling unit crew, call for water hauler to clean out frac tanks, release frac tanks.

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 41971

**CONDITIONS**

Operator: QUATRO OSOS E&P, LLC 1742 Calle La Placita Lincoln, NM 88338	OGRID: 372241
	Action Number: 41971
	Action Type: [C-103] NOI Recompletion (C-103E)

**CONDITIONS**

Created By	Condition	Condition Date
jagarcia	None	9/2/2021