

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05955
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator APACHE CORPORATION		6. State Oil & Gas Lease No.
3. Address of Operator 303 VETERANS AIRPARK LANE MIDLAND TX 79705		7. Lease Name or Unit Agreement Name North Monument G/SA Unit [302708]
4. Well Location Unit Letter <u>C</u> : <u>330</u> feet from the <u>N</u> line and <u>2310</u> feet from the _____ line Section <u>06</u> Township <u>20S</u> Range <u>37E</u> NMPM Lea County		8. Well Number 003
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3570' GL		9. OGRID Number 873
		10. Pool name or Wildcat EUNICE MONUMENT G/SA (23000)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☒ TA APPROVAL	
--	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Apache TA'd this well, as follows:

8/17/2021 MIRU RIH w/pkr Test CIBP & csg. POOH w/pkr.
8/18/2021 Dump Bail 35' cement on CIBP @ 3375'. RIH w/tbg to circ packer fluid. POOH LD tbg. RDMO Wait to test.
8/26/2021 Run passing MIT. Chart & Bradenhead form attached.

FINAL TA STATUS- EXTENSION
Approval of TA EXPIRES: 4/1/25
Well needs to be **PLUGGED OR RETURNED**
to **PRODUCTION**
BY THE DATE STATED ABOVE: X 7

Spud Date: 4/2/1936

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Reesa Fisher TITLE Sr Staff Regulatory Analyst DATE 8/27/2021

Type or print name Reesa Fisher E-mail address: reesa.fisher@apachecorp.com PHONE: 432/818-1062

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/10/21
Conditions of Approval (if any):

Divides I
1615 N French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <i>Apache Corp</i>	API Number <i>30-025-05955</i>
Property Name <i>NMGSAU</i>	Well No. <i>2003</i>

Surface Location

UL - Lot <i>C</i>	Section <i>6</i>	Township <i>20S</i>	Range <i>37E</i>	Feet from <i>330</i>	NS Line <i>N</i>	Feet from <i>2310</i>	E/W Line <i>W</i>	County <i>Lea</i>
----------------------	---------------------	------------------------	---------------------	-------------------------	---------------------	--------------------------	----------------------	----------------------

Well Status

TA'D WELL ☒	NO	YES	SHUT-IN NO	INJ	INJECTOR SWD	OIL	PRODUCER GAS	DATE <i>8-26-21</i>
--	----	-----	---------------	-----	-----------------	-----	-----------------	------------------------

OBSERVED DATA

	(A) Surface	(B) Interm(1)	(C) Interm(2)	(D) Prod Casing	(E) Tubing
Pressure	<i>0</i>	<i>0</i>	<i>N/A</i>	<i>0</i>	<i>N/A</i>
Flow Characteristics					
Puff	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>
Steady Flow	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>
Surges	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>
Down to nothing	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>
Gas or Oil	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>
Water	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>	<i>Y/N</i>

CO2
WTR
GAS
Type of fluid
Injected for
Waterflood &
other

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

Intermediate had slight intermittent trickle, then down to nothing.

Signature <i>Craig Coombes</i>	OIL CONSERVATION DIVISION
Printed name: <i>Craig Coombes</i>	Entered into RBDMS
Title <i>IT/II</i>	Re-test
E-mail Address: <i>Craig.Coombes@apachecorp.com</i>	<i>K F</i>
Date: <i>8-26-21</i>	
Phone: <i>575-573-5636</i>	
Witness	

INSTRUCTIONS ON BACK OF THIS FORM

T/A

Apache Corp

API 30-025-05955

330 N 2310 W

GG T205 R37E

NMG SA42003

Cal 4-26-2021

Ser# 202A-39965

1000#

60 min = 1 rev

Start 560

End 555

35 min

Mike Gilbert

Pumptruck MZZ

McDabb Services

Craig Coulter

Apache Corp

8-26-21

Graphic Controls LLC

CHART NO. MC MP-1000

METER

TAKEN OFF

CHART PUT ON

LOCATION

REMARKS

8-26-21

End 555

Apache Corporation – NMGSAU #2003

Wellbore Diagram – Current Status

Date : 8/31/2021

L. McCoy

API: 30-025-05955

Surface Location

330' FNL & 2310' FWL, Unit E
Sec 6, T20S, R37E, Lea County, NM

Surface Casing

15-1/2" 70# @ 232' w/ 250 sx

Intermediate Casing

9-5/8" 40# @ 1049' w/ 700 sx

2/21: Set CIBP @ 3375'. 8/21: Dump 35' cmt on CIBP.

7/87: productive interval 3451 - 3620. Perf 3598 - 3639, acidize all perfs 3598 - 3639, perf 3451 - 3557, acidize, set CIBP @ 3624',

6/55: Set CR @ 3734', sqz perfs 3766 - 3774 w/ 258 sxs, 7" casing leaking 9320', run 3731' 4-1/2" production liner, cmt w/ 400 sxs, cmt circuited, DO 3736', perf 3704 - 3714, acidize, set CR @ 3668', sqz 3704 - 3714 w/ 75 sxs, to 3760, perf 3730 - 3740, acidize, swab, found leaks 3745 - 3750, set CR @ 3704, sqz w/ 124 sxs, CO to 3700', perf 3667 - 3690, perf 3647 - 3690, acidize frac

Production Liner

4-1/2" 9.5# @ 3741' w/ 400 sxs

9/50: Dump cmt 3805 - 3890 to eliminate water, DO to 3833, plug back to 3819 with lead wool, set CR @ 3800, sqz OH w/ 225 sxs, perf 3793 - 3800, swab, perf 3775 - 3783, acidize

Production Casing

7" 24# @ 3800' w/ 350 sxs

Size
1/2"e Size
1-1/4"le Size
8-5/8"

T/A

Apache Corp

API 30-025-05955

330 N 2310 W

GG T205 R37E

NMG SA 42003

Cal 4-26-2021

Ser# 202A-39965

1000#

60 min = 1 rev

Start 560

End 555

35 min

Mike Gilbert

Pumptruck MZZ

McDabb Services

Craig Coulter

Apache Corp

8-26-21

Graphic Controls LLC

CHART NO. MC MP-1000

METER

TAKEN OFF

CHART PUT ON

LOCATION

REMARKS

8-26-21

End 555

Apache Corporation – NMGSAU #2003

Wellbore Diagram – Current Status

Date : 8/31/2021

L. McCoy

API: 30-025-05955

Surface Location

330' FNL & 2310' FWL, Unit E
Sec 6, T20S, R37E, Lea County, NM

Surface Casing

15-1/2" 70# @ 232' w/ 250 sx

Intermediate Casing

9-5/8" 40# @ 1049' w/ 700 sx

2/21: Set CIBP @ 3375'. 8/21: Dump 35' cmt on CIBP.

7/87: productive interval 3451 - 3620. Perf 3598 - 3639, acidize all perfs 3598 - 3639, perf 3451 - 3557, acidize, set CIBP @ 3624',

6/55: Set CR @ 3734', sqz perfs 3766 - 3774 w/ 258 sxs, 7" casing leaking 9320', run 3731' 4-1/2" production liner, cmt w/ 400 sxs, cmt circuited, DO 3736', perf 3704 - 3714, acidize, set CR @ 3668', sqz 3704 - 3714 w/ 75 sxs, to 3760, perf 3730 - 3740, acidize, swab, found leaks 3745 - 3750, set CR @ 3704, sqz w/ 124 sxs, CO to 3700', perf 3667 - 3690, perf 3647 - 3690, acidize frac

Production Liner

4-1/2" 9.5# @ 3741' w/ 400 sxs

9/50: Dump cmt 3805 - 3890 to eliminate water, DO to 3833, plug back to 3819 with lead wool, set CR @ 3800, sqz OH w/ 225 sxs, perf 3793 - 3800, swab, perf 3775 - 3783, acidize

Production Casing

7" 24# @ 3800' w/ 350 sxs

Size
1/2"e Size
1-1/4"le Size
8-5/8"

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 45522

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 45522
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	9/10/2021