

Well Name: YUKON 20 FED COM	Well Location: T24S / R34E / SEC 20 / NWNE / 32.20845 / -103.4872401	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254717000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1516908	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	2:26:39 PM
Date Sundry Submitted:	Jun 22, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Feb 20, 2021	Field Contact Number:	4326363600
Field Contact Name:	E DEL VALLE	Rig Number:	HP246
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3529	1140	1140	2389

Procedure Description: 2-21-2021 SURFACE HOLE 16"
 2-21-2021 Surface Hole @ 1,343' MD, 1,343' TVD
 Casing shoe @ 1,339' MD
 Ran 13-3/8" 54.5# J-55 STC
 Lead Cement w/ 560 sx Class C(1.79 yld, 13.5 ppg), Trail w/ 140 sx Class C (1.79 yld, 13.5 ppg)
 Test casing to 1,500 psi for 30 min -OK. Circ 301 sx cement to surface Resume drilling

BOP/DIVERTERS/ROTATING HEAD-TEST BOPS PER BLM REQUIREMENTS, 250/10,000 PSI 10 MIN EACH TEST, TEST ANNULAR TO 250/5000 PSI. TEST ORBITAL VALVE AND ROTATING HEAD ASSEMBLY / FUNCTION TEST ORBITAL VALVE TO GET /TEST ORBITAL TO 500 PSI

Disposition: Accepted
Accepted Date: 07/09/2021

Well Name: YUKON 20 FED COM	Well Location: T24S / R34E / SEC 20 / NWNE / 32.20845 / -103.4872401	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254717000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 6, 2021	Time Sundry Submitted:	8:45:08 AM
Date Operation will begin:	Apr 3, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	E DEL VALLE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	11480	11480	-7951

Procedure Description: 4-4-2021 12 1/4" HOLE
 4-4-2021 1st Intermediate Hole @ 5,377' MD, 5,284' TVD
 Casing shoe @ 5,363' MD, 5,270' TVD
 Ran 9-5/8", 40#, J-55 LTC (0' - 3,702')
 Ran 9-5/8", 40#, HCK-55 LTC (3,702' - 5,363')
 Cement w/ 1,195 sx Class C (2.18 yld, 12.70 ppg), trail w/ 320 sx Class C (1.39 yld, 14.80 ppg)
 Test casing to 1,500 psi for 30 min - Good. Circ 412 sx cement to surface. TOC 0' by visual
 Resume drilling

Disposition: Accepted

Accepted Date: 05/13/2021

Well Name: YUKON 20 FED COM	Well Location: T24S / R34E / SEC 20 / NWNE / 32.20845 / -103.4872401	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254717000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 19, 2021	Time Sundry Submitted:	12:11:13 PM
Date Operation will begin:	Apr 15, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	E DEL VALLE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	10980	10980	-10451	11480	11480	-7951
PRODUCTION	11480	11480	-10951	22397	12154	-8625
PRODUCTION	0	0	3491	10980	10980	-7451

Procedure Description: 4-16-2021 8-1/2" HOLE
 4-16-2021 Production Hole @ 20,608' MD, 10,427' TVD
 Casing Shoe @ 20,596' MD, 10,427' TVD
 Ran 5-1/2", 20#, HCP-110, DWC (MJ @ 9,668' and 20,117')
 Cement w/ 435 sx Class C (3.75 yld, 10.5 ppg), Trail w/ 2310 sx Class H (1.23 yld, 14.5 ppg).
 No casing test. Did not circ cement to surface, TOC @ 8,250' by Calc RR 4-17-2021

Disposition: Accepted

Accepted Date: 05/12/2021

Well Name: YUKON 20 FED COM	Well Location: T24S / R34E / SEC 20 / NWNE / 32.20845 / -103.4872401	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254717000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	02/25/2021	Time Sundry Submitted:	12:42:19 PM
Date Operation Will Begin:	02/17/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	04/08/2020		
US Well Number	3002547170		
Field Contact Name:	E DEL VALLE	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP246
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	2-18-2021 20" Conductor @ 117'		
Disposition:	Accepted		
Accepted Date:	05/26/2021		

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 47358

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 47358
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/16/2021