

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-039-20456
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Hilcorp Energy Company		6. State Oil & Gas Lease No. E-289-36
3. Address of Operator 382 Road 3100, Aztec, NM 87410		7. Lease Name or Unit Agreement Name San Juan 29-5 Unit
4. Well Location Unit Letter <u>A</u> : <u>1090</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>East</u> line Section <u>32</u> Township <u>29N</u> Range <u>5W</u> NMPM County <u>Rio Arriba</u>		8. Well Number <u>60</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6516'		9. OGRID Number 372171
		10. Pool name or Wildcat Blanco Mesaverde

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☒ Recomplete

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Attached please find the subsequent sundry for the recompletion operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kandis Roland TITLE Operations/Regulatory Technician DATE 8/27/2021

Type or print name Kandis Roland E-mail address: kroland@hilcorp.com PHONE: (713)757-5246

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

San Juan 29-5 Unit 60
API # 30-039-20456
Recomplete Subsequent Sundry

6/14/2021 ND WH, NU frac stack. Test csg to 4000 psi for 30 min. Good test.

7/22/21 MIRU. RU wireline. Perf **Point Lookout/Lower Menefee** w/.33" diam.- 1SPF @ 6039', 6025', 5926', 5899', 5882', 5871', 5860', 5806', 5767', 5758', 5743', 5720', 5691', 5676', 5671', 5670', 5666', 5656', 5655', 5649', 5632', 5628', 5594', 5564', 5558'= **25** holes. RU Frac crew. **Point Lookout/Lower Menefee (5558' – 6039')** Broke well w/ H2O and 500 gal 15% HCL. Foam Frac w/ 39,492 gal of 70 Q slickwater, 147,725# 20/40 sand, 1.56M SCF N2. Drop 3 bio-balls in each stage (15 total). RIH w/ wireline, set **CFP @ 5530'**. Perf **Cliffhouse/Upper Menefee** w/.33" diam.- 1SPF @ 5497', 5496', 5489', 5470', 5467', 5459', 5449', 5439', 5405', 5404', 5384', 5361', 5346', 5333', 5323', 5322', 5316', 5315', 5308', 5305', 5297', 5286', 5273', 5256', 5255'= **25** holes. RD wireline. **Cliffhouse/Upper Menefee (5255' – 5497')**- Broke well w/ H2O and 500 gal 15% HCL. frac w/ 42,104 gal of 70 Q slickwater, 158,472# 20/40 sand, 1.57M SCF N2. Drop 2 bio-balls in each stage (10 total). RIH w/ wrln, set **CBP @ 5060'**. RD Frac crew and wireline. SDFN

7/23/2021 MIRU. Well check SIBHP- 0, SIICP- 10, SICP – 700. Bleed off csg pressure. ND Frac Stack. ND WH, NU BOP. PT BOP, good test. TIH w/ mill, tag fill. C/O well to CBP @ 5060'. SDFN.

7/24/2021 SIBHP- 0, SIICP- 10, SITP- 0, SICP-0. PU tbg and drill out **CBP @ 5060'**. TIH w/ mill, tag fill. C/O well. Tag **CFP @ 5530'** and drill out. Tag fill, C/O well. Tag **CIBP @ 6350'** and drill out. C/O well. SDFN

7/25/2021 SIBHP- 0, SICP- 550, SIICP – 10, SITP- 0. TIH, continue to C/O well. TOH w/ tbg & mill. TIH w/ tbg to 3875'. SDFN

7/26/2021 SIBHP- 0, SICP- 450, SITP- 0, SIICP – 0. Continue to TIH w/ tbg. Tag fill, C/O well. SDFN

7/27/2021 SIBHP- 0, SICP- 440, SITP- 0, SIICP – 0. TIH w/ tbg and land @ 7812'. ND BOP. NU WH. PT tbg to 1500 psi. SD air unit, tbg stayed pressured up. ND WH, NU & Function test BOP assm. Pull tbg hanger. TO well. SN & Mule Shoe had sand fill. M/U new Prod BHA & TIH w/ tbg. SDFN

7/28/2021 SIBHP- 0, SICP- 420, SITP- 0, SIICP – 0. TIH w/ tbg. Land 242 jts 2 3/8", 4.7# J-55 **tbg set @ 7812'** with S-Nipple @ 7810'. ND BOP. NU WH. PT BOP. Test OK. RDMO


This well is currently producing as a MV/DK Commingle with Gas Allowable C-104 waiting on RC C-104 approval.



Current Schematic

Well Name: SAN JUAN 29-5 UNIT #60

API / UWI 3003920456	Surface Legal Location 032-029N-005W-A	Field Name DK	Route 1308	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,516.00	Original KB/RT Elevation (ft) 6,526.50	KB-Ground Distance (ft) 10.50	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44928

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 44928
	Action Type: [C-103] Sub. (Re)Completion Sundry (C-103T)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/22/2021