Submit 1 Copy To Appropriate Dis		ate of New Mo	exico		Form Gal 23	
District I – (575) 393-6161	Energy, Mi	nerals and Nati	ural Resources	r	Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88 District II – (575) 748-1283	3240			WELL API NO.		
811 S. First St., Artesia, NM 88210	OIL CON	SERVATION	DIVISION	30-025-04685		
District III – (505) 334-6178	6178 1220 South St. Francis Dr.			5. Indicate Type of Le		
1000 Rio Brazos Rd., Aztec, NM 8	7410	Santa Fe, NM 87505		STATE 🛇	FEE	
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, N		inta PC, INIVI 6	7505	6. State Oil & Gas Le	ase No.	
87505	ANOTHER AND DESCRIPTION					
SUNDRY (DO NOT USE THIS FORM FOR DIFFERENT RESERVOIR, USE PROPOSALS.)		TO DEEPEN OR PL	UG BACK TO A	7. Lease Name or Uni EUNICE MONUMEN		
1. Type of Well: Oil Well	☐ Gas Well ☒ Ot	her		8. Well Number 374		
2. Name of Operator XTO ENERGY, INC.				9. OGRID Number		
3. Address of Operator				005380	doot	
6401 HOLIDAY HILL RD,	BLDG 5, MIDLAND TX	ζ 79707		10. Pool name or Wildcat EUNICE MONUMENT GRAYBURG-SA		
4. Well Location						
Unit LetterF	:1980feet fro	om theNOF	RTH line and	_1980feet from the _	WESTline	
Section 18			Range 36E		County LEA	
	11. Elevation (S	how whether DR	, RKB, RT, GR, etc.	)		
				400		
12. Ch	neck Appropriate Box	to Indicate N	lature of Notice,	Report or Other Dat	a	
	OF INTENTION TO			•		
				SEQUENT REPO		
PERFORM REMEDIAL WOF		_	REMEDIAL WOR		ERING CASING	
TEMPORARILY ABANDON	CHANGE PLAN	<del></del>	COMMENCE DR		ND A	
PULL OR ALTER CASING	MULTIPLE COM	IPL 🗌	CASING/CEMEN	T JOB 📙 "		
DOWNHOLE COMMINGLE						
CLOSED-LOOP SYSTEM						
OTHER:  13. Describe proposed or			OTHER:			
of starting any propo- proposed completion	sed work). SEE RULE 1 or recompletion	9.15.7.14 NMA(	C. For Multiple Co	mpletions: Attach wellb	ore diagram of	
CTO respectfully submit	s the following plug	and abandon s	summary.			
2/26/2010 4 04/02/2010						
3/26/2019 to 04/02/2019						
ag packer at 3982'. Packer v	would not release. Discus	ss with Kerry For	rtner with NMOCD	recommend setting cmt	nlug instead of CIBP	
pot 50 sxs 3951'-3111'. WC	C.	os with itelity i of	tiller with rainieeb	recommend setting emit	plug instead of CIDI.	
IH tag TOC 3074', PT 500 p		nt at 3074-2822'.	WOC			
IH tag TOC 2811', Set pkr @				ortner NMOCD recomme	end circ cmt to	
urface). Spot 175 sxs 1706' –		J P ,	(			
IH tag TOC 1211'. Run CBI		cmt bridge @ 1	10'. RIH to 366'. S	pot 40 sxs to surface.		
Vell PA'd 04/02/2019		8 0	, -	3		
					22	
	i i					
pud Date:		Rig Release Da	nte:			
		5	*			
hereby certify that the inform	nation above is true and c	omplete to the be	est of my knowledg	e and belief.		
2	0					
IGNATURE Church	L Kowell	TITLE Re	gulatory Coordinat	or BATT	04/04/2019	
1		_ IIILERe				
CheryUR ype or print name	owell	E-mail address	cheryl_rowell@x	ktoenergy.com PHONE	. 432-571-8205	
or State Use Only			1	THORE		
^/	14					
PPROVED BY: ////	1 tollner	TITLE Com	pliance Officer A	DATE	3/31/21	
anditions of Approval (if ap-	٨.					



## Wellbore Diagram - RRC

eleasea i	Wellbore Diagram - RRC  Well Name: EUNICE MONUMENT SO. UNIT 374 WIW							
0 111	API/UWI 3002504685	SAP Cost Center ID 1143891001				County Lea		
ugn	Surface Location 1980 FNL & 1980 FWL					Ground Elevation (ft) 3,661.00	KB-Ground Distance (ft) 11.00	Surface Casing Flange Elevatio
:81	Lease EMSU							

	Vertical, Original Hole, 3/30/2021 7:18:26 PM	Perforation	
MD (ftKB)	Vertical schematic (actual)	Top (ftKB) 316.0	Bt
_ 11.2 _	Casing Joints; 11.0-315.0; 304.00; 1-1; 10 3/4; 10.05	1,704.0	ĺ
315.9	Guide Shoe; 315.0-316.0; 1.00; 1-2; 10 3/4; 10.05		
366.1	Casing Joints; 11.0-1,655.0; 1,644.00; 2-1; 7 5/8; 6.97		
_ 1,515.1 <u>_</u>			
- 1,654.9 -	Guide Shoe; 1,655.0-1,656.0; 1.00; 2-2; 7 5/8; 6.97		
1,704.1 -	Perf; 1,704.0-1,706.0; 3/29/2019		
1,780.8	Casing Joints; 11.0-3,542.0; 3,531.00; 3-1; 5 1/2; 4.89		
2,891.1			
3,110.9			
3,241.1			
3,543.0	Guide Shoe; 3,542.0-3,543.0; 1.00; 3-2; 5 1/2; 4.89		
- 3,651.9 -	Perf; 3,652.0-3,711.0; 1/1/1946Liner Joint; 3,241.0-4,190.0; 949.00; 4-1; 4; 3.48		
- 3,837.9 - 	Perf; 3,838.0-3,882.0; 1/1/1946		
- 3,951.1 -			
- 4,033.1 - 			
- 4,193.9 <b>-</b>			

Cement				
Des	Top (ftKB)	Top Meas Meth	Class	Amount (sacks)
Surface Casing Cement	11.0			200
Intermediate Casing Cement	11.0	Cement Returns		400
Cement Plug - P & A	1,531.0			25
Cement Plug - P & A	1,265.0			25
Cement Plug - P & A	11.0	Visual		30
	•			

Page 1/1 XTO Energy Report Printed: 3/30/2021

Top (ftKB) Btm (ftKB)

317.0

1,706.0

Current Status

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 22387

## **CONDITIONS**

Operator:	OGRID:
XTO ENERGY, INC	5380
6401 Holiday Hill Road	Action Number:
Midland, TX 79707	22387
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By	Condition	Condition Date
kfortner	Need Final reclamation C103 submitted through OCD web site C103z	3/31/2021