

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural
Resources

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377	
		³ Reason for Filing Code/ Effective Date NW 08/04/2021	
⁴ API Number 30 - 025-46953	⁵ Pool Name BOBCAT DRAW; UPPER WOLFCAMP		⁶ Pool Code 98094
⁷ Property Code 326481	⁸ Property Name ANTERO 14 FEDERAL COM		⁹ Well Number 715H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
H	14	25S	33E		2506	NORTH	491	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	11	25S	33E		110	NORTH	309	EAST	LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 11/30/2020	²² Ready Date 08/04/2021	²³ TD 20,015	²⁴ PBTD 20,015	²⁵ Perforations 12,529 - 20,015	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12 1/4"	9 5/8"	1250'	540 SXS CL C/CIRC		
8 3/4"	7 5/8"	11,822'	1425 SXS CL C & H/26' ECHO		
6 3/4"	5 1/2"	19,750'	785 SXS CL H TOC 9160' CBL		

V. Well Test Data

³¹ Date New Oil 08/04/2021	³² Gas Delivery Date 08/04/2021	³³ Test Date 08/11/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2193
³⁷ Choke Size 64	³⁸ Oil 5646	³⁹ Water 5778	⁴⁰ Gas 8956		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox Printed name: Kay Maddox Title: SENIOR REGULATORY SPECIALIST E-mail Address: kay_maddox@eogresources.com Date: 08/17/2021	OIL CONSERVATION DIVISION Approved by: KURT SIMMONS Title: NMOCD, SANTA FE Approval Date: 09/27/2021	
		Phone: 432-638-8475

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46953	² Pool Code 98094	³ Pool Name BOBCAT DRAW; UPPER WOLFCAMP
⁴ Property Code 326481	⁵ Property Name ANTERO 14 FED COM	⁶ Well Number #715H
⁷ GRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3355'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	25-S	33-E	-	2506'	NORTH	491'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	11	25-S	33-E	-	110'	NORTH	309'	EAST	LEA

¹² Dedicated Acres 480.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kay Maddox 08/16/2021
Signature Date


KAY MADDUX
Printed Name

kay_maddox@eogresources.com
E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

06/18/2018
Date of Survey
Signature and Seal of Professional Surveyor
MICHAEL B. BROWN
NEW MEXICO
18329
PROFESSIONAL SURVEYOR
Certificate Number





EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Antero 14 Fed Com

#715H

OH

Design: OH

Midland PVA

18 January, 2021



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Antero 14 Fed Com		
Site Position:		Northing:	412,174.00 usft
From:	Map	Easting:	783,931.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 7' 50.590 N
		Longitude:	103° 32' 58.705 W
		Grid Convergence:	0.42 °

Well		#715H				
Well Position	+N/-S	0.0 usft	Northing:	412,276.00 usft	Latitude:	32° 7' 51.297 N
	+E/-W	0.0 usft	Easting:	788,093.00 usft	Longitude:	103° 32' 10.297 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,355.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	12/27/2020	6.58	59.84	47,491.27446044

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	0.76

Survey Program	Date	1/18/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
187.0	20,015.0	Driltech MWD (OH)	EOG MWD+IFR1	MWD + IFR1



EOG Resources

Midland PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 83 NME)
Site: Antero 14 Fed Com
Well: #715H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #715H
TVD Reference: KB = 26' @ 3381.0usft
MD Reference: KB = 26' @ 3381.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	0.0
187.0	1.06	92.67	187.0	-0.1	1.7	0.57	0.57	0.00	-1.7	0.0	0.0
306.0	1.23	97.95	306.0	-0.3	4.1	0.17	0.14	4.44	-4.1	0.3	0.3
391.0	1.14	98.30	390.9	-0.6	5.8	0.11	-0.11	0.41	-5.9	0.3	0.3
586.0	1.14	106.47	585.9	-1.4	9.6	0.08	0.00	4.19	-9.6	1.4	1.4
682.0	1.14	112.62	681.9	-2.0	11.4	0.13	0.00	6.41	-11.3	2.5	2.5
778.0	1.23	120.89	777.9	-2.9	13.2	0.20	0.09	8.61	-12.8	4.3	4.3
875.0	1.14	128.18	874.8	-4.1	14.8	0.18	-0.09	7.52	-14.2	6.0	6.0
971.0	1.23	131.70	970.8	-5.3	16.3	0.12	0.09	3.67	-15.7	6.9	6.9
1,067.0	1.14	132.66	1,066.8	-6.7	17.8	0.10	-0.09	1.00	-17.6	7.2	7.2
1,163.0	0.97	126.51	1,162.8	-7.8	19.2	0.21	-0.18	-6.41	-20.0	5.1	5.1
1,192.0	0.88	129.85	1,191.8	-8.1	19.5	0.36	-0.31	11.52	-20.2	6.3	6.3
1,356.0	0.44	102.43	1,355.8	-9.0	21.1	0.32	-0.27	-16.72	-22.0	-4.1	-4.1
1,452.0	0.44	70.61	1,451.8	-9.0	21.8	0.25	0.00	-33.15	-14.8	-12.8	-12.8
1,548.0	0.53	77.73	1,547.8	-8.8	22.6	0.11	0.09	7.42	-13.4	-7.8	-7.8
1,644.0	0.53	80.63	1,643.8	-8.6	23.5	0.03	0.00	3.02	-10.9	-4.2	-4.2
1,740.0	0.53	51.45	1,739.8	-8.2	24.3	0.28	0.00	-30.40	-6.3	-4.8	-4.8
1,836.0	2.20	120.36	1,835.7	-8.9	26.2	2.16	1.74	71.78	-4.0	4.3	4.3
1,932.0	2.20	124.40	1,931.7	-10.9	29.3	0.16	0.00	4.21	-2.7	4.1	4.1
2,027.0	2.20	117.72	2,026.6	-12.8	32.4	0.27	0.00	-7.03	-2.0	3.5	3.5
2,123.0	2.11	116.05	2,122.5	-14.4	35.7	0.11	-0.09	-1.74	-1.0	3.4	3.4
2,219.0	1.85	109.55	2,218.5	-15.7	38.7	0.36	-0.27	-6.77	0.1	3.7	3.7
2,315.0	1.49	108.32	2,314.4	-16.6	41.3	0.38	-0.37	-1.28	1.9	4.4	4.4
2,411.0	1.41	99.09	2,410.4	-17.2	43.7	0.26	-0.08	-9.61	3.3	6.0	6.0
2,508.0	1.85	98.30	2,507.4	-17.6	46.4	0.45	0.45	-0.81	5.0	7.5	7.5
2,603.0	3.17	111.31	2,602.3	-18.8	50.4	1.50	1.39	13.69	7.2	7.0	7.0
2,700.0	3.34	108.05	2,699.1	-20.6	55.6	0.26	0.18	-3.36	6.0	8.0	8.0



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,795.0	3.69	105.86	2,793.9	-22.3	61.1	0.39	0.37	-2.31	4.5	9.1
2,891.0	3.69	104.63	2,889.7	-23.9	67.1	0.08	0.00	-1.28	2.8	10.2
2,987.0	3.78	98.47	2,985.5	-25.2	73.2	0.43	0.09	-6.42	0.0	11.6
3,083.0	4.13	91.88	3,081.3	-25.8	79.8	0.60	0.36	-6.86	-3.6	13.2
3,179.0	4.92	88.98	3,177.0	-25.8	87.4	0.86	0.82	-3.02	-7.7	15.1
3,275.0	5.19	105.94	3,272.6	-26.9	95.7	1.58	0.28	17.67	-6.5	18.8
3,371.0	4.48	113.06	3,368.3	-29.6	103.3	0.97	-0.74	7.42	-7.5	20.3
3,467.0	4.22	122.20	3,464.0	-32.9	109.7	0.77	-0.27	9.52	-6.7	21.4
3,563.0	4.13	112.18	3,559.8	-36.1	115.9	0.76	-0.09	-10.44	-12.5	19.7
3,660.0	3.96	104.80	3,656.5	-38.3	122.4	0.56	-0.18	-7.61	-17.0	18.5
3,756.0	3.87	125.19	3,752.3	-41.0	128.3	1.45	-0.09	21.24	-11.1	23.8
3,852.0	3.69	133.28	3,848.1	-45.0	133.2	0.59	-0.19	8.43	-9.4	24.2
3,948.0	3.34	129.67	3,943.9	-48.9	137.6	0.43	-0.36	-3.76	-12.1	22.4
4,045.0	3.08	132.93	4,040.8	-52.5	141.6	0.33	-0.27	3.36	-11.6	21.9
4,140.0	2.90	131.52	4,135.6	-55.8	145.3	0.20	-0.19	-1.48	-12.5	20.3
4,236.0	2.46	121.85	4,231.5	-58.5	148.9	0.66	-0.46	-10.07	-15.4	17.2
4,332.0	3.25	111.48	4,327.4	-60.6	153.2	0.98	0.82	-10.80	-18.3	14.2
4,428.0	5.72	103.92	4,423.1	-62.7	160.3	2.64	2.57	-7.87	-22.8	12.4
4,524.0	3.96	124.93	4,518.8	-65.8	167.7	2.57	-1.83	21.89	-19.9	20.8
4,620.0	3.25	153.32	4,614.6	-70.1	171.6	1.98	-0.74	29.57	-9.4	26.5
4,715.0	5.10	166.41	4,709.3	-76.6	173.8	2.18	1.95	13.78	-7.0	25.0
4,811.0	4.40	156.39	4,805.0	-84.1	176.3	1.13	-0.73	-10.44	-15.4	19.7
4,906.0	3.17	140.40	4,899.8	-89.5	179.4	1.69	-1.29	-16.83	-22.0	11.8
5,002.0	0.79	172.30	4,995.7	-92.2	181.2	2.64	-2.48	33.23	-12.8	19.4
5,097.0	0.70	256.50	5,090.7	-93.0	180.8	1.05	-0.09	88.63	15.9	14.1
5,193.0	0.70	270.21	5,186.7	-93.1	179.6	0.17	0.00	14.28	17.6	10.1
5,289.0	0.62	266.34	5,282.7	-93.2	178.5	0.10	-0.08	-4.03	15.8	11.2



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,385.0	0.44	256.94	5,378.7	-93.3	177.6	0.21	-0.19	-9.79	12.9	13.5
5,480.0	0.44	246.04	5,473.7	-93.5	176.9	0.09	0.00	-11.47	9.4	15.7
5,576.0	0.44	291.66	5,569.7	-93.5	176.2	0.36	0.00	47.52	17.1	4.5
5,672.0	0.53	328.22	5,665.7	-93.0	175.7	0.33	0.09	38.08	15.7	-6.4
5,768.0	0.44	311.26	5,761.7	-92.4	175.2	0.18	-0.09	-17.67	16.1	-1.6
5,864.0	0.53	316.27	5,857.7	-91.8	174.6	0.10	0.09	5.22	15.1	-3.0
5,959.0	0.62	314.60	5,952.7	-91.1	173.9	0.10	0.09	-1.76	14.2	-2.6
6,055.0	0.53	318.38	6,048.7	-90.4	173.2	0.10	-0.09	3.94	13.0	-3.5
6,151.0	0.53	326.81	6,144.7	-89.7	172.7	0.08	0.00	8.78	11.5	-5.3
6,247.0	0.62	311.52	6,240.7	-89.0	172.1	0.18	0.09	-15.93	11.5	-2.2
6,343.0	0.70	319.61	6,336.7	-88.2	171.3	0.13	0.08	8.43	10.0	-3.7
6,439.0	0.62	314.16	6,432.7	-87.4	170.5	0.11	-0.08	-5.68	9.2	-2.8
6,534.0	0.70	330.24	6,527.7	-86.6	169.9	0.21	0.08	16.93	7.0	-5.1
6,630.0	0.70	332.00	6,623.6	-85.5	169.3	0.02	0.00	1.83	5.7	-5.3
6,726.0	0.62	342.99	6,719.6	-84.5	168.9	0.16	-0.08	11.45	3.5	-6.2
6,822.0	0.70	343.60	6,815.6	-83.5	168.6	0.08	0.08	0.64	2.3	-6.2
6,918.0	0.97	338.42	6,911.6	-82.1	168.1	0.29	0.28	-5.40	1.5	-6.0
7,014.0	0.70	332.00	7,007.6	-80.9	167.5	0.30	-0.28	-6.69	0.7	-5.9
7,110.0	0.70	315.04	7,103.6	-79.9	166.9	0.22	0.00	-17.67	1.3	-5.6
7,206.0	0.70	305.90	7,199.6	-79.2	166.0	0.12	0.00	-9.52	1.0	-5.4
7,302.0	0.70	301.15	7,295.6	-78.5	165.0	0.06	0.00	-4.95	0.2	-5.4
7,398.0	0.79	286.21	7,391.6	-78.0	163.8	0.22	0.09	-15.56	0.4	-5.3
7,494.0	0.88	278.30	7,487.6	-77.8	162.5	0.15	0.09	-8.24	-0.3	-5.3
7,590.0	0.88	268.37	7,583.6	-77.7	161.0	0.16	0.00	-10.34	-0.8	-5.4
7,686.0	0.79	258.00	7,679.6	-77.8	159.6	0.18	-0.09	-10.80	-1.2	-5.6
7,782.0	1.06	239.98	7,775.5	-78.4	158.2	0.41	0.28	-18.77	-1.0	-5.9
7,878.0	1.32	230.57	7,871.5	-79.6	156.6	0.34	0.27	-9.80	-2.0	-6.1



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
7,974.0	1.23	231.63	7,967.5	-80.9	154.9	0.10	-0.09	1.10	-4.2	-6.0
8,070.0	1.23	221.61	8,063.5	-82.3	153.4	0.22	0.00	-10.44	-5.2	-6.9
8,166.0	1.23	215.46	8,159.5	-83.9	152.2	0.14	0.00	-6.41	-6.5	-7.5
8,262.0	1.41	218.62	8,255.4	-85.7	150.8	0.20	0.19	3.29	-9.1	-7.1
8,358.0	0.97	200.16	8,351.4	-87.4	149.8	0.60	-0.46	-19.23	-8.3	-9.9
8,454.0	1.06	173.80	8,447.4	-89.0	149.6	0.49	0.09	-27.46	-4.6	-13.0
8,550.0	1.23	181.27	8,543.4	-90.9	149.7	0.24	0.18	7.78	-8.2	-12.1
8,647.0	1.23	181.79	8,640.4	-93.0	149.6	0.01	0.00	0.54	-10.4	-12.0
8,743.0	1.32	172.83	8,736.3	-95.1	149.7	0.23	0.09	-9.33	-10.5	-13.7
8,839.0	1.49	182.85	8,832.3	-97.5	149.8	0.31	0.18	10.44	-15.1	-11.4
8,935.0	1.32	187.68	8,928.3	-99.8	149.6	0.22	-0.18	5.03	-18.3	-10.0
9,031.0	1.32	190.76	9,024.2	-102.0	149.3	0.07	0.00	3.21	-21.0	-9.0
9,127.0	1.41	193.57	9,120.2	-104.2	148.8	0.12	0.09	2.93	-23.7	-7.9
9,223.0	1.06	194.71	9,216.2	-106.2	148.3	0.37	-0.36	1.19	-26.0	-7.4
9,319.0	0.79	188.30	9,312.2	-107.8	148.0	0.30	-0.28	-6.68	-26.5	-10.3
9,415.0	1.14	172.39	9,408.2	-109.4	148.0	0.46	0.36	-16.57	-24.3	-17.4
9,511.0	0.26	225.12	9,504.2	-110.5	148.0	1.05	-0.92	54.93	-29.3	9.5
9,607.0	0.44	356.43	9,600.2	-110.2	147.8	0.67	0.19	136.78	26.3	15.9
9,703.0	0.62	347.73	9,696.2	-109.4	147.6	0.20	0.19	-9.06	22.7	19.6
9,800.0	0.88	335.60	9,793.1	-108.2	147.2	0.31	0.27	-12.51	16.8	23.9
9,896.0	1.67	329.19	9,889.1	-106.3	146.2	0.83	0.82	-6.68	11.9	25.5
9,992.0	2.37	335.78	9,985.1	-103.3	144.7	0.77	0.73	6.86	11.4	24.1
10,088.0	3.17	318.20	10,081.0	-99.5	142.1	1.21	0.83	-18.31	-1.0	25.8
10,184.0	3.34	298.86	10,176.8	-96.2	137.9	1.15	0.18	-20.15	-14.8	23.2
10,280.0	3.43	304.93	10,272.6	-93.2	133.1	0.38	0.09	6.32	-17.9	24.9
10,376.0	4.04	303.43	10,368.4	-89.7	127.9	0.64	0.64	-1.56	-24.8	24.4
10,472.0	4.48	302.99	10,464.2	-85.8	121.9	0.46	0.46	-0.46	-32.1	24.2



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,568.0	3.52	297.37	10,559.9	-82.4	116.2	1.08	-1.00	-5.85	-41.0	20.5
10,664.0	3.43	295.61	10,655.8	-79.8	111.0	0.15	-0.09	-1.83	-47.4	19.2
10,760.0	3.78	289.46	10,751.6	-77.5	105.4	0.54	0.36	-6.41	-55.2	13.7
10,856.0	2.81	297.98	10,847.4	-75.3	100.3	1.13	-1.01	8.87	-58.1	22.2
10,953.0	1.76	299.57	10,944.3	-73.5	96.9	1.08	-1.08	1.64	-61.3	23.8
11,049.0	1.32	340.61	11,040.3	-71.7	95.3	1.20	-0.46	42.75	-32.8	59.2
11,144.0	0.97	325.67	11,135.3	-70.0	94.5	0.48	-0.37	-15.73	-48.8	48.5
11,241.0	0.70	307.48	11,232.3	-69.0	93.5	0.39	-0.28	-18.75	-62.9	30.5
11,337.0	0.44	19.72	11,328.3	-68.3	93.2	0.73	-0.27	75.25	9.3	69.8
11,433.0	1.32	308.36	11,424.3	-67.2	92.4	1.30	0.92	-74.33	-64.3	30.8
11,529.0	2.20	285.94	11,520.2	-66.0	89.8	1.15	0.92	-23.35	-74.1	3.5
11,625.0	0.79	3.64	11,616.2	-64.9	88.1	2.26	-1.47	80.94	-13.4	74.9
11,721.0	0.88	12.60	11,712.2	-63.5	88.3	0.16	0.09	9.33	-3.0	76.2
11,769.0	1.06	17.17	11,760.2	-62.7	88.5	0.41	0.37	9.52	2.3	76.2
11,872.0	1.23	17.61	11,863.1	-60.7	89.1	0.17	0.17	0.43	0.8	76.2
11,968.0	1.14	0.30	11,959.1	-58.8	89.4	0.38	-0.09	-18.03	-23.8	72.7
12,021.0	3.71	9.17	12,012.1	-56.6	89.7	4.88	4.84	16.73	-14.4	75.6
KOP, MD:12021.0', TVD:12012.1', N/S:-56.6', E/W:89.7', INC:3.71										
12,064.0	5.80	10.58	12,054.9	-53.1	90.3	4.88	4.87	3.28	-13.2	75.3
12,146.7	23.96	25.26	12,134.5	-33.6	98.3	22.25	21.96	17.75	-1.8	69.9
FTP Crossing, MD:12146.7', TVD:12134.5', N/S:-33.6', E/W:98.3', INC:23.96										
12,160.0	26.91	25.79	12,146.5	-28.5	100.8	22.25	22.19	3.99	-3.9	68.0
12,256.0	40.71	28.77	12,226.1	18.8	125.4	14.47	14.37	3.10	-23.1	48.5
12,352.0	42.21	17.69	12,298.2	77.0	150.3	7.79	1.56	-11.54	-39.6	19.8
12,448.0	50.65	6.27	12,364.4	144.9	164.2	12.29	8.79	-11.90	-37.2	-1.5
12,543.0	63.93	3.72	12,415.6	224.3	171.0	14.16	13.98	-2.68	-30.1	-10.6
12,639.0	69.38	358.97	12,453.7	312.4	173.0	7.27	5.68	-4.95	-17.8	-14.3



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
12,735.0	77.65	356.25	12,480.9	404.3	169.1	9.03	8.61	-2.83	2.1	-10.9
12,831.0	85.65	359.76	12,494.8	499.1	165.9	9.08	8.33	3.66	17.0	-8.4
12,927.0	88.90	358.97	12,499.4	595.0	164.8	3.48	3.39	-0.82	22.7	-8.1
13,023.0	89.60	359.41	12,500.6	691.0	163.5	0.86	0.73	0.46	25.1	-7.4
13,119.0	89.96	356.51	12,501.0	786.9	160.0	3.04	0.37	-3.02	26.6	-4.8
13,168.0	95.41	355.02	12,498.7	835.7	156.4	11.53	11.12	-3.04	24.9	-1.5
13,215.0	96.73	355.63	12,493.7	882.3	152.6	3.09	2.81	1.30	20.5	1.9
13,311.0	92.68	357.92	12,485.9	977.8	147.2	4.84	-4.22	2.39	13.8	6.6
13,407.0	92.86	357.83	12,481.2	1,073.6	143.7	0.21	0.19	-0.09	10.3	9.4
13,503.0	85.03	0.20	12,483.0	1,169.5	142.0	8.52	-8.16	2.47	13.1	10.3
13,598.0	91.10	1.78	12,486.2	1,264.4	143.7	6.60	6.39	1.66	17.5	7.9
13,694.0	91.89	0.90	12,483.7	1,360.3	145.9	1.23	0.82	-0.92	16.1	4.9
13,790.0	92.86	1.43	12,479.7	1,456.2	147.9	1.15	1.01	0.55	13.3	2.2
13,886.0	92.77	358.36	12,475.0	1,552.1	147.7	3.20	-0.09	-3.20	9.7	1.7
13,982.0	91.36	0.46	12,471.5	1,648.0	146.7	2.63	-1.47	2.19	7.4	1.9
14,078.0	89.43	1.61	12,470.9	1,744.0	148.4	2.34	-2.01	1.20	7.8	-0.6
14,174.0	87.67	0.46	12,473.3	1,839.9	150.2	2.19	-1.83	-1.20	11.4	-3.0
14,270.0	88.72	1.70	12,476.3	1,935.8	152.0	1.69	1.09	1.29	15.6	-5.6
14,366.0	87.58	0.29	12,479.4	2,031.8	153.6	1.89	-1.19	-1.47	19.8	-8.0
14,461.0	88.90	357.21	12,482.3	2,126.7	151.6	3.53	1.39	-3.24	23.6	-6.7
14,557.0	93.91	358.18	12,480.0	2,222.6	147.7	5.32	5.22	1.01	21.8	-3.6
14,653.0	91.80	355.54	12,475.2	2,318.3	142.5	3.52	-2.20	-2.75	17.5	1.0
14,749.0	91.71	357.56	12,472.3	2,414.1	136.7	2.11	-0.09	2.10	15.1	6.0
14,845.0	91.63	358.88	12,469.5	2,510.0	133.7	1.38	-0.08	1.37	12.8	8.2
14,941.0	89.96	358.36	12,468.1	2,605.9	131.4	1.82	-1.74	-0.54	12.0	9.8
15,037.0	88.90	357.56	12,469.1	2,701.9	128.0	1.38	-1.10	-0.83	13.4	12.5
15,133.0	89.87	357.65	12,470.1	2,797.8	124.0	1.01	1.01	0.09	15.0	15.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
15,229.0	91.98	356.86	12,468.6	2,893.6	119.4	2.35	2.20	-0.82	14.0	19.6	
15,324.0	90.75	359.76	12,466.3	2,988.6	116.6	3.32	-1.29	3.05	12.2	21.7	
15,420.0	88.64	0.82	12,466.8	3,084.5	117.1	2.46	-2.20	1.10	13.2	20.4	
15,516.0	89.52	0.29	12,468.4	3,180.5	118.0	1.07	0.92	-0.55	15.2	18.8	
15,611.0	87.41	1.17	12,470.9	3,275.5	119.2	2.41	-2.22	0.93	18.3	16.8	
15,707.0	87.41	1.17	12,475.2	3,371.4	121.2	0.00	0.00	0.00	23.1	14.1	
15,803.0	87.93	1.08	12,479.1	3,467.3	123.0	0.55	0.54	-0.09	27.5	11.5	
15,899.0	88.64	1.43	12,482.0	3,563.2	125.1	0.82	0.74	0.36	30.9	8.7	
15,994.0	87.32	2.31	12,485.4	3,658.1	128.2	1.67	-1.39	0.93	34.8	4.8	
16,090.0	87.49	2.75	12,489.7	3,753.9	132.5	0.49	0.18	0.46	39.6	-0.1	
16,186.0	87.14	2.75	12,494.2	3,849.7	137.1	0.36	-0.36	0.00	44.6	-5.5	
16,282.0	87.58	359.23	12,498.6	3,945.5	138.7	3.69	0.46	-3.67	49.6	-7.9	
16,377.0	89.08	1.08	12,501.4	4,040.5	139.0	2.51	1.58	1.95	52.8	-8.9	
16,473.0	89.25	359.67	12,502.8	4,136.5	139.6	1.48	0.18	-1.47	54.8	-10.2	
16,569.0	90.84	359.67	12,502.7	4,232.5	139.1	1.66	1.66	0.00	55.2	-10.4	
16,664.0	91.36	359.67	12,500.9	4,327.5	138.5	0.55	0.55	0.00	53.9	-10.6	
16,760.0	93.56	358.71	12,496.8	4,423.4	137.2	2.50	2.29	-1.00	50.3	-10.0	
16,856.0	91.19	357.92	12,492.8	4,519.2	134.3	2.60	-2.47	-0.82	46.8	-7.9	
16,952.0	89.69	356.95	12,492.1	4,615.1	130.0	1.86	-1.56	-1.01	46.6	-4.4	
17,048.0	89.87	356.42	12,492.4	4,711.0	124.5	0.58	0.19	-0.55	47.4	0.4	
17,144.0	93.65	358.53	12,489.5	4,806.8	120.3	4.51	3.94	2.20	45.0	3.9	
17,240.0	93.30	358.88	12,483.7	4,902.6	118.1	0.52	-0.36	0.36	39.7	5.4	
17,344.0	95.06	358.44	12,476.1	5,006.3	115.7	1.74	1.69	-0.42	32.7	7.0	
17,440.0	95.94	358.53	12,466.9	5,101.8	113.1	0.92	0.92	0.09	24.0	8.8	
17,536.0	90.22	0.11	12,461.7	5,197.6	112.0	6.18	-5.96	1.65	19.3	9.2	
17,632.0	90.57	359.94	12,461.1	5,293.6	112.1	0.41	0.36	-0.18	19.2	8.4	
17,728.0	91.10	1.26	12,459.7	5,389.6	113.1	1.48	0.55	1.37	18.3	6.6	



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #715H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3381.0usft
Site:	Antero 14 Fed Com	MD Reference:	KB = 26' @ 3381.0usft
Well:	#715H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,824.0	90.84	0.38	12,458.0	5,485.6	114.4	0.96	-0.27	-0.92	17.2	4.5
17,920.0	90.31	0.38	12,457.1	5,581.6	115.1	0.55	-0.55	0.00	16.7	3.1
18,016.0	91.28	0.73	12,455.8	5,677.6	116.0	1.07	1.01	0.36	15.9	1.5
18,112.0	89.43	1.78	12,455.2	5,773.5	118.1	2.22	-1.93	1.09	15.8	-1.4
18,208.0	89.52	2.13	12,456.0	5,869.5	121.4	0.38	0.09	0.36	17.3	-5.4
18,304.0	89.87	1.87	12,456.5	5,965.4	124.7	0.45	0.36	-0.27	18.9	-9.5
18,400.0	89.52	0.38	12,457.1	6,061.4	126.6	1.59	-0.36	-1.55	20.4	-12.1
18,496.0	89.78	0.64	12,457.6	6,157.4	127.5	0.38	0.27	0.27	22.1	-13.7
18,592.0	89.87	0.38	12,457.9	6,253.4	128.3	0.29	0.09	-0.27	23.4	-15.3
18,688.0	89.87	359.76	12,458.2	6,349.4	128.4	0.65	0.00	-0.65	24.7	-16.2
18,784.0	89.78	359.85	12,458.4	6,445.4	128.1	0.13	-0.09	0.09	26.0	-16.6
18,880.0	89.87	0.64	12,458.7	6,541.4	128.5	0.83	0.09	0.82	27.3	-17.7
18,975.0	90.31	0.20	12,458.6	6,636.4	129.2	0.66	0.46	-0.46	28.2	-19.2
19,071.0	89.43	0.46	12,458.8	6,732.4	129.8	0.96	-0.92	0.27	29.5	-20.5
19,167.0	89.78	0.11	12,459.5	6,828.4	130.2	0.52	0.36	-0.36	31.2	-21.7
19,263.0	88.55	357.30	12,460.9	6,924.3	128.1	3.19	-1.28	-2.93	33.7	-20.3
19,359.0	88.81	358.71	12,463.1	7,020.2	124.7	1.49	0.27	1.47	36.9	-17.7
19,455.0	89.34	358.53	12,464.6	7,116.2	122.4	0.58	0.55	-0.19	39.5	-16.1
19,551.0	89.52	359.76	12,465.6	7,212.2	121.0	1.29	0.19	1.28	41.5	-15.4
19,647.0	89.60	358.88	12,466.3	7,308.2	119.9	0.92	0.08	-0.92	43.3	-15.0
19,743.0	89.60	359.59	12,467.0	7,404.1	118.6	0.74	0.00	0.74	45.0	-14.5
19,839.0	92.77	2.13	12,465.0	7,500.1	120.0	4.23	3.30	2.65	44.1	-16.6
Last MWD Survey (MD=19839.0')										
20,015.0	92.77	2.13	12,456.5	7,675.8	126.5	0.00	0.00	0.00	37.5	-24.5
Projection to Bit (MD=20015.0')										



EOG Resources

Midland PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 83 NME)
Site: Antero 14 Fed Com
Well: #715H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #715H
TVD Reference: KB = 26' @ 3381.0usft
MD Reference: KB = 26' @ 3381.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12,021.0	12,012.1	-56.6	89.7	KOP, MD:12021.0', TVD:12012.1', N/S:-56.6', E/W:89.7', INC:3.71
12,146.7	12,134.5	-33.6	98.3	FTP Crossing, MD:12146.7', TVD:12134.5', N/S:-33.6', E/W:98.3', INC:23.96
19,839.0	12,465.0	7,500.1	120.0	Last MWD Survey (MD=19839.0')
20,015.0	12,456.5	7,675.8	126.5	Projection to Bit (MD=20015.0')

Checked By: _____ Approved By: _____ Date: _____

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE
 KAY MADDOX 08/11/2021



Lea County, NM (NAD 83 NME)

Antero 14 Fed Com #715H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #715H

KB = 26' @ 3381.0usft
Northing 412276.00 Easting 788093.00 Latitude 32° 7' 51.297 N Longitude 103° 32' 10.297 W








SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1300.0	0.00	0.00	1300.0	0.0	0.0	0.00	0.00	0.0	
3	1442.5	2.85	117.13	1442.4	-1.6	3.2	2.00	117.13	-1.6	
4	4962.0	2.85	117.13	4957.6	-81.4	158.8	0.00	0.00	-79.3	
5	5104.5	0.00	0.00	5100.0	-83.0	162.0	2.00	180.00	-80.8	
6	12006.0	0.00	0.00	12001.5	-83.0	162.0	0.00	0.00	-80.8	
7	12761.6	90.68	359.56	12478.9	400.1	158.3	12.00	359.56	402.2	TGT#1(Ant 14 FC #715H)
8	14446.0	90.68	359.56	12459.0	2084.3	145.2	0.00	0.00	2086.0	
9	14464.7	90.30	359.56	12458.8	2103.0	145.1	2.00	180.00	2104.7	TGT#2(Ant 14 FC #715H)
10	18202.9	90.30	359.56	12439.0	5841.0	116.2	0.00	0.00	5842.0	
11	18218.9	90.63	359.56	12438.9	5857.1	116.1	2.00	0.00	5858.1	
12	20039.0	90.63	359.56	12419.0	7677.0	102.0	0.00	0.00	7677.7	PBHL(Ant 14 FC #715H)

To convert a Magnetic Direction to a Grid Direction, Add 6.15°
To convert a Magnetic Direction to a True Direction, Add 6.58° East
To convert a True Direction to a Grid Direction, Subtract 0.42°

CASING DETAILS
No casing data is available

Name	TVD	+N/-S	+E/-W	Northing	Easting
Brushy Top(Ant 14 FC #715H)	7969.0	-83.0	162.0	412193.00	788255.00
PBHL(Ant 14 FC #715H)	12419.0	7677.0	102.0	419953.00	788195.00
TGT#2(Ant 14 FC #715H)	12439.0	5841.0	116.2	418117.00	788209.20
TGT#1(Ant 14 FC #715H)	12459.0	2084.3	145.2	414360.30	788238.24
FTP(Ant 14 FC #715H)	12479.0	-33.0	162.0	412243.00	788255.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-46953										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name ANTERO 14 FEDERAL COM										
								6. Well Number: 715H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____																		
8. Name of Operator EOG RESOURCES INC						9. OGRID 7377												
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702						11. Pool name or Wildcat BOBCAT DRAW; UPPER WOLFCAMP (98094)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	H	14	25S	33E		2506	NORTH	491	EAST	LEA								
BH:	A	11	25S	33E		110	NORTH	309	EAST	LEA								
13. Date Spudded 11/30/2020	14. Date T.D. Reached 01/16/2021		15. Date Rig Released 01/18/2021			16. Date Completed (Ready to Produce) 08/04/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3355' GR										
18. Total Measured Depth of Well MD 20,015' TVD 12,456'			19. Plug Back Measured Depth MD 20,015' TVD 12,456'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None										
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP 12,529 - 20,015'																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
9 5/8"		40# J-55		1,250'		12 1/4"		540 CL C/CIRC										
7 5/8"		29.7# ECP 110		11,822'		8 3/4"		1425 CL C & H/26' ECHO										
5 1/2"		20# HCP 110		19,750'		6 3/4"		785 CL H TOC 9160' CBL										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
26. Perforation record (interval, size, and number) 12,529 - 20,015' 3 1/8", 1530 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>DEPTH INTERVAL</td> <td>AMOUNT AND KIND MATERIAL USED</td> </tr> <tr> <td>12,529 - 20,015'</td> <td>FRAC W/18,444,021 lbs proppant, 274,235 bbls load fld</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12,529 - 20,015'	FRAC W/18,444,021 lbs proppant, 274,235 bbls load fld				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12,529 - 20,015'	FRAC W/18,444,021 lbs proppant, 274,235 bbls load fld																	
28. PRODUCTION																		
Date First Production 08/04/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing												
Date of Test 08/11/2021	Hours Tested 24	Choke Size 64	Prod'n For Test Period	Oil - Bbl 5646	Gas - MCF 8956	Water - Bbl. 5778	Gas - Oil Ratio 1586											
Flow Tubing Press.	Casing Pressure 2193	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>) 45												
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD								30. Test Witnessed By										
31. List Attachments C-102, C-104, C-103, Directional Survey, H spacing																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																		
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD 1927 1983																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature Kay Maddox Name Kay Maddox Title Senior Regulatory Specialist Date 08/16/2021 E-mail Address kay_maddox@eogresources.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico				
T. Anhy	Rustler	1128'	T. Canyon	Brushy	7969'	T. Ojo Alamo	T. Penn A "
T. Salt		1489'	T. Strawn			T. Kirtland	T. Penn. "B"
B. Salt		4880'	T. Atoka			T. Fruitland	T. Penn. "C"
T. Yates			T. Miss			T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers			T. Devonian			T. Cliff House	T. Leadville
T. Queen			T. Silurian			T. Menefee	T. Madison
T. Grayburg			T. Montoya			T. Point Lookout	T. Elbert
T. San Andres			T. Simpson			T. Mancos	T. McCracken
T. Glorieta			T. McKee			T. Gallup	T. Ignacio Otzte
T. Paddock			T. Ellenburger			Base Greenhorn	T. Granite
T. Blinebry			T. Gr. Wash			T. Dakota	
T. Tubb			T. Delaware Sand			T. Morrison	
T. Drinkard			T. Bone Springs			T. Todilto	
T. Abo			T. 1st BS Sand	10,253'		T. Entrada	
T. Wolfcamp	12,340'		T. 2nd BS Sand	10,803'		T. Wingate	
T. Penn			T. 3rd BS Sand	11,889'		T. Chinle	
T. Cisco (Bough C)			T.			T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 42694

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 42694
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 42694

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 42694
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/27/2021