Received by UCD: 5/29/2021 1:36:14 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 08/25/2021
Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/05/2021

Date Operation Actually Began: 08/01/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 01:54

Actual Procedure: 8-1-2021 16" hole 8-1-2021 Surface Hole @ 1,163' MD, 1,162' TVD Casing shoe @ 1,148' MD, 1,148' TVD Ran 13-3/8" 54.5# J-55 LTC Cement w/ 545 sx Class C (1.68 yld, 13.8 ppg), followed by 125 sx Class C (1.36 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min -OK. Circ (65 bbls) 217 sx cement to surface BOP/DIVERTERS/ROTATING HEAD-PRESSURE TEST BOPE AS PER BLM REQUIRMENTS W/ H & N GOLD. TOP DRIVE, CHOKE MANIFOLD, MUD PUMPS, BOP'S, FLOOR VALVES, CAMMERON QUICK CONNECT & ORBIT VALVE. PERFORM DRAWDOWN TEST. (ADJUST OFF DRILLER SIDE FINGERBOARD IN THE DERRICK WITH PIONEER WELDERS AND DERRICK HAND). 8-4-2021 8 3/4" HOLE 8-4-20211st Intermediate Hole @ 4,445' MD, 4,423' TVD Casing shoe @ 4,425' MD, 4,408' TVD Ran 9-5/8", 40#, HCL80 LTC Cement w/ 1,000 sx Class C (2.11 yld, 12.7 ppg), followed by 290 sx Class C (1.42 yld, 14.8 ppg) Test casing to 1,950 psi for 30 min - OK. Curculate 395 sx cement to surface. TOC @ 0' by Visual

Received by OCD: 9/29/2021 1:36:14 PM Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEA7
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily\_follis@eogresources.com

### Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

#### **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer

Zip:

Signed on: AUG 05, 2021 01:54 PM

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 08/24/2021

Received by UCD. 5/29/2021 1:36:14 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 08/26/2021
Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/05/2021

Date Operation Actually Began: 08/01/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 01:54

Actual Procedure: 8-1-2021 16" hole 8-1-2021 Surface Hole @ 1,163' MD, 1,162' TVD Casing shoe @ 1,148' MD, 1,148' TVD Ran 13-3/8" 54.5# J-55 LTC Cement w/ 545 sx Class C (1.68 yld, 13.8 ppg), followed by 125 sx Class C (1.36 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min -OK. Circ (65 bbls) 217 sx cement to surface BOP/DIVERTERS/ROTATING HEAD-PRESSURE TEST BOPE AS PER BLM REQUIRMENTS W/ H & N GOLD. TOP DRIVE, CHOKE MANIFOLD, MUD PUMPS, BOP'S, FLOOR VALVES, CAMMERON QUICK CONNECT & ORBIT VALVE. PERFORM DRAWDOWN TEST. (ADJUST OFF DRILLER SIDE FINGERBOARD IN THE DERRICK WITH PIONEER WELDERS AND DERRICK HAND). 8-4-2021 8 3/4" HOLE 8-4-20211st Intermediate Hole @ 4,445' MD, 4,423' TVD Casing shoe @ 4,425' MD, 4,408' TVD Ran 9-5/8", 40#, HCL80 LTC Cement w/ 1,000 sx Class C (2.11 yld, 12.7 ppg), followed by 290 sx Class C (1.42 yld, 14.8 ppg) Test casing to 1,950 psi for 30 min - OK. Curculate 395 sx cement to surface. TOC @ 0' by Visual

Received by OCD: 9/29/2021 1:36:14 I Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEAT
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily\_follis@eogresources.com

### Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

#### **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Signed on: AUG 05, 2021 01:54 PM

Disposition Date: 08/24/2021

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT	Sundry Print Repor	
Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
<b>US Well Number:</b> 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/16/2021

Date Operation Actually Began: 08/14/2021

Type of Action: Drilling Operations Time Sundry Submitted: 08:37

Actual Procedure: 8-14-2021 8 1/2" HOLE 8-14-2021 Production Hole @ 17,896' MD, 10,323' TVD Casing Shoe @ 17,881' MD, 10,323' TVD Ran 6", 23.95#, P110-HP, SFH-SC 0' - 9,075' Ran 6", 24.5#, ECP110, TXP 9,075' - 17,881' (MJ @ 9,706' and 17,409') Cement w/ 250 sx Class H (3.51 yld, 10.5 ppg), followed by 290 sx Class H (2.40 yld, 11.5 ppg), followed by 1,690 sx Class H (1.19 yld, 14.5 ppg) No casing test . Did not circ cement to surface, TOC @ 7,482' by Calc.RR 8-15-2021

Received by OCD: 9/29/2021 1:36:14 PM Well Name: JEFE 29 FED COM	Well Location: T25S / R32E / SEC 29 / NWSW / 32.0999314 / -103.7039446	County or Parish/State: LEA7
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM108971	Unit or CA Name:	Unit or CA Number:
<b>US Well Number:</b> 3002548837	Well Status: Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily\_follis@eogresources.com

## Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

#### **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Signed on: AUG 16, 2021 08:37 AM

Disposition Date: 08/25/2021

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS	,
------------	---

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	52945
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/29/2021

Page 7 of 7

Action 52945