

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
09/29/2021

Well Name: NAILED IT FED COM Well Location: T26S / R30E / SEC 36 / County or Parish/State: EDDY /

LOT 3 / 32.000719 / -103.8369587

Well Number: 232H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM138850 Unit or CA Name: Unit or CA Number:

US Well Number: 3001546877 Well Status: Drilling Well Operator: TAP ROCK

OPERATING LLC

## **Subsequent Report**

Sundry ID: 2630734

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 08/26/2021 Time Sundry Submitted: 09:14

**Date Operation Actually Began:** 08/15/2021

Actual Procedure: 8/15/2021: Drill 17.5 inch surface hole to 1190 ft. Run 13.375 inch 54.5 lb J55 surface casing to 1174 ft. Pump 40 bbls gel with CTB-15, followed by 560 sks of 13.5 ppg lead cmt, 290 sks of 14.8 ppg tail cmt. Drop plug and displace with 179 bbls of freshwater. 90 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/17/2021: Drill 12.25 inch intermediate hole to 3650 ft. 8/18/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 3637 ft. Pump 20 bbls chem water, 20 bbls visc water, followed by 790 sks of 12.8 ppg lead cmt, 376 sks of 14.8 ppg tail cmt. Drop plug and displace with 273 bbls of freshwater. 50 bbls of cement returned to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/19/2021: Drill 8.75 inch second intermediate hole to 11314 ft. 8/22/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11230 ft. Pump 20 bbls visc water, followed by 896 sks of 11.5 lead cmt, 183 sks of 13.2 ppg tail cmt. Drop plug and displace with 513 bbls of freshwater. 0 bbls of cement to surface. EST TOC at 3750 ft. Pressure test casing to 1500 for 30 minutes, good test. Surface Casing Details: Casing ran: 8/15/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1174 ft, Cement 850 sacks, Yield 1.33, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 8/18/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 3637 ft, Cement 1166 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 8/22/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 3750 ft, Depth set 11230 ft, Cement 1079 sacks, Yield 1.35, Class H, Pressure Held 2550 psi, Pres Drop 0.

Page 1 of 2

*yed by OCD: 9/29/2021 8:04:06 AM* lell Name: NAILED IT FED COM

Well Location: T26S / R30E / SEC 36 /

LOT 3 / 32.000719 / -103.8369587

County or Parish/State: EDDY/

Well Number: 232H

Type of Well: CONVENTIONAL GAS

Lease Number: NMNM138850

**Unit or CA Name:** 

WELL

**Unit or CA Number:** 

Allottee or Tribe Name:

**US Well Number: 3001546877** 

Well Status: Drilling Well

**Operator:** TAP ROCK **OPERATING LLC** 

## **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

**Operator Electronic Signature: BILL RAMSEY Signed on:** AUG 26, 2021 09:13 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 360-4028

Email address: BRAMSEY@TAPRK.COM

## Field Representative

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name:** Jonathon W Shepard

**BLM POC Phone:** 5752345972

**Disposition:** Accepted

Signature: Jonathon Shepard

**BLM POC Title:** Petroleum Engineer

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 09/28/2021

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 52694

### **CONDITIONS**

-	Operator:	OGRID:
	TAP ROCK OPERATING, LLC	372043
	523 Park Point Drive	Action Number:
	Golden, CO 80401	52694
		Action Type:
ı		[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/30/2021