

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.109383 / -103.3101402	County or Parish/State: LEA / NM
Well Number: 205H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549119	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2631439

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/30/2021

Date Operation Actually Began: 08/21/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 02:29

**Actual Procedure:** 8/21/2021: Drill 17.5 inch surface hole to 1297 ft. Run 13.375 inch 54.5 lb J55 surface casing to 1282 ft. Pump 40 bbls gel with CTB-15, followed by 785 sks of 13.5 ppg lead cmt, 345 sks of 14.8 ppg tail cmt. Drop plug and displace with 191 bbls of brine. 191 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/22/2021: Test BOPS. Drill 12.25 inch first intermediate hole to 5468 ft. 8/24/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 5443 ft. Pump 20 bbls chem wash, 20 bbls chem wash, followed by 1158 sks of 11.5 ppg lead cmt, 415 sks of 14.8 ppg tail cmt. Drop plug and displace with 410 bbls of freshwater. 60 bbls of cement returned to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/25/2021: Drill 8.75 inch second intermediate hole to 11099 ft. 8/28/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11009 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 273 sks of 10.5 lead cmt, 141 sks of 13.2 ppg tail cmt. Drop plug and displace with 504 bbls of cut freshwater. 0 bbls of cement to surface. 0 bbls of spacer to surface. EST TOC at 3950 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. Surface Casing Details: Casing ran: 8/21/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1282 ft, Cement 1130 sacks, Yield 1.34, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 8/24/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5443 ft, Cement 1573 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 8/28/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 3950 ft, Depth set 11009 ft, Cement 414 sacks, Yield 1.35, Class C, Pressure Held 1500 psi, Pres Drop 0.

<b>Well Name:</b> BLUE MARLIN FED COM	<b>Well Location:</b> T25S / R36E / SEC 19 / LOT 4 / 32.109383 / -103.3101402	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 205H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM127448	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002549119	<b>Well Status:</b> Drilling Well	<b>Operator:</b> TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> BILL RAMSEY	<b>Signed on:</b> AUG 30, 2021 02:29 PM
<b>Name:</b> TAP ROCK OPERATING LLC	
<b>Title:</b> Regulatory Analyst	
<b>Street Address:</b> 523 PARK POINT DRIVE SUITE 200	
<b>City:</b> GOLDEN	<b>State:</b> CO
<b>Phone:</b> (720) 360-4028	
<b>Email address:</b> BRAMSEY@TAPRK.COM	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 10/01/2021
<b>Signature:</b> Jonathon Shepard	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 53724

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 53724
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/5/2021