

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: MUSKIE 23-14 FED COM	Well Location: T26S / R34E / SEC 23 / SENW / 32.029792 / -103.443792	County or Parish/State: LEA / NM
Well Number: 9H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM100568	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547419	Well Status: Approved Application for Permit to Drill	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Notice of Intent

Sundry ID: 2509236

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 07/22/2021

Time Sundry Submitted: 12:04

Date proposed operation will begin: 07/22/2021

Procedure Description: Devon Energy Production Company, L.P. respectfully requests a SHL/BHL move: Name change from Muskie 23-14 Fed Com 9H to Muskie 23-11 Fed Com 9H SHL move from 2316 FNL & 1692 FWL to 2316FNL & 1662 FWL, both 23-26S-34E BHL move from 20 FNL to 1200 FWL, 14-26S-34E to 20 FNL & 660 FWL, 11-26S-34E TVD/MD change from 12,750'/20,398' to 12,635'/25,863' Please see revised C-102, Drilling and Directional plans

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

MUSKIE_23_11_FED_COM_9H_C_102_SHL_BHL_NOI_20210722120322.pdf

Muskie_23_11_Fed_Com_9H_Directional_Plan_07_21_21_20210722120321.pdf

Muskie_23_11_Fed_Com_9H_20210722120321.pdf

Well Name: MUSKIE 23-14 FED COM**Well Location:** T26S / R34E / SEC 23 /
SENW / 32.029792 / -103.443792**County or Parish/State:** LEA /
NM**Well Number:** 9H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM100568**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3002547419**Well Status:** Approved Application for
Permit to Drill**Operator:** DEVON ENERGY
PRODUCTION COMPANY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: REBECCA DEAL**Signed on:** JUL 22, 2021 12:03 PM**Name:** DEVON ENERGY PRODUCTION COMPANY LP**Title:** Regulatory Compliance Professional**Street Address:** 333 West Sheridan Avenue**City:** Oklahoma City**State:** OK**Phone:** (405) 228-8429**Email address:** Rebecca.Deal@dvn.com

Field Representative

Representative Name:**Street Address:****City:****State:****Zip:****Phone:****Email address:**

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752342234**BLM POC Email Address:** cwalls@blm.gov**Disposition:** Approved**Disposition Date:** 10/14/2021**Signature:** Chris Walls

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-47419	Pool Code 96776	Pool Name JABALINA;WOLFCAMP, SOUTHWEST
Property Code 328845	Property Name MUSKIE 23-11 FED COM	Well Number 9H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3208.9'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	23	26-S	34-E		2316	NORTH	1662	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	11	26-S	34-E		20	NORTH	660	WEST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
800			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

MUSKIE 23-11 FED COM 9H
EL: 3208.9'
LAT:32.029793
LON:103.443889
N:375711.92
E:816970.27

FIRST TAKE POINT
2539' FNL 660' FWL SEC. 23
LAT:32.029190
LON:103.447122
N:375484.52
E:815970.15

LAST TAKE POINT
100' FNL 660' FWL SEC. 11
LAT:32.064928
LON:103.447133
N:388485.57
E:815860.11

BOTTOM OF HOLE
LAT:32.065148
LON:103.447133
N:388565.57
E:815859.43

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal 7/19/2021
Signature Date

Rebecca Deal, Regulatory Specialist
Printed Name

rebecca.deal@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

06/23/2021
Date of Survey

Signature & Seal of Professional Surveyor



REV: 07/13/21

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD


Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

MUSKIE 23 WELLPAD 4
DEVON ENERGY PRODUCTION COMPANY, L.P.
IN THE NORTHWEST QUARTER (NW/4)
SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, NEW MEXICO



DESCRIPTION

BEING A SURFACE SITE EASEMENT LYING IN THE NORTHWEST QUARTER (NW/4) OF SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST N.M.P.M., LEA COUNTY, NEW MEXICO.

BEGINNING AT THE SOUTHWEST CORNER OF SAID SITE EASEMENT, WHERE A 1" IRON PIPE W/BC FOR THE WEST QUARTER CORNER OF SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST N.M.P.M. BEARS S 83°22'11" W, A DISTANCE 1333.60';

THENCE N 00°19'08" W, A DISTANCE 600.00 FEET TO THE NORTHWEST CORNER OF THIS EASEMENT;
 THENCE N 89°40'52" E, A DISTANCE 600.00 FEET TO THE NORTHEAST CORNER OF THIS EASEMENT;
 THENCE S 00°19'08" E, A DISTANCE 600.00 FEET TO THE SOUTHEAST CORNER OF THIS EASEMENT;
 THENCE S 89°40'52" W, A DISTANCE 600.00 FEET TO THE SOUTHWEST CORNER OF THIS EASEMENT,
 TO THE POINT OF BEGINNING; CONTAINING 8.264 ACRES.

DIRECTIONS TO LOCATION


FROM THE INTERSECTION OF J-3 (FRYING PAN ROAD) AND BECKHAM ROAD HEAD WEST FOR 5.37 MILES. TURN RIGHT AND CONTINUE NORTH ON AN EXISTING LEASE ROAD FOR 4.43 MILES. TURN RIGHT ONTO AN EXISTING ACCESS ROAD AND HEAD NORTH FOR 0.67 MILES THROUGH AN EXISTING WELLPAD AND THEN TURN LEFT AND HEAD WEST ON THE SAME ACCESS ROAD FOR 0.91 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. FOLLOW THE PROPOSED ACCESS ROAD SOUTH AND THEN WEST FOR 1.20 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. TURN LEFT AND FOLLOW THE PROPOSED ACCESS ROAD FOR 196' TO THE NORTHWEST CORNER OF THE PROPOSED MUSKIE 23 WELLPAD 4.

GENERAL NOTES:

1.) THE INTENT OF THIS SURVEY IS TO ACQUIRE A BUSINESS LEASE FOR THE PURPOSE OF BUILDING A WELLPAD.

2.) All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman
 Horizonrow, LLC
 Date Signed: 02-07-2020
 P.O. Box 548, Dry Creek, La.
 (903) 388-3045 70637
 Employee of Horizonrow, LLC

HORIZON ROW LLC

Drawn for:

devon

Drawn by:
 DANIEL SHOOK

Date: 02/04/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

MUSKIE 23 WELLPAD 4

SURVEY PLAT SHOWING
 A WELLPAD
 ON THE PROPERTY OF THE
 BUREAU OF LAND MANAGEMENT

SITE NUMBER:
 AA000342614

WBS NUMBER:
 XX-135235.01.SLC


SCALE:
 1" = 250'

REVISIONS:

DATE OF SURVEY:
 07/03/2018



SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SITE MAP



MUSKIE 23-11 FED COM 9H
2316' FNL 1662' FWL SEC. 23
EL: 3208.9'
N: 375711.92
E: 816970.27

MUSKIE 23-11 FED COM 12H
2316' FNL 1692' FWL SEC. 23
EL: 3208.9'
N: 375712.05
E: 817000.27

MUSKIE 23-11 FED COM 3H
2316' FNL 1722' FWL SEC. 23
EL: 3209.1'
N: 375712.18
E: 817030.27

MUSKIE 23-11 FED COM 4H
2316' FNL 1752' FWL SEC. 23
EL: 3209.6'
N: 375712.31
E: 817060.27

MUSKIE 23-11 FED COM 13H
2316' FNL 1782' FWL SEC. 23
EL: 3208.7'
N: 375712.44
E: 817090.27

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO



DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF J-3 (FRYING PAN ROAD) AND BECKHAM ROAD HEAD WEST FOR 5.37 MILES. TURN RIGHT AND CONTINUE NORTH ON AN EXISTING LEASE ROAD FOR 4.43 MILES. TURN RIGHT ONTO AN EXISTING ACCESS ROAD AND HEAD NORTH FOR 0.67 MILES THROUGH AN EXISTING WELLPAD AND THEN TURN LEFT AND HEAD WEST ON THE SAME ACCESS ROAD FOR 0.91 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. FOLLOW THE PROPOSED ACCESS ROAD SOUTH AND THEN WEST FOR 1.20 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. TURN LEFT AND FOLLOW THE PROPOSED ACCESS ROAD FOR 196' TO THE NORTHWEST CORNER OF THE PROPOSED MUSKIE 23 WELLPAD 4.

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:



SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO INTERIM SITE BUILD PLAN

MUSKIE 23-11 FED COM 9H

2316' FNL 1662' FWL SEC. 23
EL: 3208.9'
N: 375711.92
E: 816970.27

MUSKIE 23-11 FED COM 12H

2316' FNL 1692' FWL SEC. 23
EL: 3208.9'
N: 375712.05
E: 817000.27

MUSKIE 23-11 FED COM 3H

2316' FNL 1722' FWL SEC. 23
EL: 3209.1'
N: 375712.18
E: 817030.27

MUSKIE 23-11 FED COM 4H

2316' FNL 1752' FWL SEC. 23
EL: 3209.6'
N: 375712.31
E: 817060.27

MUSKIE 23-11 FED COM 13H

2316' FNL 1782' FWL SEC. 23
EL: 3208.7'
N: 375712.44
E: 817090.27

 DENOTES INTERIM PAD RECLAMATION AREA

5.13 ± ACRES INTERIM PAD RECLAMATION AREA

3.13 ± ACRES NON-RECLAIMED AREA

8.26 ± ACRES GRADING SITE RECLAMATION AREA



DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:


devon

SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF J-3 (FRYING PAN ROAD) AND BECKHAM ROAD HEAD WEST FOR 5.37 MILES. TURN RIGHT AND CONTINUE NORTH ON AN EXISTING LEASE ROAD FOR 4.43 MILES. TURN RIGHT ONTO AN EXISTING ACCESS ROAD AND HEAD NORTH FOR 0.67 MILES THROUGH AN EXISTING WELLPAD AND THEN TURN LEFT AND HEAD WEST ON THE SAME ACCESS ROAD FOR 0.91 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. FOLLOW THE PROPOSED ACCESS ROAD SOUTH AND THEN WEST FOR 1.20 MILES TO THE POINT OF BEGINNING OF A PROPOSED ACCESS ROAD. TURN LEFT AND FOLLOW THE PROPOSED ACCESS ROAD FOR 196' TO THE NORTHWEST CORNER OF THE PROPOSED MUSKIE 23 WELLPAD 4.

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:

devon

SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
LOCATION VERIFICATION MAP



USGS QUAD MAP

DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO


**HORIZON ROW LLC**

Drawn for:

DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAASDate: 06/24/2021
REV: 7/9/21

SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL PHOTO



NOT TO SCALE

DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:

devon

SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL ACCESS ROUTE MAP



DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

NOT TO SCALE

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:

devon

EXHIBIT "A"
PAGE 1 of 7
ACCESS ROAD PLAT
SECTION 14, T26S-R34E, N.M.P.M.
LEA COUNTY, NEW MEXICO




30' EASEMENT AREA = 0.336 ACRE(S)
488.45 FEET OR 29.60 RODS

SEE THE ATTACHED LEGAL DESCRIPTION

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman PLS #22404
Date Signed: 09-06-2019
P.P.Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizonrow, LLC



0+00 P.O.B./LEASE ROAD
3+81.4 EXISTING PIPELINE
3+97.5 EXISTING PIPELINE
4+88.4 SECTION LINE

0 1000 2000



HORIZON ROW LLC

Drawn for:

devon

Drawn by:
STEVE LONDON

Date: 10/22/2018

DEVON ENERGY PRODUCTION COMPANY, L.P.

MEAN GREEN 23 PRIMARY
ACCESS ROAD

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
BUREAU OF LAND MANAGEMENT
SECTION 23, T26S-R34E, N.M.P.M.

LINE NUMBER:
7640235R

WBS NUMBER:
XX-129900.01.SLC

SCALE:
1" = 1000'

REVISIONS:

DATE OF SURVEY:
10/07/2018

SECTION 14, T26S-R34E, N.M.P.M.,
LEA COUNTY, NEW MEXICO

ACCESS ROAD PLAT

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southeast quarter (SE ¼) of Section 14, Township 26 South, Range 34 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 1" iron pipe w/ BC found for the east quarter corner of Section 14, T26S-R34E, N.M.P.M., Lea County, New Mexico;

Thence S 00°04'19" W a distance of 2149.92' to the **Point of Beginning** of this easement having coordinates of Northing=378538.07, Easting=820559.74 feet and continuing the following course;

Thence S 00°13'25" E a distance of 488.45' to the **Point of Ending** having coordinates of Northing= 378049.62, Easting= 820561.65 feet in the south line of Section 14, T26S-R34E, N.M.P.M., Lea County, New Mexico, from said point a 2" iron pipe w/BC for the southeast corner of Section 14, T26S-R34E, bears N 89°37'03" E a distance of 24.65', covering **488.45' or 29.60 rods** and having an area of **0.336 acre**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman PLS# 22404
Date Signed: 09-06-2019
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC



EXHIBIT "A"
PAGE 3 of 7
ACCESS ROAD PLAT
SECTION 23, T26S-R34E, N.M.P.M.
LEA COUNTY, NEW MEXICO



30' EASEMENT AREA = 7.534 ACRE(S)
10,936.88 FEET OR 662.84 RODS

SEE THE ATTACHED LEGAL DESCRIPTION

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman
Date Signed: 09-06-2019
P.P.Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizonrow, LLC

PLS #22404
NEW MEXICO
PROFESSIONAL SURVEYOR

HORIZON ROW LLC
Drawn for:
devon
Drawn by:
STEVE LONDON
Date: 10/22/2018

DEVON ENERGY PRODUCTION COMPANY, L.P.
MEAN GREEN 23 PRIMARY ACCESS ROAD
PROPOSED 30' EASEMENT ON THE PROPERTY OF BUREAU OF LAND MANAGEMENT SECTION 23, T26S-R34E, N.M.P.M.

LINE NUMBER:
7640235R
WBS NUMBER:
XX-129900.01.SLC
SCALE:
1" = 1000'
REVISIONS:
8/1/2019
DATE OF SURVEY:
10/07/2018

**SECTION 23, T26S-R34E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

ACCESS ROAD PLAT

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the northeast quarter (NE $\frac{1}{4}$), northwest quarter (NW $\frac{1}{4}$), southwest quarter (SW $\frac{1}{4}$) and southeast quarter (SE $\frac{1}{4}$) of Section 23, Township 26 South, Range 34 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/ BC found for the northeast corner of Section 23, T26S-R34E, N.M.P.M., Lea County, New Mexico;

Thence S 89°37'03" W a distance of 24.65' to the **Point of Beginning** of this easement having coordinates of Northing=378049.62, Easting=820561.65 feet and continuing the following courses;

Thence S 00°13'25" E a distance of 799.48' to an angle point;

Thence S 32°33'06" W a distance of 55.72' to an angle point;

Thence S 89°06'32" W a distance of 1238.00' to an angle point;

Thence S 64°49'51" W a distance of 1165.25' to an angle point;

Thence S 89°57'23" W a distance of 664.73' to an angle point;

Thence N 71°08'49" W a distance of 390.42' to an angle point;

Thence S 89°38'19" W a distance of 787.26' to an angle point;

Thence S 01°13'25" E a distance of 1930.92' to an angle point;

Thence S 00°07'35" E a distance of 998.45' to an angle point;

Thence S 42°25'55" E a distance of 47.64' to an angle point;

Thence S 89°58'07" E a distance of 631.47' to an angle point;

Thence S 65°00'20" E a distance of 680.78' to an angle point;

Thence S 89°47'33" E a distance of 571.76' to an angle point;

Thence N 75°23'25" E a distance of 975.00' to the **Point of Ending** having coordinates of Northing= 373800.82, Easting= 819260.17 feet in the southeast quarter of Section 23, T26S-R34E, N.M.P.M., Lea County, New Mexico, from said point a 2" iron pipe w/BC for the southeast corner of Section 23, T26S-R34E, bears S 52°57'54" E a distance of 1718.92', covering **10,936.88' or 662.84 rods** and having an area of **7.534 acre**.

NOTES:


Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman PLS# 22404
Date Signed: 09-06-2019
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC





**SECTION 23, T26S-R34E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

ACCESS ROAD PLAT

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the northwest quarter (NW ¼) of Section 23, Township 26 South, Range 34 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/ BC found for the northwest corner of Section 23;

Thence S 30°13'04" E a distance of 2281.76' to the **Point of Beginning** of this easement having coordinates of Northing=376049.00, Easting=816437.11 feet and continuing the following courses;

Thence N 88°21'51" E a distance of 266.31' to an angle point;

Thence S 52°32'35" E a distance of 75.96' to an angle point;

Thence S 00°19'08" E a distance of 49.67' to the **Point of Ending** having coordinates of Northing=375960.74, Easting= 816763.88 feet from said point a 1" iron pipe w/BC for the west quarter corner of Section 23, T26S-R34E, bears S 68°14'48" W a distance of 1564.27', covering **391.94' or 23.75 rods** and having an area of **0.270 acre**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman PLS# 22404
Date Signed: 02-05-2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC



SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
PLAN VIEW



DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO



EARTHWORK QUANTITIES FOR
MUSKIE 23 WELLPAD 4

CUT	FILL	NET
11,063 CY	11,070 CY	7 CY

EARTHWORK QUANTITIES ARE ESTIMATED

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.




Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:



SECTION 23, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
CROSS SECTIONS



DEVON ENERGY PRODUCTION COMPANY, L.P.
MUSKIE 23-11 FED COM 9H
LOCATED 2316 FT. FROM THE NORTH LINE
AND 1662 FT. FROM THE WEST LINE OF
SECTION 23, TOWNSHIP 26 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

SCALE 1" = 100' HORIZONTAL
SCALE 1" = 10' VERTICAL

EARTHWORK QUANTITIES FOR
MUSKIE 23 WELLPAD 4

CUT	FILL	NET
11,063 CY	11,070 CY	7 CY

EARTHWORK QUANTITIES ARE ESTIMATED

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAAS

Date: 06/24/2021
REV: 7/9/21

Drawn for:




Muskie 23-11 Fed Com 9H



Well: Muskie 23-11 Fed Com 9H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD (ft)	INC (°)	AZI (°)	TVD (ft)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)	Comment
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL
2000.00	0.00	250.00	2000.00	0.00	0.00	0.00	0.00	Start Tangent
2500.00	10.00	250.00	2497.47	-14.89	-40.90	-11.31	2.00	Hold Tangent
8120.70	10.00	250.00	8032.78	-348.71	-958.06	-264.92	0.00	Drop to Vertical
8620.70	0.00	250.00	8530.24	-363.59	-998.96	-276.23	2.00	Hold Vertical
12317.55	0.00	359.52	12227.09	-363.59	-998.96	-276.23	0.00	KOP
13225.03	90.75	359.52	12800.00	216.83	-1003.87	302.45	10.00	Landing Point
25863.38	90.75	359.52	12635.00	12853.65	-1110.84	12901.56	0.00	BHL



Key Depths	MD (ft)	TVD (ft)
Rustler	890.00	890.00
Salt	1250.00	1250.00
Base of Salt	5041.14	5000.00
Delaware	5345.77	5300.00
Cherry Canyon	6396.73	6335.00
Brushy Canyon	8062.03	7975.00
1st Bone Spring Lime	9495.46	9405.00
Bone Spring 1st	10660.46	10570.00
Bone Spring 2nd	11210.46	11120.00
3rd Bone Spring Lime	11665.46	11575.00
Bone Spring 3rd	12265.46	12175.00
Wolfcamp / Point of Penetration	12717.05	12595.00
EXIT	25783.38	12636.06

SHL
KOP
Point of Penetration
Exit
BHL

MD (ft)	TVD (ft)	Lat (°)	Long (°)	Section Footages
0.00	0.00	32.0297	-103.4440	2316' FNL, 1662' FWL of Sec 23 in T26S, R34E
12317.55	12227.09	32.0287	-103.4472	2605' FSL, 660' FWL of Sec 23 in T26S, R34E
12717.05	12595.00	32.0292	-103.4471	2539' FNL, 660' FWL of Sec 23 in T26S, R34E
25783.38	12636.06	32.0649	-103.4471	100' FNL, 660' FWL of Sec 11 in T26S, R34E
25863.38	12635.00	32.0651	-103.4472	20' FNL, 660' FWL of Sec 11 in T26S, R34E

Muskie 23-11 Fed Com 9H



Well: Muskie 23-11 Fed Com 9H

County: Lea

Wellbore: Permit Plan

Design: Permit Plan #1

Geodetic System: US State Plane 1983

Datum: North American Datum 1927

Ellipsoid: Clarke 1866

Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL
100.00	0.00	250.00	100.00	0.00	0.00	0.00	0.00	
200.00	0.00	250.00	200.00	0.00	0.00	0.00	0.00	
300.00	0.00	250.00	300.00	0.00	0.00	0.00	0.00	
400.00	0.00	250.00	400.00	0.00	0.00	0.00	0.00	
500.00	0.00	250.00	500.00	0.00	0.00	0.00	0.00	
600.00	0.00	250.00	600.00	0.00	0.00	0.00	0.00	
700.00	0.00	250.00	700.00	0.00	0.00	0.00	0.00	
800.00	0.00	250.00	800.00	0.00	0.00	0.00	0.00	
890.00	0.00	250.00	890.00	0.00	0.00	0.00	0.00	Rustler
900.00	0.00	250.00	900.00	0.00	0.00	0.00	0.00	
1000.00	0.00	250.00	1000.00	0.00	0.00	0.00	0.00	
1100.00	0.00	250.00	1100.00	0.00	0.00	0.00	0.00	
1200.00	0.00	250.00	1200.00	0.00	0.00	0.00	0.00	
1250.00	0.00	250.00	1250.00	0.00	0.00	0.00	0.00	Salt
1300.00	0.00	250.00	1300.00	0.00	0.00	0.00	0.00	
1400.00	0.00	250.00	1400.00	0.00	0.00	0.00	0.00	
1500.00	0.00	250.00	1500.00	0.00	0.00	0.00	0.00	
1600.00	0.00	250.00	1600.00	0.00	0.00	0.00	0.00	
1700.00	0.00	250.00	1700.00	0.00	0.00	0.00	0.00	
1800.00	0.00	250.00	1800.00	0.00	0.00	0.00	0.00	
1900.00	0.00	250.00	1900.00	0.00	0.00	0.00	0.00	
2000.00	0.00	250.00	2000.00	0.00	0.00	0.00	0.00	Start Tangent
2100.00	2.00	250.00	2099.98	-0.60	-1.64	-0.45	2.00	
2200.00	4.00	250.00	2199.84	-2.39	-6.56	-1.81	2.00	
2300.00	6.00	250.00	2299.45	-5.37	-14.75	-4.08	2.00	
2400.00	8.00	250.00	2398.70	-9.54	-26.20	-7.24	2.00	
2500.00	10.00	250.00	2497.47	-14.89	-40.90	-11.31	2.00	Hold Tangent
2600.00	10.00	250.00	2595.95	-20.82	-57.22	-15.82	0.00	
2700.00	10.00	250.00	2694.43	-26.76	-73.53	-20.33	0.00	
2800.00	10.00	250.00	2792.91	-32.70	-89.85	-24.85	0.00	
2900.00	10.00	250.00	2891.39	-38.64	-106.17	-29.36	0.00	
3000.00	10.00	250.00	2989.87	-44.58	-122.49	-33.87	0.00	
3100.00	10.00	250.00	3088.35	-50.52	-138.80	-38.38	0.00	
3200.00	10.00	250.00	3186.83	-56.46	-155.12	-42.89	0.00	
3300.00	10.00	250.00	3285.31	-62.40	-171.44	-47.41	0.00	
3400.00	10.00	250.00	3383.79	-68.34	-187.76	-51.92	0.00	
3500.00	10.00	250.00	3482.27	-74.28	-204.07	-56.43	0.00	
3600.00	10.00	250.00	3580.75	-80.22	-220.39	-60.94	0.00	
3700.00	10.00	250.00	3679.23	-86.16	-236.71	-65.45	0.00	
3800.00	10.00	250.00	3777.72	-92.09	-253.03	-69.97	0.00	
3900.00	10.00	250.00	3876.20	-98.03	-269.34	-74.48	0.00	
4000.00	10.00	250.00	3974.68	-103.97	-285.66	-78.99	0.00	
4100.00	10.00	250.00	4073.16	-109.91	-301.98	-83.50	0.00	
4200.00	10.00	250.00	4171.64	-115.85	-318.30	-88.02	0.00	
4300.00	10.00	250.00	4270.12	-121.79	-334.61	-92.53	0.00	
4400.00	10.00	250.00	4368.60	-127.73	-350.93	-97.04	0.00	
4500.00	10.00	250.00	4467.08	-133.67	-367.25	-101.55	0.00	
4600.00	10.00	250.00	4565.56	-139.61	-383.57	-106.06	0.00	
4700.00	10.00	250.00	4664.04	-145.55	-399.88	-110.58	0.00	
4800.00	10.00	250.00	4762.52	-151.49	-416.20	-115.09	0.00	
4900.00	10.00	250.00	4861.00	-157.43	-432.52	-119.60	0.00	
5000.00	10.00	250.00	4959.48	-163.36	-448.84	-124.11	0.00	
5041.14	10.00	250.00	5000.00	-165.81	-455.55	-125.97	0.00	Base of Salt
5100.00	10.00	250.00	5057.97	-169.30	-465.15	-128.62	0.00	
5200.00	10.00	250.00	5156.45	-175.24	-481.47	-133.14	0.00	
5300.00	10.00	250.00	5254.93	-181.18	-497.79	-137.65	0.00	
5345.77	10.00	250.00	5300.00	-183.90	-505.26	-139.71	0.00	Delaware
5400.00	10.00	250.00	5353.41	-187.12	-514.11	-142.16	0.00	
5500.00	10.00	250.00	5451.89	-193.06	-530.42	-146.67	0.00	
5600.00	10.00	250.00	5550.37	-199.00	-546.74	-151.18	0.00	
5700.00	10.00	250.00	5648.85	-204.94	-563.06	-155.70	0.00	
5800.00	10.00	250.00	5747.33	-210.88	-579.38	-160.21	0.00	
5900.00	10.00	250.00	5845.81	-216.82	-595.69	-164.72	0.00	
6000.00	10.00	250.00	5944.29	-222.76	-612.01	-169.23	0.00	
6100.00	10.00	250.00	6042.77	-228.70	-628.33	-173.75	0.00	
6200.00	10.00	250.00	6141.25	-234.63	-644.65	-178.26	0.00	
6300.00	10.00	250.00	6239.73	-240.57	-660.96	-182.77	0.00	
6396.73	10.00	250.00	6335.00	-246.32	-676.75	-187.13	0.00	Cherry Canyon
6400.00	10.00	250.00	6338.22	-246.51	-677.28	-187.28	0.00	

Muskie 23-11 Fed Com 9H



Well: Muskie 23-11 Fed Com 9H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	
6500.00	10.00	250.00	6436.70	-252.45	-693.60	-191.79	0.00	
6600.00	10.00	250.00	6535.18	-258.39	-709.92	-196.31	0.00	
6700.00	10.00	250.00	6633.66	-264.33	-726.24	-200.82	0.00	
6800.00	10.00	250.00	6732.14	-270.27	-742.55	-205.33	0.00	
6900.00	10.00	250.00	6830.62	-276.21	-758.87	-209.84	0.00	
7000.00	10.00	250.00	6929.10	-282.15	-775.19	-214.35	0.00	
7100.00	10.00	250.00	7027.58	-288.09	-791.51	-218.87	0.00	
7200.00	10.00	250.00	7126.06	-294.03	-807.82	-223.38	0.00	
7300.00	10.00	250.00	7224.54	-299.97	-824.14	-227.89	0.00	
7400.00	10.00	250.00	7323.02	-305.91	-840.46	-232.40	0.00	
7500.00	10.00	250.00	7421.50	-311.84	-856.78	-236.92	0.00	
7600.00	10.00	250.00	7519.99	-317.78	-873.09	-241.43	0.00	
7700.00	10.00	250.00	7618.47	-323.72	-889.41	-245.94	0.00	
7800.00	10.00	250.00	7716.95	-329.66	-905.73	-250.45	0.00	
7900.00	10.00	250.00	7815.43	-335.60	-922.05	-254.96	0.00	
8000.00	10.00	250.00	7913.91	-341.54	-938.36	-259.48	0.00	
8062.03	10.00	250.00	7975.00	-345.22	-948.49	-262.28	0.00	Brushy Canyon
8100.00	10.00	250.00	8012.39	-347.48	-954.68	-263.99	0.00	
8120.70	10.00	250.00	8032.78	-348.71	-958.06	-264.92	0.00	Drop to Vertical
8200.00	8.41	250.00	8111.05	-353.05	-969.98	-268.22	2.00	
8300.00	6.41	250.00	8210.21	-357.46	-982.11	-271.57	2.00	
8400.00	4.41	250.00	8309.76	-360.69	-990.97	-274.02	2.00	
8500.00	2.41	250.00	8409.58	-362.72	-996.57	-275.57	2.00	
8600.00	0.41	250.00	8509.54	-363.57	-998.89	-276.21	2.00	
8620.70	0.00	250.00	8530.24	-363.59	-998.96	-276.23	2.00	Hold Vertical
8700.00	0.00	359.52	8609.54	-363.59	-998.96	-276.23	0.00	
8800.00	0.00	359.52	8709.54	-363.59	-998.96	-276.23	0.00	
8900.00	0.00	359.52	8809.54	-363.59	-998.96	-276.23	0.00	
9000.00	0.00	359.52	8909.54	-363.59	-998.96	-276.23	0.00	
9100.00	0.00	359.52	9009.54	-363.59	-998.96	-276.23	0.00	
9200.00	0.00	359.52	9109.54	-363.59	-998.96	-276.23	0.00	
9300.00	0.00	359.52	9209.54	-363.59	-998.96	-276.23	0.00	
9400.00	0.00	359.52	9309.54	-363.59	-998.96	-276.23	0.00	
9495.46	0.00	359.52	9405.00	-363.59	-998.96	-276.23	0.00	1st Bone Spring Lime
9500.00	0.00	359.52	9409.54	-363.59	-998.96	-276.23	0.00	
9600.00	0.00	359.52	9509.54	-363.59	-998.96	-276.23	0.00	
9700.00	0.00	359.52	9609.54	-363.59	-998.96	-276.23	0.00	
9800.00	0.00	359.52	9709.54	-363.59	-998.96	-276.23	0.00	
9900.00	0.00	359.52	9809.54	-363.59	-998.96	-276.23	0.00	
10000.00	0.00	359.52	9909.54	-363.59	-998.96	-276.23	0.00	
10100.00	0.00	359.52	10009.54	-363.59	-998.96	-276.23	0.00	
10200.00	0.00	359.52	10109.54	-363.59	-998.96	-276.23	0.00	
10300.00	0.00	359.52	10209.54	-363.59	-998.96	-276.23	0.00	
10400.00	0.00	359.52	10309.54	-363.59	-998.96	-276.23	0.00	
10500.00	0.00	359.52	10409.54	-363.59	-998.96	-276.23	0.00	
10600.00	0.00	359.52	10509.54	-363.59	-998.96	-276.23	0.00	
10660.46	0.00	359.52	10570.00	-363.59	-998.96	-276.23	0.00	Bone Spring 1st
10700.00	0.00	359.52	10609.54	-363.59	-998.96	-276.23	0.00	
10800.00	0.00	359.52	10709.54	-363.59	-998.96	-276.23	0.00	
10900.00	0.00	359.52	10809.54	-363.59	-998.96	-276.23	0.00	
11000.00	0.00	359.52	10909.54	-363.59	-998.96	-276.23	0.00	
11100.00	0.00	359.52	11009.54	-363.59	-998.96	-276.23	0.00	
11200.00	0.00	359.52	11109.54	-363.59	-998.96	-276.23	0.00	
11210.46	0.00	359.52	11120.00	-363.59	-998.96	-276.23	0.00	Bone Spring 2nd
11300.00	0.00	359.52	11209.54	-363.59	-998.96	-276.23	0.00	
11400.00	0.00	359.52	11309.54	-363.59	-998.96	-276.23	0.00	
11500.00	0.00	359.52	11409.54	-363.59	-998.96	-276.23	0.00	
11600.00	0.00	359.52	11509.54	-363.59	-998.96	-276.23	0.00	
11665.46	0.00	359.52	11575.00	-363.59	-998.96	-276.23	0.00	3rd Bone Spring Lime
11700.00	0.00	359.52	11609.54	-363.59	-998.96	-276.23	0.00	
11800.00	0.00	359.52	11709.54	-363.59	-998.96	-276.23	0.00	
11900.00	0.00	359.52	11809.54	-363.59	-998.96	-276.23	0.00	
12000.00	0.00	359.52	11909.54	-363.59	-998.96	-276.23	0.00	
12100.00	0.00	359.52	12009.54	-363.59	-998.96	-276.23	0.00	
12200.00	0.00	359.52	12109.54	-363.59	-998.96	-276.23	0.00	
12265.46	0.00	359.52	12175.00	-363.59	-998.96	-276.23	0.00	Bone Spring 3rd
12300.00	0.00	359.52	12209.54	-363.59	-998.96	-276.23	0.00	
12317.55	0.00	359.52	12227.09	-363.59	-998.96	-276.23	0.00	KOP
12400.00	8.24	359.52	12309.26	-357.67	-999.01	-270.32	10.00	
12500.00	18.24	359.52	12406.47	-334.79	-999.20	-247.51	10.00	

Muskie 23-11 Fed Com 9H



Well: Muskie 23-11 Fed Com 9H

County: Lea

Wellbore: Permit Plan

Design: Permit Plan #1

Geodetic System: US State Plane 1983

Datum: North American Datum 1927

Ellipsoid: Clarke 1866

Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	
12600.00	28.24	359.52	12498.24	-295.37	-999.54	-208.21	10.00	
12700.00	38.24	359.52	12581.77	-240.62	-1000.00	-153.63	10.00	
12717.05	39.95	359.52	12595.00	-229.87	-1000.09	-142.90	10.00	Wolfcamp / Point of Penetration
12800.00	48.24	359.52	12654.52	-172.20	-1000.58	-85.41	10.00	
12900.00	58.24	359.52	12714.28	-92.19	-1001.26	-5.63	10.00	
13000.00	68.24	359.52	12759.24	-3.01	-1002.01	83.28	10.00	
13100.00	78.24	359.52	12788.03	92.62	-1002.82	178.62	10.00	
13200.00	88.24	359.52	12799.78	191.80	-1003.66	277.50	10.00	
13225.03	90.75	359.52	12800.00	216.83	-1003.87	302.45	10.00	Landing Point
13300.00	90.75	359.52	12799.02	291.79	-1004.51	377.19	0.00	
13400.00	90.75	359.52	12797.72	391.77	-1005.35	476.88	0.00	
13500.00	90.75	359.52	12796.41	491.76	-1006.20	576.57	0.00	
13600.00	90.75	359.52	12795.11	591.75	-1007.05	676.26	0.00	
13700.00	90.75	359.52	12793.80	691.74	-1007.89	775.95	0.00	
13800.00	90.75	359.52	12792.49	791.72	-1008.74	875.64	0.00	
13900.00	90.75	359.52	12791.19	891.71	-1009.59	975.33	0.00	
14000.00	90.75	359.52	12789.88	991.70	-1010.44	1075.02	0.00	
14100.00	90.75	359.52	12788.58	1091.69	-1011.28	1174.71	0.00	
14200.00	90.75	359.52	12787.27	1191.68	-1012.13	1274.40	0.00	
14300.00	90.75	359.52	12785.97	1291.66	-1012.98	1374.09	0.00	
14400.00	90.75	359.52	12784.66	1391.65	-1013.82	1473.78	0.00	
14500.00	90.75	359.52	12783.36	1491.64	-1014.67	1573.47	0.00	
14600.00	90.75	359.52	12782.05	1591.63	-1015.52	1673.16	0.00	
14700.00	90.75	359.52	12780.75	1691.62	-1016.36	1772.85	0.00	
14800.00	90.75	359.52	12779.44	1791.60	-1017.21	1872.53	0.00	
14900.00	90.75	359.52	12778.13	1891.59	-1018.06	1972.22	0.00	
15000.00	90.75	359.52	12776.83	1991.58	-1018.91	2071.91	0.00	
15100.00	90.75	359.52	12775.52	2091.57	-1019.75	2171.60	0.00	
15200.00	90.75	359.52	12774.22	2191.56	-1020.60	2271.29	0.00	
15300.00	90.75	359.52	12772.91	2291.54	-1021.45	2370.98	0.00	
15400.00	90.75	359.52	12771.61	2391.53	-1022.29	2470.67	0.00	
15500.00	90.75	359.52	12770.30	2491.52	-1023.14	2570.36	0.00	
15600.00	90.75	359.52	12769.00	2591.51	-1023.99	2670.05	0.00	
15700.00	90.75	359.52	12767.69	2691.49	-1024.83	2769.74	0.00	
15800.00	90.75	359.52	12766.39	2791.48	-1025.68	2869.43	0.00	
15900.00	90.75	359.52	12765.08	2891.47	-1026.53	2969.12	0.00	
16000.00	90.75	359.52	12763.78	2991.46	-1027.37	3068.81	0.00	
16100.00	90.75	359.52	12762.47	3091.45	-1028.22	3168.50	0.00	
16200.00	90.75	359.52	12761.16	3191.43	-1029.07	3268.19	0.00	
16300.00	90.75	359.52	12759.86	3291.42	-1029.92	3367.88	0.00	
16400.00	90.75	359.52	12758.55	3391.41	-1030.76	3467.57	0.00	
16500.00	90.75	359.52	12757.25	3491.40	-1031.61	3567.26	0.00	
16600.00	90.75	359.52	12755.94	3591.39	-1032.46	3666.95	0.00	
16700.00	90.75	359.52	12754.64	3691.37	-1033.30	3766.64	0.00	
16800.00	90.75	359.52	12753.33	3791.36	-1034.15	3866.32	0.00	
16900.00	90.75	359.52	12752.03	3891.35	-1035.00	3966.01	0.00	
17000.00	90.75	359.52	12750.72	3991.34	-1035.84	4065.70	0.00	
17100.00	90.75	359.52	12749.42	4091.33	-1036.69	4165.39	0.00	
17200.00	90.75	359.52	12748.11	4191.31	-1037.54	4265.08	0.00	
17300.00	90.75	359.52	12746.80	4291.30	-1038.38	4364.77	0.00	
17400.00	90.75	359.52	12745.50	4391.29	-1039.23	4464.46	0.00	
17500.00	90.75	359.52	12744.19	4491.28	-1040.08	4564.15	0.00	
17600.00	90.75	359.52	12742.89	4591.26	-1040.93	4663.84	0.00	
17700.00	90.75	359.52	12741.58	4691.25	-1041.77	4763.53	0.00	
17800.00	90.75	359.52	12740.28	4791.24	-1042.62	4863.22	0.00	
17900.00	90.75	359.52	12738.97	4891.23	-1043.47	4962.91	0.00	
18000.00	90.75	359.52	12737.67	4991.22	-1044.31	5062.60	0.00	
18100.00	90.75	359.52	12736.36	5091.20	-1045.16	5162.29	0.00	
18200.00	90.75	359.52	12735.06	5191.19	-1046.01	5261.98	0.00	
18300.00	90.75	359.52	12733.75	5291.18	-1046.85	5361.67	0.00	
18400.00	90.75	359.52	12732.45	5391.17	-1047.70	5461.36	0.00	
18500.00	90.75	359.52	12731.14	5491.16	-1048.55	5561.05	0.00	
18600.00	90.75	359.52	12729.83	5591.14	-1049.39	5660.74	0.00	
18700.00	90.75	359.52	12728.53	5691.13	-1050.24	5760.42	0.00	
18800.00	90.75	359.52	12727.22	5791.12	-1051.09	5860.11	0.00	
18900.00	90.75	359.52	12725.92	5891.11	-1051.94	5959.80	0.00	
19000.00	90.75	359.52	12724.61	5991.10	-1052.78	6059.49	0.00	
19100.00	90.75	359.52	12723.31	6091.08	-1053.63	6159.18	0.00	
19200.00	90.75	359.52	12722.00	6191.07	-1054.48	6258.87	0.00	
19300.00	90.75	359.52	12720.70	6291.06	-1055.32	6358.56	0.00	

Muskie 23-11 Fed Com 9H



Well: Muskie 23-11 Fed Com 9H

County: Lea

Wellbore: Permit Plan

Design: Permit Plan #1

Geodetic System: US State Plane 1983

Datum: North American Datum 1927

Ellipsoid: Clarke 1866

Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	
19400.00	90.75	359.52	12719.39	6391.05	-1056.17	6458.25	0.00	
19500.00	90.75	359.52	12718.09	6491.03	-1057.02	6557.94	0.00	
19600.00	90.75	359.52	12716.78	6591.02	-1057.86	6657.63	0.00	
19700.00	90.75	359.52	12715.47	6691.01	-1058.71	6757.32	0.00	
19800.00	90.75	359.52	12714.17	6791.00	-1059.56	6857.01	0.00	
19900.00	90.75	359.52	12712.86	6890.99	-1060.40	6956.70	0.00	
20000.00	90.75	359.52	12711.56	6990.97	-1061.25	7056.39	0.00	
20100.00	90.75	359.52	12710.25	7090.96	-1062.10	7156.08	0.00	
20200.00	90.75	359.52	12708.95	7190.95	-1062.95	7255.77	0.00	
20300.00	90.75	359.52	12707.64	7290.94	-1063.79	7355.46	0.00	
20400.00	90.75	359.52	12706.34	7390.93	-1064.64	7455.15	0.00	
20500.00	90.75	359.52	12705.03	7490.91	-1065.49	7554.84	0.00	
20600.00	90.75	359.52	12703.73	7590.90	-1066.33	7654.53	0.00	
20700.00	90.75	359.52	12702.42	7690.89	-1067.18	7754.21	0.00	
20800.00	90.75	359.52	12701.12	7790.88	-1068.03	7853.90	0.00	
20900.00	90.75	359.52	12699.81	7890.87	-1068.87	7953.59	0.00	
21000.00	90.75	359.52	12698.50	7990.85	-1069.72	8053.28	0.00	
21100.00	90.75	359.52	12697.20	8090.84	-1070.57	8152.97	0.00	
21200.00	90.75	359.52	12695.89	8190.83	-1071.41	8252.66	0.00	
21300.00	90.75	359.52	12694.59	8290.82	-1072.26	8352.35	0.00	
21400.00	90.75	359.52	12693.28	8390.80	-1073.11	8452.04	0.00	
21500.00	90.75	359.52	12691.98	8490.79	-1073.96	8551.73	0.00	
21600.00	90.75	359.52	12690.67	8590.78	-1074.80	8651.42	0.00	
21700.00	90.75	359.52	12689.37	8690.77	-1075.65	8751.11	0.00	
21800.00	90.75	359.52	12688.06	8790.76	-1076.50	8850.80	0.00	
21900.00	90.75	359.52	12686.76	8890.74	-1077.34	8950.49	0.00	
22000.00	90.75	359.52	12685.45	8990.73	-1078.19	9050.18	0.00	
22100.00	90.75	359.52	12684.14	9090.72	-1079.04	9149.87	0.00	
22200.00	90.75	359.52	12682.84	9190.71	-1079.88	9249.56	0.00	
22300.00	90.75	359.52	12681.53	9290.70	-1080.73	9349.25	0.00	
22400.00	90.75	359.52	12680.23	9390.68	-1081.58	9448.94	0.00	
22500.00	90.75	359.52	12678.92	9490.67	-1082.42	9548.63	0.00	
22600.00	90.75	359.52	12677.62	9590.66	-1083.27	9648.31	0.00	
22700.00	90.75	359.52	12676.31	9690.65	-1084.12	9748.00	0.00	
22800.00	90.75	359.52	12675.01	9790.64	-1084.97	9847.69	0.00	
22900.00	90.75	359.52	12673.70	9890.62	-1085.81	9947.38	0.00	
23000.00	90.75	359.52	12672.40	9990.61	-1086.66	10047.07	0.00	
23100.00	90.75	359.52	12671.09	10090.60	-1087.51	10146.76	0.00	
23200.00	90.75	359.52	12669.79	10190.59	-1088.35	10246.45	0.00	
23300.00	90.75	359.52	12668.48	10290.57	-1089.20	10346.14	0.00	
23400.00	90.75	359.52	12667.17	10390.56	-1090.05	10445.83	0.00	
23500.00	90.75	359.52	12665.87	10490.55	-1090.89	10545.52	0.00	
23600.00	90.75	359.52	12664.56	10590.54	-1091.74	10645.21	0.00	
23700.00	90.75	359.52	12663.26	10690.53	-1092.59	10744.90	0.00	
23800.00	90.75	359.52	12661.95	10790.51	-1093.44	10844.59	0.00	
23900.00	90.75	359.52	12660.65	10890.50	-1094.28	10944.28	0.00	
24000.00	90.75	359.52	12659.34	10990.49	-1095.13	11043.97	0.00	
24100.00	90.75	359.52	12658.04	11090.48	-1095.98	11143.66	0.00	
24200.00	90.75	359.52	12656.73	11190.47	-1096.82	11243.35	0.00	
24300.00	90.75	359.52	12655.43	11290.45	-1097.67	11343.04	0.00	
24400.00	90.75	359.52	12654.12	11390.44	-1098.52	11442.73	0.00	
24500.00	90.75	359.52	12652.81	11490.43	-1099.36	11542.42	0.00	
24600.00	90.75	359.52	12651.51	11590.42	-1100.21	11642.10	0.00	
24700.00	90.75	359.52	12650.20	11690.41	-1101.06	11741.79	0.00	
24800.00	90.75	359.52	12648.90	11790.39	-1101.90	11841.48	0.00	
24900.00	90.75	359.52	12647.59	11890.38	-1102.75	11941.17	0.00	
25000.00	90.75	359.52	12646.29	11990.37	-1103.60	12040.86	0.00	
25100.00	90.75	359.52	12644.98	12090.36	-1104.45	12140.55	0.00	
25200.00	90.75	359.52	12643.68	12190.34	-1105.29	12240.24	0.00	
25300.00	90.75	359.52	12642.37	12290.33	-1106.14	12339.93	0.00	
25400.00	90.75	359.52	12641.07	12390.32	-1106.99	12439.62	0.00	
25500.00	90.75	359.52	12639.76	12490.31	-1107.83	12539.31	0.00	
25600.00	90.75	359.52	12638.46	12590.30	-1108.68	12639.00	0.00	
25700.00	90.75	359.52	12637.15	12690.28	-1109.53	12738.69	0.00	
25783.38	90.75	359.52	12636.06	12773.66	-1110.23	12821.81	0.00	EXIT
25800.00	90.75	359.52	12635.84	12790.27	-1110.37	12838.38	0.00	
25863.38	90.75	359.52	12635.00	12853.65	-1110.84	12901.56	0.00	BHL

Well: Muskie 23-11 Fed Com 9H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	

Muskie 23-11 Fed Com 9H

1. Geologic Formations

TVD of target	12636	Pilot hole depth	N/A
MD at TD:	25863	Deepest expected fresh water	

Basin

Formation	Depth (TVD) from KB	Water/Mineral Bearing/Target Zone?	Hazards*
Rustler	890		
Salt	1250		
Base of Salt	5000		
Delaware	5300		
Cherry Canyon	6335		
Brushy Canyon	7975		
1st Bone Spring Lime	9405		
Bone Spring 1st	10570		
Bone Spring 2nd	11120		
3rd Bone Spring Lime	11575		
Bone Spring 3rd	12175		
Wolfcamp	12595		

*H2S, water flows, loss of circulation, abnormal pressures, etc.

Muskie 23-11 Fed Com 9H

2. Casing Program (Primary Design)

Hole Size	Csg. Size	Wt (PPF)	Grade	Conn	Casing Interval		Casing Interval	
					From (MD)	To (MD)	From (TVD)	To (TVD)
17 1/2	13 3/8	48	H40	STC	0	915	0	915
9 7/8	8 5/8	32	P110	TLW	0	12175	0	12175
7 7/8	5 1/2	17	P110	BTC	0	25863	0	12636

• All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 IILB.1.h Must have table for contingency casing.

3. Cementing Program (Primary Design)

Casing	# Skis	TOC	Wt. ppg	Yld (ft3/sack)	Slurry Description
Surface	701	Surf	13.2	1.44	Lead: Class C Cement + additives
Int 1	497	Surf	9	3.27	Lead: Class C Cement + additives
	465	4000' above	13.2	1.44	Tail: Class H / C + additives
Int 1 Intermediate Squeeze	As Needed	Surf	13.2	1.44	Squeeze Lead: Class C Cement + additives
	497	Surf	9	3.27	Lead: Class C Cement + additives
	465	4000' above	13.2	1.44	Tail: Class H / C + additives
Production	117	10318	9	3.27	Lead: Class H / C + additives
	1793	12318	13.2	1.44	Tail: Class H / C + additives

Casing String	% Excess
Surface	50%
Intermediate 1	30%
Intermediate 1 (Two Stage)	25%
Prod	10%

Muskie 23-11 Fed Com 9H

4. Pressure Control Equipment (Three String Design)

BOP installed and tested before drilling which hole?		Size?	Min. Required WP	Type	✓	Tested to:
Int 1	13-5/8"	5M	Annular		X	50% of rated working pressure
			Blind Ram		X	5M
			Pipe Ram			
			Double Ram		X	
			Other*			
Production	13-5/8"	10M	Annular (5M)		X	100% of rated working pressure
			Blind Ram		X	10M
			Pipe Ram			
			Double Ram		X	
			Other*			
			Annular (5M)			
			Blind Ram			
			Pipe Ram			
			Double Ram			
			Other*			
N	A variance is requested for the use of a diverter on the surface casing. See attached for schematic.					
Y	A variance is requested to run a 5 M annular on a 10M system					

Muskie 23-11 Fed Com 9H

5. Mud Program (Three String Design)

Section	Type	Weight (ppg)
Surface	FW Gel	8.5-9
Intermediate	DBE / Cut Brine	10-10.5
Production	OBM	10-10.5

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring
---	-----------------------------

6. Logging and Testing Procedures

Logging, Coring and Testing	
X	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM.
	No logs are planned based on well control or offset log information.
	Drill stem test? If yes, explain.
	Coring? If yes, explain.

Additional logs planned		Interval
	Resistivity	Int. shoe to KOP
	Density	Int. shoe to KOP
X	CBL	Production casing
X	Mud log	Intermediate shoe to TD
	PEX	

7. Drilling Conditions

Condition	Specify what type and where?
BH pressure at deepest TVD	6899
Abnormal temperature	No

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogen Sulfide (H₂S) monitors will be installed prior to drilling out the surface shoe. If H₂S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM.

N	H ₂ S is present
Y	H ₂ S plan attached.

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed

Muskie 23-11 Fed Com 9H

from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).
- 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nipped up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

<u>X</u>	Directional Plan
<u> </u>	Other, describe

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 56174

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 56174
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	10/22/2021