

Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-28330	
5. Indicate Type of Lease STATE ☒ FEE ☐	
6. State Oil & Gas Lease No. K-3290	
7. Lease Name or Unit Agreement Name Baum "E" State	
8. Well Number #2	
9. OGRID Number 190595	
10. Pool name or Wildcat Baum Upper Penn	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4240' GL	

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
 DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
 PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Endeavor Energy Resources, LP

3. Address of Operator
110 North Marienfeld, Suite 200, Midland, TX 79701

4. Well Location
 Unit Letter **F** : **1980** feet from the **N** line and **1980** feet from the **W** line
 Section **09** Township **14S** Range **33E** NMPM County **Lea**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
 CASING/CEMENT JOB ☐ PNR

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/08/21 MIRU plugging equipment. Bled down well. POH w/ rods. 06/09/21 Finished POH w/ rods. ND well head, NU BOP. Unset TAC & POH w/ 7 jts of tbg. 06/10/21 POH w/ tbg. RIH w/ gauge ring to 9932'. POH. Set 5 1/2" CIBP @ 9900'. RIH w/ tbg, could not tag. 06/11/21 RIH w/ 5 1/2" CIBP @ 9850'. 06/14/21 Set 5 1/2" CIBP @ 9850'. Circ'd hole w/ 225 BBLs MLF. Pressure tested csg, held. Spotted 25 sx class H cmt @ 9850-9652'. Perf'd csg @ 6960'. Pressured up on perms to 1500 PSI. Shut in well. 06/15/21 Spotted 30 sx class C cmt @ 7000-6697'. WOC. Tagged plug @ 6691'. Perf'd @ 4250'. Sqz'd 55 sx class C cmt @ 4250-4100'. WOC. 06/16/21 Tagged plug @ 4087'. Perf'd @ 2655'. Sqz'd 30 sx class C cmt @ 2665-2565'. WOC. Tagged plug @ 2522'. Perf'd @ 1733'. Sqz'd 30 sx class C cmt @ 1733-1633'. WOC. 06/17/21 Tagged plug @ 1619'. Perf'd @ 433'. Sqz'd 75 sx class C cmt @ 433-333'. WOC. Tagged plug @ 326'. ND BOP. Perf'd @ 150'. Sqz'd 105 sx class C cmt @ 150' to surface. Rigged down & moved off. 06/21/21 Moved in backhoe and welder, Cut off well head, and Kerry Fortner w/ OCD verified cmt to surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jan South TITLE Senior Regulatory Analyst DATE 06/28/2021

Type or print name Jan South E-mail address: JSouth@eeronline.com PHONE: 432-262-4014 ext:1014
 For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/29/21
 Conditions of Approval (if any)

**WELLBORE DIAGRAM
BAUM "E" STATE #2
CURRENT**

Created:	02/10/20	By:	LEE R.	Well #:	1
Updated:		By:		API	30-025-28330
Lease:	BAUM "E" STATE			Unit Ltr.:	F Sec. 9
Field:	UPPER PENN			TSMP/Rng:	14S-T33E
Surf. Loc.:	1880' FNL & 1880' FWL			Pool Code:	OGRD:
Bot. Loc.:				Directions:	
County:	LEA	St.:	NM		
Status:					

Surface Casing

Size: 13-3/8"
 Wt., Grd.: 54.50
 Depth: 383'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 17-1/2"


Intermediate Casing

Size: 8-5/8"
 Wt., Grd.: 240/320
 Depth: 4194'
 Sxs Cmt: 1300
 Circulate: no
 TOC: 1050' temp
 Hole Size: 11-1/4"

FORMATION TOPS	
T. Salt	1888' EST.
B. Salt	2815' EST.

Production Casing


Size: 5-1/2"
 Wt., Grd.: 15.68/178
 Depth: 10100'
 Sxs Cmt: 300
 Circulate: no
 TOC: 8820' temp
 Hole Size: 7-7/8"



Penn Perfs: 3855'-8880'(OA)

Endeavor	PLUGGED		
Author:	Abby BCM		
Well Name	Baum "E" State	Well No.	#2
Field/Pool	Upper Penn	API #:	30-025-28330
County	Lea	Location:	Sec 9 R14S, T33E
State	New Mexico		1980 FNL & 1980 FWL
Spud Date		GL:	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		54.5#	383	17 1/2	425	0
Inter Csg	8 5/8		24&32#	4,194	11 1/4	1,300	1050' TS
Prod Csg	5 1/2		15.5&17#	10,100	7 7/8	300	8920' TS




8. Perf'd @ 150'. Sqz'd 105 sx class C cmt @ 150' to surface.
13 3/8 54.5# CSG @ 383
7. Perf'd @ 433'. Sqz'd 75 sx class C cmt @ 433-333'. WOC. Tagged plug @ 326'.
6. Perf'd @ 1733'. Sqz'd 30 sx class C cmt @ 1733-1633'. WOC. Tagged plug @ 1619'.
5. Perf'd @ 2655'. Sqz'd 30 sx class C cmt @ 2665-2565'. WOC. Tagged plug @ 2522'.
8 5/8 24&32# CSG @ 4,194
4. Perf'd @ 4250'. Sqz'd 55 sx class C cmt @ 4250-4100'. WOC. Tagged plug @ 4087'.
3. Perf'd csg @ 6960'. Pressured up on perms to 1500 PSI. Spotted 30 sx class C cmt @ 7000-6697'. WOC. Tagged plug @ 6691'.
2. Set 5 1/2" CIBP @ 9850'. Circ'd hole w/ 225 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class H cmt @ 9850-9652'.
1. Set 5 1/2" CIBP @ 9900'. RIH w/ tbq, could not tag. Perfs @ 9955-9980'

5 1/2 15.5&17# CSG @ 10,100

Formation Top	
T/Salt	1688
B/Salt	2615
Glorieta	5560
Tubb	7110
Abo	7650
Wolfcamp	9175
Cisco	9950

Description	O.D.	Grade	Weight	Depth	Hole	Cmf Sx	TOC
Surface Csg	13 3/8		54.5#	383	17 1/2	425	0
Inter Csg	8 5/8		24&32#	4,194	11 1/4	1,300	1050' TS
Prod Csg	5 1/2		15.5&17#	10,100	7 7/8	300	8920' TS



8. Perf'd @ 150'. Sqz'd 105 sx class C cmt @ 150' to surface.

13 3/8 54.5# CSG @ 383

7. Perf'd @ 433'. Sqz'd 75 sx class C cmt @ 433-333'. WOC. Tagged plug @ 326'.

6. Perf'd @ 1733'. Sqz'd 30 sx class C cmt @ 1733-1633'. WOC. Tagged plug @ 1619'.

5. Perf'd @ 2655'. Sqz'd 30 sx class C cmt @ 2665-2565'. WOC. Tagged plug @ 2522'.

8 5/8 24&32# CSG @ 4,194

4. Perf'd @ 4250'. Sqz'd 55 sx class C cmt @ 4250-4100'. WOC. Tagged plug @ 4087'.

3. Perf'd csg @ 6960'. Pressured up on perms to 1500 PSI. Spotted 30 sx class C cmt @ 7000-6697'. WOC. Tagged plug @ 6691'.

2. Set 5 1/2" CIBP @ 9850'. Circ'd hole w/ 225 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class H cmt @ 9850-9652'.

1. Set 5 1/2" CIBP @ 9900'. RIH w/ tbq, could not tag. Perfs @ 9955-9980'

[illegible]

**WELLBORE DIAGRAM
BAUM "E" STATE #2
CURRENT**

Created:	<u>02/10/20</u>	By:	<u>LEE R.</u>	Well #:	<u>1</u>
Updated:	<u></u>	By:	<u></u>	API	<u>30-025-28330</u>
Lease:	<u>BAUM "E" STATE</u>			Unit Ltr.:	<u>F</u> <u>Sec. 9</u>
Field:	<u>UPPER PENN</u>			TSMP/Rng:	<u>14S-T33E</u>
Surf. Loc.:	<u>1880' FNL & 1880' FWL</u>			Pool Code:	<u>OGRD:</u>
Bot. Loc.:	<u></u>			Directions:	<u></u>
County:	<u>LEA</u>	St.:	<u>NM</u>		
Status:	<u></u>				

Surface Casing

Size: 13-3/8"
 Wt., Grd.: 54.50
 Depth: 383'
 Sxs Cmt: 428
 Circulate: yes
 TOC: surface
 Hole Size: 17-1/2"

Intermediate Casing


Size: 8-5/8"
 Wt., Grd.: 240/320
 Depth: 4194'
 Sxs Cmt: 1300
 Circulate: no
 TOC: 1050' temp
 Hole Size: 11-1/4"

FORMATION TOPS

T.Salt	<u>1688' EST.</u>
B. Salt	<u>2815' EST.</u>

Production Casing

Size: 5-1/2"
 Wt., Grd.: 15.68/178
 Depth: 10100'
 Sxs Cmt: 300
 Circulate: no
 TOC: 8820' temp
 Hole Size: 7-7/8"



Penn Perfs: 3855'-8880'(OA)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 54024

CONDITIONS

Operator: ENDEAVOR ENERGY RESOURCES, LP 110 North Marienfeld Midland, TX 79701	OGRID: 190595
	Action Number: 54024
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	10/29/2021