

Well Name: BUENA SUERTE 4 L COM	Well Location: T25N / R11W / SEC 4 / SESE / 36.4256134 / -108.003624	County or Parish/State: SAN JUAN / NM
Well Number: 1T	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N00C14203600	Unit or CA Name: BUENA SUERTE 4L COM	Unit or CA Number: NMNM87112
US Well Number: 3004532664	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 04/08/2021	Time Sundry Submitted: 09:53
Date Operation Actually Began: 03/29/2021	

Actual Procedure: The subject well was Plugged & Abandoned on 3/29/21 per the attached detailed As Plugged Wellbore Diagram and Marker.

SR Attachments

Actual Procedure

- PA_Marker_BS_4L_COM_1T_20210408095326.pdf
- EOWR_AsPlugged_WBD_BS_4L_COM_1T_20210408095326.pdf

Well Name: BUENA SUERTE 4 L COM	Well Location: T25N / R11W / SEC 4 / SESE / 36.4256134 / -108.003624	County or Parish/State: SAN JUAN / NM
Well Number: 1T	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N00C14203600	Unit or CA Name: BUENA SUERTE 4L COM	Unit or CA Number: NMNM87112
US Well Number: 3004532664	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: APR 08, 2021 09:53 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 05/04/2021
Signature: William Max Tambekou	

**DJR Operating, LLC
Plug and Abandonment Marker**

**Buena Suerte 4L Com 1T
API # 30-045-32664
SE/SE, Unit P, Sec. 4, T25N, R11W
San Juan County, NM**



P&A End of Well Report
DJR Operating, LLC
Buena Suerte 4L COM 1T
API: 30-045-32664
SESE P-4-25N-11W
San Juan County, NM

Spud Date: 12/19/2005

Plugged Date: 03/29/2021

3/29/21: Set CR at 1298'. PT casing, Good test. Plug 1: Fruitland perms: Mix and pump 12 sx Class G cement through CR. Plug 2: From top of CR at 1298', mix and place 110 sx Class G cement on top of CR, TOOH. Cut off WH, install P&A marker, TOC in casing = 68', in annulus = 71'. Top off with 35 sx Class G cement.

All cement used: Class G cement mixed at 15.8 ppg, 1.15 yield.

BLM Representative onsite to witness: Wanda Weatherford

DJR Operating, LLC**P&A End of Well Report****Buena Suerte 4L Com 1T**

API # 30-045-32664

SE/SE Unit P Sec.4, T25N, R11W

San Juan County, NM

GL 6428'

KB 6441'

Spud Date 12/19/2005

SURF CSG

Hole size 8.75"

Csg Size: 7"

Wt: 20#

Grade: K-55

ID: 6.456"

Depth 131'

casing cap ft³/ft: 0.2273

TOC: Circ to surf

FORMATION TOPS

Nacimiento

Ojo Alamo

Kirtland

Fruitland

Pictured Cliffs

1135'

1392'

PROD CSG

Hole size 6.25"

Csg Size: 4.5"

Wt: 10.5#


Grade: J-55

ID: 4.052"

Depth 1551'

casing cap ft³/ft: 0.08957x4.5 capacity ft³/ft 0.1169

TOC: Circ to surf

Fruitland Coal perms
1365-1387'PBDT 1502'
TD 1558'

3-29-2021: Cut off WH, install P&A marker, TOC in casing = 68', in annulus = 71'. Top off with 35 sx Class G cement.

3-29-2021: Plug 2: From top of CR at 1298', mix and place 110 sx Class G cement on top of CR, TOOH.

3-29-2021: Plug 1: Fruitland perms: Mix and pump 12 sx Class G cement through CR.

3-29-2021: Set CR at 1298'. PT casing, Good test.

All cement used was class G mixed at 15.8 ppg, yield 1.15
Regulatory representative, Wanda Weatherford, BLM
GPS Coordinates: Lat, 36.425708, Lng, -108.0036450

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 56510

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 56510
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/3/2021