

<b>Well Name:</b> BISTI COAL 12	<b>Well Location:</b> T25N / R12W / SEC 12 / NWNE / 36.42067 / 108.06189	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 1	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMSF078064	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3004527672	<b>Well Status:</b> Abandoned	<b>Operator:</b> DJR OPERATING LLC

**Subsequent Report**

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 02/19/2021

**Time Sundry Submitted:** 09:17

**Date Operation Actually Began:** 12/22/2020

**Actual Procedure:** The subject well was plugged and abandoned per the attached detailed wellbore diagram and marker.

**SR Attachments**

**Actual Procedure**

PA\_Marker\_20210219091649.pdf

EOWR\_Bisti\_Coal\_12\_001\_20210219091641.pdf

**Well Name:** BISTI COAL 12

**Well Location:** T25N / R12W / SEC 12 /  
NWNE / 36.42067 / 108.06189

**County or Parish/State:** SAN  
JUAN / NM

**Well Number:** 1

**Type of Well:** CONVENTIONAL GAS  
WELL

**Allottee or Tribe Name:**

**Lease Number:** NMSF078064

**Unit or CA Name:**

**Unit or CA Number:**

**US Well Number:** 3004527672

**Well Status:** Abandoned

**Operator:** DJR OPERATING LLC

**Operator Certification**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.*

**Operator Electronic Signature:** FORD

**Signed on:** FEB 19, 2021 09:16 AM

**Name:** DJR OPERATING LLC

**Title:** Regulatory Specialist

**Street Address:** 1 Road 3263

**City:** Aztec

**State:** NM

**Phone:** (505) 632-3476

**Email address:** sford@djrlc.com

**Field Representative**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**BLM Point of Contact**

**BLM POC Name:** WILLIAM F TAMBEKOU

**BLM POC Title:** PETROLEUM ENGINEER

**BLM POC Phone:** 7192698500

**BLM POC Email Address:** wtambekou@blm.gov

**Disposition:** Accepted

**Disposition Date:** 04/01/2021

**Signature:** William Max Tambekou

**DJR Operating, LLC  
Bisti Coal 12 #1  
API # 30-045-27672  
NW/NE, Unit B, Sec. 12, T25N, R12W  
San Juan County, NM**



P&A End of Well Report  
DJR Operating, LLC  
Bisti Coal 12 #001  
API: 30-045-27672  
NWNE B-12-25N-12W  
San Juan County, NM

Spud Date: 03/23/1990

Plugged Date: 12/23/2020

12/22/20: Set CR at 1105'. PT casing, did not test. Plug 1: TIH with work string, mix and pump 10 sx Class G cement through CR into Fruitland perms. Plug 2: Sting out of CR, place 90 sx Class G cement above CR to surface. TOOH. Plug 3: Replace tubing displacement, pumped 16 sx Class G cement down casing. WOC overnight.

12/23/21: Tag TOC in casing at 2'. TOC in annulus at 30'. Install P&A marker, top off with 25 sx Class G cement.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: Casey Arnett

**DJR Operating, LLC  
P&A End of Well Report**

**Bisti Coal 12 #1**

API # 30-045-27672  
NW/NE, Unit B, Sec 12, T25N, R12W  
San Juan County, NM

GL 6310'  
KB N/A  
Spud Date 3/23/1990

**SURF CSG**

Hole size 8.75"  
Csg Size: 7"  
Wt: 20#  
Grade: J-55  
ID: 6.456"  
Depth 130'  
casing cap ft<sup>3</sup>/ft: 0.2273  
TOC: Circ cmt to surface

**FORMATION TOPS**


Nacimiento	Surf
Ojo Alamo	282'
Kirtland	386'
Fruitland	820'
Pictured Cliffs	1158'

**PROD CSG**

Hole size 6.25"  
Csg Size: 4.5"  
Wt: 9.5#  
Grade: J-55  
ID: 4.090"  
Depth 1257'  
casing cap ft<sup>3</sup>/ft: 0.0912  
7x4.5 cap ft<sup>3</sup>/ft 0.1169  
TOC: Circ cmt to surface

Cement Retainer 1105'  
Fruitland Coal perfs 1139'-1153'

PBTD 1221'  
TD 1270'



12-23-2020: Tag TOC in casing at 2'. TOC in annulus at 30'. Install P&A marker, top off with 25 sx Class G cement.

12-22-2020: Plug 3: Replace tubing displacement, pumped 16 sx Class G cement down casing. WOC overnight.

12-22-2020: Plug 2: Sting out of CR, place 90 sx Class G cement above CR to surface. TOOH.

12-22-2020: Plug 1: TIH with workstring, mix and pump 10 sx Class G cement through CR into Fruitland perfs  
12-22-2020: Set CR at 1105'. PT casing, did not test

All cement used was Class G mixed at 15.8 ppg, yield 1.15  
Regulatory representative on site Casey Arnett, BLM  
GPS Coordinates: Lat: 36.42076645977795, Lng: -108.06248987093568

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 57662

**CONDITIONS**

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 57662
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
mkuehling	None	11/4/2021