Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-37214

5. Indicate Type of Lease STATE ☐ FEE ☑

6. State Oil & Gas Lease No. 19520

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name: North Hobbs G/SA Unit

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection

8. Well Number 632

2. Name of Operator: Occidental Permian LTD

9. OGRID Number 157984

3. Address of Operator: P.O. Box 4294 Houston, TX 77210-4294

10. Pool name or Wildcat: HOBBS; GRAYBURG-SAN ANDRES

4. Well Location
Unit Letter J : 2118 feet from the South line and 1355 feet from the East line
Section 31 Township 18S Range 38E NMPM County LEA

11. Elevation *(Show whether DR, RKB, RT, GR, etc.)* 3637' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	☑	PLUG AND ABANDON	☐	REMEDIAL WORK	☐	ALTERING CASING	☐
TEMPORARILY ABANDON	☐	CHANGE PLANS	☐	COMMENCE DRILLING OPNS.	☐	P AND A	☐
PULL OR ALTER CASING	☐	MULTIPLE COMPL	☐	CASING/CEMENT JOB	☐		
DOWNHOLE COMMINGLE	☐						
CLOSED-LOOP SYSTEM	☐						
OTHER:		OAP	☐	OTHER:			☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Operation:
- RUPU, Kill well as needed, ND WD – NU BOP
- POOH with injection equipment.
- RIH with 4-3/4" bit and clean out to 4389' (Current PBTD), POOH with bit
- RU WL perforation unit and perf following intervals:
- 4320' – 4328', 4335' – 4343', 4353' - 4361' (4-JSPF)
- RD WL
- RIH with PPI Tool, RU Acid Trucks and acid stim new perfs with ~ 1890 gal of 15% HCL NEFE, POOH with PPI Tool
- RIH with pulsation tool and acid treat existing perfs with ~ 4000 gals of 15% HCL NEFE, POOH with pulsation tool and RD acid Trucks
- RIH with injection equipment, set packer @ 4091' same place as before
- Circulate packer fluid and run MIT for NOMCD
- Return well to injection

Spud Date: | Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Analyst Sr. DATE 10/19/2021

Type or print name Roni Mathew E-mail address: roni_mathew@oxy.com PHONE: (713) 215-7827

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

NHU 31-632

API# 30-025-37214

TWN 18-S; RNG 38-E

Active - Inj



Tubing String Quantity (Top-Bottom Depth) Desc
1 @(0-10) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Duol...
1 @(10-18) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Du...
1 @(18-24) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Du...
125 @(24-4082) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift...
1 @(4082-4083) On-Off Tool (Tubing) 2.375" OD- - N/A
1 @(4083-4084) Profile Nipple - RN 2.875"/ 1.875" Packing Bore 1.716" No-Go ...
1 @(4084-4091) Packer Mandrel 5.500" OD Threaded Connection - 5 1/2" X 2 3/...
1 @(4091-4092) Pump-Out Plug (2.375") - Bare- - N/A

Surface Casing (Top-Bottom Depth) Desc
@(0-1503) Cement... unknown grouping- - N/A
@(0-1503) J-55 8.625 OD/ 24.00# Round Short 8.097 ID 7.972 Drift- - N/A

Production Casing (Top-Bottom Depth) Desc
@(4084-4091) Packer (Retrievable) (Unknown Type) - 5.500" - 5 1/2" X 2 3/8" X 1...
@(4169-4189) Perforations-Closed-Squeezed - Good Condition
@(4169-4310) Producing Interval-SN ANDR/632-31W/C- - N/A
@(4211-4310) Perforations-Open - Good Condition
@(0-4450) Cement... unknown grouping- - N/A
@(4391-4450) Plug Back (unknown type) - Bare- - Good Condition
@(0-4450) J-55 5.500 OD/ 15.50# Round Short 4.950 ID 4.825 Drift- - N/A

Borehole (Top-Bottom Depth) Desc
@(0-1503) Wellbore Hole OD-12.2500 - Bare- - Good Condition
@(1503-4450) Wellbore Hole OD- 7.8750 - N/A- - N/A

NHU 31-632

API# 30-025-37214

TWN 18-S; RNG 38-E

Active - Inj



Tubing String Quantity (Top-Bottom Depth) Desc
1 @(0-10) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Duol...
1 @(10-18) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Du...
1 @(18-24) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift - Du...
125 @(24-4082) J-55 2.875 OD/ 6.50# T&C External Upset 2.441 ID 2.347 Drift...
1 @(4082-4083) On-Off Tool (Tubing) 2.375" OD- - N/A
1 @(4083-4084) Profile Nipple - RN 2.875"/ 1.875" Packing Bore 1.716" No-Go ...
1 @(4084-4091) Packer Mandrel 5.500" OD Threaded Connection - 5 1/2" X 2 3/...
1 @(4091-4092) Pump-Out Plug (2.375") - Bare- - N/A
Surface Casing (Top-Bottom Depth) Desc
@(0-1503) Cement... unknown grouping- - N/A
@(0-1503) J-55 8.625 OD/ 24.00# Round Short 8.097 ID 7.972 Drift- - N/A
Production Casing (Top-Bottom Depth) Desc
@(4084-4091) Packer (Retrievable) (Unknown Type) - 5.500" - 5 1/2" X 2 3/8" X 1...
@(4169-4189) Perforations-Closed-Squeezed - Good Condition
@(4169-4310) Producing Interval-SN ANDR/632-31W/C- - N/A
@(4211-4310) Perforations-Open - Good Condition
@(0-4450) Cement... unknown grouping- - N/A
@(4391-4450) Plug Back (unknown type) - Bare- - Good Condition
@(0-4450) J-55 5.500 OD/ 15.50# Round Short 4.950 ID 4.825 Drift- - N/A
Borehole (Top-Bottom Depth) Desc
@(0-1503) Wellbore Hole OD-12.2500 - Bare- - Good Condition
@(1503-4450) Wellbore Hole OD- 7.8750 - N/A- - N/A

Propose Perfs:

4320’-28’, 4335’-43’, 4353’-61

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 56766

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 56766
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	11/12/2021