

Well Name: CHACO 2306-03E	Well Location: T23N / R6W / SEC 3 / SWNW / 36.2561 / -107.4648	County or Parish/State: RIO ARRIBA / NM
Well Number: 413H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM130875	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003931261	Well Status: Abandoned	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2641342

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/22/2021

Date Operation Actually Began: 09/22/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:32

**Actual Procedure:** This surface hole was P&A'D on 9/22/21 9/22/2021 - OPERATIONS SUMMARY Operations witnessed by Micheal Gilbreath with BLM and Monica Kuehling with NMOCD was notified of all operations. 11:30 to 12:30 - Cut off culverts in ratholes and cut off 9 5/8" stick up in both wells, Installed poly pipe in both wells. 12:30 to 14:00 - P&Ad the Chaco 412H 13:30 to 14:00 -Establish circulation up 9 5/8" casing, mix/pump 109/sx Type 3 1.37/yield 6.68gls per/sk 14.6/ppg for total of 26.5/bbls slurry, had good cement to surface. 15:00 to 17:00 - Mix/pump 10/sx Type 3 1.37/yield 6.68gls per/sk 14.6/ppg total of 2.2/bbls slurry and filled rathole. Pulled poly pipe out of the rathole and cut off poly pipe in surface casing and installed below ground marker 3'6" below grade, rig down and move cement equipment off location, pulled out cellar and back filled with permission from BLM Inspector. Installed old well sign and put in 4 T-Post around sign. Well is P&Ad

SR Attachments

Actual Procedure

CHACO\_413H\_P\_A\_FINAL\_\_\_JOB\_LOG\_20211022133208.pdf

Well Name: CHACO 2306-03E	Well Location: T23N / R6W / SEC 3 / SWNW / 36.2561 / -107.4648	County or Parish/State: RIO ARRIBA / NM
Well Number: 413H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM130875	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003931261	Well Status: Abandoned	Operator: ENDURING RESOURCES LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: HEATHER HUNTINGTON	Signed on: OCT 22, 2021 01:32 PM
Name: ENDURING RESOURCES LLC	
Title: Permitting Technician	
Street Address: 200 Energy Court	
City: Farmington	State: NM
Phone: (505) 636-9751	
Email address: HHUNTINGTON@ENDURINGRESOURCES.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		


BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/03/2021
Signature: Kenneth Rennick	

**WELL: CHACO 2306-03E 413H****API: 30-039-31261****GL (FT): 6,693****KB (FT): 6,708****KB - GL (FT): 15**

9-5/8" 36.0# J55 STC CSG  
CEMENT CIRC'D TO SURFACE

PBTD (FC): 375'  
CSG SHOE: 411'  
12-1/4" HOLE TD: 416'



2" POLY PIPE TO 375'  
CEMENT W/ 109 SX CMT  
TYPE III, 14.6 PPG, 1.37 CUFT/SX

**9/22/2021 - OPERATIONS SUMMARY**

Operations witnessed by Micheal Gilbreath with BLM and Monica Kuehling with NMOCD was notified of all operations.

11:30 to 12:30 - Cut off culverts in ratholes and cut off 9 5/8" stick up in both wells, Installed poly pipe in both wells.

12:30 to 14:00 - P&Ad the Chaco 412H

13:30 to 14:00 -Establish circulation up 9 5/8" casing, mix/pump 109/sx Type 3 1.37/yield 6.68gls per/sk 14.6/ppg for total of 26.5/bbls slurry, had good cement to surface.

15:00 to 17:00 - Mix/pump 10/sx Type 3 1.37/yield 6.68gls per/sk 14.6/ppg total of 2.2/bbls slurry and filled rathole. Pulled poly pipe out of the rathole and cut off poly pipe in surface casing and installed below ground marker 3'6" below grade, rig down and move cement equipment off location, pulled out cellar and back filled with permission from BLM Inspector. Installed old well sign and put in 4 T-Post around sign. Well is P&Ad

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 60406

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way, Suite 525 Centennial, CO 80111	OGRID: 372286
	Action Number: 60406
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	for record - submit picture and gps reading of below grade marker and picture of sign and four t-posts	11/15/2021