

Well Name: CENTRAL BISTI UNIT	Well Location: T25N / R12W / SEC 8 / NENW / 36.421036 / -108.136322	County or Parish/State: SAN JUAN / NM
Well Number: 18	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: CENTRAL BISTI UNIT	Unit or CA Number: NMNM78386X
US Well Number: 3004505510	Well Status: Producing Oil Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2505941

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/30/2021

Date Operation Actually Began: 02/02/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 09:23

Actual Procedure: The subject well was Plugged & Abandoned on February 2, 2021 per the attached detailed As Plugged Wellbore Diagram and P&A Marker.

SR Attachments

- Actual Procedure
- CBU_18_PA_Marker_20210630092345.pdf

CBU_18_EOWR_AsPlugged_WBD_20210630092345.pdf

Well Name: CENTRAL BISTI UNIT	Well Location: T25N / R12W / SEC 8 / NENW / 36.421036 / -108.136322	County or Parish/State: SAN JUAN / NM
Well Number: 18	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: CENTRAL BISTI UNIT	Unit or CA Number: NMNM78386X
US Well Number: 3004505510	Well Status: Producing Oil Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: JUN 30, 2021 09:23 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 10/19/2021
Signature: Kenneth Rennick	

**DJR Operating, LLC
Plug & Abandonment Marker
Central Bisti Unit # 18
API # 30-045-05510
NE/NW, Unit C, Sec. 08, T25N, R12W
San Juan County, NM**



P&A End of Well Report
DJR Operating, LLC
Central Bisti Unit #018
API: 30-045-05510
NENW C-08-25N-12W

Spud Date: 07/07/1956

Plugged Date: 02/02/2021

12/28/2020

Plug 1: (Perfs, liner shoe, Gallup): Mixed and pumped 50 sx cement from 4900-4363'. Tagged TOC at 4363'. PT casing to 600 psi for 30 min. Test good. Ran CBL from 4357 '(KB) to surface. TOC 810'.

12/29/2020

Plug 2: (Mancos): Mixed and pumped 12 sx cement from 3830-3678'.

Plug 3: (Mesa Verde/Chacra): Mixed and pumped 44 sx cement from 1938-1373'. Change to combined plug app'd by BLM/OCD.

Plug 4: (Pictured Cliffs): Mixed and pumped 17 sx cement from 1258-1038'. Change to single plug app'd by BLM/OCD.

Plug 5: (Fruitland): Perf'd 3 holes at 810'. Set CR at 760'. Mixed and squeezed 34 sx from 810-660'. Spotted 8 sx on top. Change of plug depth due to CBL-revised TOC approved by BLM/OCD.

12/30/2020

Plug 6: (Kirtland, Ojo Alamo, surface casing shoe, surface plug): Perf'd 3 holes at 525'. Mixed and bullheaded 140 sx from 525' to surface.

1/4/2021

Plug 7: Topped off with 30 sx cement. Cut off WH. Set PxA marker. Fallback hole developed, will monitor for gas.

2/2/2021

Top Off 2: Check LELs at mouth of fallback hole, No LELs. Discussed with BLM and NMOCD, received approval to fill with Portland cement. Mixed 12 sx Portland cement and poured in the fallback hole to fill.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: Michael Gilbreath

**P&A End of Well Report
DJR Operating, LLC
Central Bisti Unit # 18**

API # 30-045-05510
NE/NW, Unit C, Sec 08, T25N, R12W
San Juan County, NM

GL 6194'
KB 6207'
Spud Date 7/7/1956

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: N/A
ID: 8.097"
Depth 204'
Csg cap ft³: 0.3576
TOC: Surf

FORMATION TOPS


Nacimiento	Surface
Ojo Alamo	352**
Kirtland	475**
Fruitland	830'
Pictured Cliffs	1140**
Chacra	1490'
Mesa Verde	1888'
Mancos	3780'
Gallup	4692'

*Reflects BLM tops

PROD CSG

Hole size 7.875"
Csg Size: 5.5"
Wt: 14#
Grade: N/A
ID: 5.012"
Depth 4960'
Csg cap ft³: 0.137
Csg/Csg Ann ft³: 0.1926
Csg/OH cap ft³: 0.1732
TOC: 810' (CBL)

4.5" FJ inside 5.5" 14# set at 4756' Cemented to surf. ID. 4.052" Csg cap ft ³ : 0.0895



All cement plugs are Class G, mixed at 15.8 ppg, yield 1.15
Regulatory representative: Michael Gilbreath, BLM
GPS coordinates: Lat: 36.42110802233219, Lng: -108.13698487356305

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 58301

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 58301
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/15/2021