

Well Number: 2T

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM25445

Unit or CA Name: BISTI COAL 17 COM

Unit or CA Number:
NMNM85769

US Well Number: 3004533166

Well Status: Producing Gas Well

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: JUL 26, 2021 11:35 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 10/20/2021

Signature: Kenneth Rennick

**DJR Operating, LLC
Plug & Abandonment Marker
Bisti Coal 17 COM #002T
API: 30-045-33166
NWNW C-17-25N-12W
San Juan County, NM**



P&A End of Well Report
DJR Operating, LLC
Bisti Coal 17 COM #002T
API: 30-045-33166
NENW C-17-25N-12W

Spud Date: 04/18/2006

Plugged Date: 07/22/2021

7/21/2021:

Plug 1: Casing did not PT, Mixed and pumped 18 sx cement under CR. Ran CBL, TOC at surface.

7/22/2021:

Plugs 2 & 3: Mix and pump 140 sx cement from 1126' to surface. TOOH, top off pipe displacement with 13 sx cement.

Top off plug: Mix and place 21 sx cement to top off cellar.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: Bill Diers

DJR Operating, LLC**End of Well Report****Bisti Coal 17 Com 2T**

API: 30-045-33166

NE/NW, Unit C, Sec 17, T25N, R12W
San Juan County, NM

GL 6305

KB N/A

Spud Date 4/18/2006

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: K-55
ID: 8.097
Depth 147'
casing cap ft³/ft: 0.3575
TOC: Circ cmt
to surface

FORMATION TOPS


| | |
|-----------------|---------|
| Nacimiento | Surface |
| Ojo Alamo | N/A |
| Kirtland | N/A |
| Fruitland | 1154' |
| Pictured Cliffs | 1231' |

PROD CSG

Hole size 7 785"
Csg Size: 5.5"
Wt: 15.5#
Grade: J-55
ID: 4.95
Depth 1366'
casing cap ft³/ft: 0.1336
7x4.5 capacity ft³/ft: 0.1029
TOC: Circ cmt
to surface

Cement Ret. 1126'
Fruitland Coal perfs
1154'-1212'

PBTD 1322'
TD 1375'



7/22/2021 Top off plug: Mix and place 21
sx cement to top off cellar.

7/22/2021: Plugs 2&3: Mix and pump 140
sx cement from 1126' to surface. TOO H,
top off pipe displacement with 13 sx
cement.

Ran CBL, TOC at surface

7/21/2021: Plug 1: Casing did not PT,
Mixed and pumped 18 sx cement under
CR.

All cement used was Class G mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Bill Diers, BLM

GPS Coordinates: Lat: 36.40228331554681, Lng: -108.13790579326451

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 58298

CONDITIONS

| | |
|---|--|
| Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410 | OGRID: 371838 |
| | Action Number: 58298 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| mkuehling | None | 11/15/2021 |