<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

Printed Name:

Email Address:

Title:

Date:

Electronically filed by Kelly M Hardy

Phone: 432-695-6970

Land Manager

11/18/2021

khardy@tascosaep.com

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 303757

Phone:(505) 4	76-3470 Fax:(505) 4	76-3462											
		APPLICATION	N FOR	PERMIT	TO DRILL, RE-	ENTER, DEEPE	N, P	LUGBAC	K, OR ADD	AZO	NE		
	ame and Address				·	•				2. OGF	RID Number		
	scosa Energy Part 1 W. Missouri Ave	ners, L.L.C								0.481	329748		
	dland, TX 79701									3. API	Number 30-015-4911	2	
4. Property Co	•	5. P			6. Wel		_						
	1801			alina 25 30	State Com						002H		
					7. Surf	ace Location							
UL - Lot	Section	Township	Range)		Feet From	N/S	S Line	Feet From		E/W Line	County	
L	25	20S		26E		1345		N	2	50	W		Eddy
					8. Proposed B	ottom Hole Locatio	on						
UL - Lot	Section	Township	Range		Lot Idn	Feet From	N/	S Line S	Feet From		E/W Line	County	
I	30	20S		27E	27E 1 1988					100	E		Eddy
					9. Poo	Information							
AVALON; BC	ONE SPRING									96	381		
					Additional	Well Information							
11. Work Type		12. Well Type	13. Cable/Rotary			14. Lease Ty		15. Gro	15. Ground Level Elevation				
	New Well OIL								ate		3243		
16. Multiple N		17. Proposed Depth 17803		18. Formati	^{on} Brd Bone Spring S	and		19. Contracto	or	20. Spu	ld Date 2/1/2022		
Depth to Groun	nd water	17003			m nearest fresh wate					Distance	e to nearest surface	water	
───────────────────────────────────	using a closed-lo	op system in lieu o	lined pit	s									
				2	1. Proposed Casi	ng and Cement Pr	ograi	n					
Туре	Hole Size	Casing Size	9	Casi	ng Weight/ft	Setting D	_		Sacks of	Cement Estimated TOC			TOC
Surf	17.5	13.375			48	500				630 0			
Int1 Prod	12.25 8.75	9.625 5.5			36 20	2500 1780		988					
Prod	8.75	5.5			20	1780	3		33.	33		U	
				Cas	ing/Cement Prog	ram: Additional Co	mme	ents					
					2. Proposed Blov	out Prevention Pr							
	Type			ng Pressure				Pressure			Manufa		
-	Annular			5000				5000			C.		
Pipe 5000							_	5000			C.		
	Blind			5000			- 5	5000		<u> </u>	C.	11	
23 I hereby	certify that the info	rmation given above	is true a	nd complete	to the best of my				IL CONSER\	/ATION	DIVISION		
knowledge a		inadon given above	, io truc al	ia complete	to the best of filly			•	JOHOLIN	AHON	2.1.5.0.1		
I further cert	tify I have complic	ed with 19.15.14.9 (A) NMAC	and/or 1	9.15.14.9 (B) NMA	C							
⊠, if applica	ble.												
Signature:													
Signature.						1							

Katherine Pickford

Expiration Date: 11/22/2023

Geoscientist

11/22/2021

Approved By:

Approved Date:

Conditions of Approval Attached

Title:

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department **OIL CONSERVATION DIVISION** 1220 South St. Francis Dr. Santa Fe, NM 87505

FORM C-102 Revised August 1, 2011 Submit one copy to appropriate **District Office**


AMENDED	REPORT
---------	--------

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ API Number 30-015-49112		² Pool Code 96381	Avalone;Bone Spring					
⁴ Property Code		⁵ P1	operty Name	⁶ Well Number				
331801		CATALINA 2	530 STATE COM	2H				
⁷ OGRID No.		⁸ O _l	perator Name	⁹ Elevation				
329748-		TASCOSA ENER	3289'					
10 Surface Location								

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
L	25	20-S	26-E	_	1345'	SOUTH	250'	WEST	EDDY		
¹¹ Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
I	30	20-S	27-E	_	1988'	SOUTH	100'	EAST	EDDY		
¹² Dedicated Acres	¹³ Joint or 1	nfill 14Co	nsolidation Co	de ¹⁵ Ord	er No.						
317.35											

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



TASCOSA ENERGY PARTNERS, LLC EXHIBIT 2A



TEL B.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Comments

Permit 303757

PERMIT COMMENTS

Operator Name and Address:	API Number:
Tascosa Energy Partners, L.L.C [329748]	30-015-49112
901 W. Missouri Ave	Well:
Midland, TX 79701	Catalina 25 30 State Com #002H

Created By	Comment	Comment Date
a.davanzo	TEP does not expect to encounter H2S, therefore a H2S plan is not necessary.	11/18/2021

Form APD Conditions

Permit 303757

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
Tascosa Energy Partners, L.L.C [329748]	30-015-49112
901 W. Missouri Ave	Well:
Midland, TX 79701	Catalina 25 30 State Com #002H

OCD	Condition
Reviewer	
kpickford	Surface casing must be set 25' below top of Rustler Anhydrite or other competent layer in order to seal off protectable water
kpickford	Notify OCD 24 hours prior to casing & cement
kpickford	Will require a File As Drilled C-102 and a Directional Survey with the C-104
kpickford	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud
kpickford	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh
	water zone or zones and shall immediately set in cement the water protection string
kpickford	Cement is required to circulate on both surface and intermediate1 strings of casing
kpickford	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud,
	drilling fluids and solids must be contained in a steel closed loop system

Intent		As Dril	led											
API#														
Ope	rator Nar	me:				Property Name:								Well Number
Kick C	off Point	(KOP)												
UL	Section	Township	Range	Lot	Feet	F	From N	om N/S Feet		From E/W		County		
Latitu	de				Longitu	Longitude NAD							NAD	
First T	ake Poin	nt (FTP)												
UL	Section	Township	Range	Lot	Feet	From N/S Feet From E/W Co			County					
Latitude					Longitu	ıde			<u> </u>				NAD	
Last T	ake Poin	t (LTP)												
UL	Section	Township	Range	Lot	Feet	From	N/S	Feet		From	om E/W County			
Latitude					Longitu	Longitude NAD								
Is this If infil	well an i	defining vinfill well?						_	vell n] umber	for I	Definir	ng well fo	r Horizontal
Ope	rator Nar	me:				Property Name:							Well Number	
Estim	ated Fori	mation Top	os											
Form	ation:				Тор:		For	matio	n:					Тор:

45

100

60

89.77

7647.00

7488.94

596.49

83.29

10.00

COPYRIGHT 1990 MITCHELL ENGINEERING, PO BOX 1492. GOLDEN, CO, 80402, USA (303) 273 3744

LONG'S METHOD OF SURVEY COMPUTATION

OBLIQUE CIRCULAR ARC INTERPOLATION DISTANCE TABLE STATION A MD OF INTERPOLATION DEPTH, (feet) STATION B #N/A TVD COORDINATE OF THE DEPTH (feet) #N/A N/S COORDINATE OF DEPTH (feet) #N/A E/W COORDINATE OF DEPTH (feet) 3 D DISTANCE BETWEEN STATION A AND STATION B 0.00 **TABLE OF SURVEY STATIONS** Calculator = ΔMD INCL AZIM MD TVD N+/S-E+/W-DLS deg/100FT dea dea ft ft ft TIE POINT => 2500.00 2500.00 0.00 0.00 1 0 0 100 3 341 2600.00 2599.95 2.47 -0.85 3.00 2 3 100 341 2700.00 2699.63 9.89 -3.41 3.00 6 4 100 341 3.00 9 2800.00 2798.77 22.23 -7.66 5 100 10.2 341 2900.00 2897.37 38.00 -13.08 1.20 6 100 10.2 341 3000.00 2995.79 54.74 -18.85 0.00 100 10.2 7 341 3100.00 3094.20 71.49 -24.62 0.00 8 100 0.00 10.2 341 3200.00 3192.62 88.23 -30.38 100 341 0.00 9 10.2 3300.00 3291.04 104.98 -36.15 10 100 10.2 341 3400.00 3389.46 121.72 -41.91 0.00 100 11 10.2 341 3500.00 3487.88 138.46 -47.68 0.00 12 100 10.2 341 3600.00 3586.30 155.21 -53.44 0.00 13 100 10.2 341 3700.00 3684.72 171.95 -59.21 0.00 14 100 10.2 341 3800.00 3783.14 188.69 -64.97 0.00 15 100 10.2 341 3900.00 3881.56 205.44 -70.74 0.00 16 100 10.2 341 4000.00 3979.98 222.18 -76.50 0.00 17 100 10.2 341 4100.00 4078.40 238.92 -82.27 0.00 18 100 10.2 341 4200.00 4176.82 255.67 -88.03 0.00 19 100 10.2 341 4300.00 4275.24 272.41 -93.80 0.00 20 100 4373.66 10.2 341 4400.00 289.16 -99.56 0.00 21 100 10.2 341 4500.00 4472.08 305.90 -105.33 0.00 22 100 10.2 341 4600.00 4570.50 322.64 -111.09 0.00 23 100 10.2 341 4700.00 4668.92 339.39 -116.86 0.00 24 100 10.2 341 4800.00 4767.34 356.13 -122.63 0.00 25 100 10.2 341 4900.00 4865.76 372.87 -128.39 0.00 26 100 10.2 341 5000.00 4964.18 -134.16 0.00 389.62 27 100 10.2 341 5100.00 5062.60 406.36 -139.92 0.00 28 100 341 10.2 5200.00 5161.02 423.11 -145.69 0.00 29 100 10.2 341 5300.00 5259.44 439.85 -151.45 0.00 30 100 10.2 341 5400.00 5357.85 456.59 -157.220.00 31 100 10.2 341 5500.00 5456.27 473.34 -162.98 0.00 32 100 10.2 341 5600.00 5554.69 490.08 -168.75 0.00 33 100 10.2 341 5700.00 5653.11 506.82 -174.51 0.00 34 300 10.2 341 6000.00 5948.37 557.05 -191.81 0.00 35 100 341 6100.00 6046.97 572.82 -197.241.20 9 36 100 6 341 6200.00 6146.10 585.16 -201.49 3.00 37 100 3 0 6300.00 6245.79 592.72 -203.19 3.31 38 100 0 0 6345.74 595.34 -203.19 6400.00 3.00 39 647 0 0 7047.00 6992.74 595.34 -203.19 0.00 40 100 10 89.77 7147.00 7092.24 595.38 -194.49 10.00 41 100 20 89.77 7247.00 7188.71 595.48 -168.64 10.00 42 100 30 89.77 7347.00 7279.22 595.65 -126.43 10.00 43 100 40 89.77 7447.00 7361.03 595.88 -69.14 10.00 44 100 50 89.77 7547.00 7431.65 596.16 1.48 10.00

Catatlina 2530 State Com # 2 Directional

STA #	ΔMD ft	INCL deg	AZIM deg	MD ft	TVD ft	N+/S- ft	E+/W- ft	DLS deg/100FT
46	100	70	89.77	7747.00	7531.15	596.85	173.80	10.00
47	100	80	89.77	7847.00	7557.00	597.24	270.27	10.00
48	100	88.61	89.77	7947.00	7566.91	597.64	369.68	8.61
49	100	88.61	89.77	8047.00	7569.34	598.04	469.65	0.00
50	100	88.61	89.77	8147.00	7571.76	598.44	569.62	0.00
51	100	88.61	89.77	8247.00	7574.19	598.84	669.59	0.00
52	9538		89.77	17785.00	7805.56			0.00
53	9536	88.61	03.77	17705.00	7005.56	637.12	10204.71	0.00
54								
55								
56								
57								
58								
59								
60								
61								
62								
63								
64								
65								
66								
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88						1		
89						1		
90								
91								
92								
93			 		1 			
94								
95								
96			-					
			-					
97								
98			ļ					
99			ļ					
100								
101								
102								
103								

Catatlina 2530 State Com # 2 Directional

STA #	ΔMD ft	INCL deg	AZIM deg	MD ft	TVD ft	N+/S- ft	E+/W- ft	DLS deg/100FT
104								
105								
106								
107								
108								
109								
110								
111								
112								
113								
114								
115								
116								
117								
118								
119		 						
120		 	ļ					
121								
122 123								
123								
125								
126								
127								
128								
129								
130								
131								
132								
133								
134								
135								
136								
137								
138								
139								
140								
141								
142								
143								
144								
145		ļ						
146								
147								
148								
149		 	ļ					
150		 						
151		 						
152								
153								

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator:Tase	cosa Energy Par	rtners, LLC	OGRID:	329748	Date	<u>3/20</u> 21				
II. Type: ☒ Original	☐ Amendment	due to □ 19.15.27.9	9.D(6)(a) NMA	C □ 19.15.27.9.D((6)(b) NMAC □	Other.				
If Other, please describ	e:									
III. Well(s): Provide the recompleted from a					wells proposed to	o be dri	lled or proposed to			
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D					
Catalina 25 30 State Com #1	Н	L S25, 20S, 26E	1345 FSL 250 FWL	1100	2900		1700			
V. Anticipated Sched	IV. Central Delivery Point Name:Tascosa Section 30 [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name									
Catalina 25 30 State Com #1	Н	2/1/2022	3/1/2022	5/1/2022	5/15/2	022	5/15/2022			
VI. Separation Equipment: ☐ Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: ☐ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: ☐ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.										

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
				-

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system \square wi	ll □ will not have	capacity to gather	100% of the anticipated	l natural gas
production volume from the well	prior to the date of first prod	luction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, or	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well	l(s).

\neg	A 44 1 4	O 4 9	1 .		1 4	•	4 41	1.1"	
	. Attach (Operator	s blan i	ro manage	production	in response	to the increa	sed line press	ure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided	in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific informati	on
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

\(\times\) Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one

hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. \(\times \) Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- power generation on lease; (a)
- **(b)** power generation for grid;
- compression on lease; (c)
- (d) liquids removal on lease;
- reinjection for underground storage; (e)
- **(f)** reinjection for temporary storage;
- **(g)** reinjection for enhanced oil recovery;
- fuel cell production; and (h)
- other alternative beneficial uses approved by the division. (i)

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become (a) unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Alyssa McNear
Printed Name: Alyssa McNear
Title: Engineering Manager
E-mail Address: adavanzo@tascosaep.com
Date: 11/18/2021
Phone: 432-695-6970
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:



Catalina 25 30 State Com #2 – Natural Gas Management Plan

VI. Separation Equipment:

Tascosa has sized a FWKO and a high pressure, 3-phase separator to allow for complete separation at our anticipated rates, with adequate retention times. Tank vapors will also be captured through a vapor recovery unit and sent to the Enterprise sales line through a compressor on location.

VII. Operational Practices:

- a. Drilling Operations Tascosa will ensure that a flare stack is set at least 100' from the wellbore during drilling operations. This flare stack will be properly sized to handle the maximum expected release, ensuring that all natural gas produced during drilling operations can be flared (unless there is an equipment malfunction or if venting is necessary for safety reasons).
- b. Completion Operations Prior to flowback, Tascosa will ensure that the well is connected to a gathering system that can handle the expected gas volumes. During flowback, natural gas will be separated and flared until it is within the specs of the contracted gathering system (Enterprise).
- c. Production Operations Tascosa will conduct weekly AVO inspections and tackle equipment failures with haste. The emergency flare on location will be equipped with an auto-ignition, capable of handling the maximum expected release. Sight glasses will be installed on all tanks to eliminate gas releases due to gauging through thief hatches. A VRU will also be installed to capture tank vapors and reduce waste. In preparation of a VRU failure or planned maintenance, a backup combustor will be placed at the facility.
- d. Performance Standards
 - a. Tascosa will design completion and production equipment for maximum expected output and pressure to eliminate venting.
 - b. A properly sized flare stack will be placed at the facility with an automatic ignitor.
 - c. AVO inspections will be conducted at least once a week to prevent releases due to equipment failure. These inspections will be recorded for future review.
 - d. Tascosa is obligated to eliminate waste and will repair equipment failures as soon as possible.
- e. Measurement and Estimation A meter will be placed on the combustor and the flare stack to ensure combusted gas readings are accurate during a release event. If for any reason a meter reading is unavailable, released volumes will be estimated and reported.



VIII. Best Management Practices:

Tascosa will aim to conduct surface maintenance without venting or flaring as much as possible. If planned maintenance is prolonged due to wait times for labor and equipment, Tascosa will shut in the producing well to prevent excess emissions. Tascosa will also minimized venting during downhole operations.