

Well Name: CHAMPLIN FEDERAL COM	Well Location: T25N / R13W / SEC 11 / NWNW / 36.421112 / -108.194519	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM31311	Unit or CA Name: WEST BISTI COAL 11	Unit or CA Number: NMNM87088
US Well Number: 3004525792	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2644282

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/15/2021

Date Operation Actually Began: 10/27/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 11:13

Actual Procedure: The subject well was Plugged & Abandoned on 10/27/2021 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

- PA_Marker_Champlin_Federal_Com_1_20211115111301.pdf
- EOWR_Champlin_Federal_Com_1_20211115111301.pdf
- AsPlugged_WBD_Champlin_Federal_Com_1_20211115111301.pdf

Well Name: CHAMPLIN FEDERAL COM	Well Location: T25N / R13W / SEC 11 / NWNW / 36.421112 / -108.194519	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM31311	Unit or CA Name: WEST BISTI COAL 11	Unit or CA Number: NMNM87088
US Well Number: 3004525792	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: NOV 15, 2021 11:13 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/24/2021
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Champlin Federal 1
API # 30-045-25792
NW/NW, Unit D, Sec 11, T25N, R13W
San Juan County, NM
Spud Date: 8-26-1983
Plug Date: 10-27-2021

10-25-2021:

MIRU rig and equipment. SITP = 0, SICP = 62, BH = 0. Pull rods and pump. SDFN.

10-26-2021:

SITP = 0, SICP = 20, BH = 0. PU workstring, TIH, tag hard at 1542'. Discuss with BLM and NMOCD. Decision made to top off Chacra top with 20 sx cement from 1542'. WOC. TIH, tagged Plug 1, Chacra at 1380'. TOO H with 2 3/8" workstring.

TIH with 5 1/2" CR, set at 977'. Roll hole, PT casing to 800 psi, good test. Sting into CR, mix and pump Plug 2, Fruitland perfs with 35 sx cement through CR. TOO H.

RIH and run CBL log from 977' to surface. TOC in 8 5/8" x 5 1/2" annulus at 150'.

10-27-2021:

TIH to 977', mix and spot Plug 3, Fruitland, from 977' to 590' with 45 sx cement. Pull up to 381'.

Mix and spot balanced Plug 4, Kirtland, Ojo Alamo and surface casing shoe from 381' to surface with 44 sx cement.

Cut off WH, install P&A marker. Top off annulus from 150' to surface and cellar with 20 sx cement.

SD. RELEASED RIG.

GPS Coordinates: Lat: 36.4212301466614, Lng: -108.19561536423862

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15 ft³/sx

Regulatory Representative: Michael Gilbreth, BLM

/sl

DJR Operating, LLC
P&A Marker
Champlin Federal 1
API # 30-045-25792
NWNW Unit D, Sec 11, T25N, R13W
San Juan County, NM
Spud Date: 8-26-1983
Plug Date: 10-27-2021



AsPlugged Wellbore Diagram

DJR Operating, LLC

Champlin Federal Com 1

API # 30-045-25792

NW/NW, Unit D, Sec 11, T25N, R13W

San Juan County, NM

GL 6293'
KB 6308'
Spud Date 8/26/1983

FORMATION TOPS

Nacimiento	surf
Ojo Alamo	180'
Kirtland	310'
Fruitland	720'
Pictured Cliffs	1310'
Lewis	1370'
Chacra	1560'
Mesa Verde	1985'
Mancos	3940'
Gallup	4505'

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 32#
Grade: K-55
ID: 7.921"
Depth 296'
Csg cap ft³: 0.3422
Csg/OH ft³: 0.4127
TOC: Circ

PROD CSG

Hole size 7.875"
Csg Size: 5.5"
Wt: 15.5#
Grade: K-55
ID: 4.95"
Depth 5025'
Csg cap ft³: 0.1336
Csg/Csg ft³: 0.1772
Csg/OH ft³: 0.1733
TOC: N/A

3-29-05 & 8-01-07, Fruitland
perfs: 1259'-1291'. 1025'-
1293'

10-20-22-83, Cement sqz.
1430', 60 ft³ cement at 1430'
+ 118 ft³ bradenhead sqz.
CBL 3-29-05, bond to 340'.

9-09-83, TOC 1980' CBL

3-28-05, Plug Back Plug 2:
(Mesa Verde) 15 sx class H
cement (100 ft) 2036'-1936'.
Tag 1918'

DV Tool 3939'

3-28-05, Plug Back plug 1:
10 sx class H cement. (86
ft) 4805'-4419'.
3/24/2005 CR 4805'

Gallup perfs: 4896'-4906'

Tocito perfs: 4906'-4916'
4929'- 4951'

PBTD 5004'

TD 5025'

2021 P&A Operation

10-27-2021: Cut off WH, install P&A marker,
TOC in annulus 150'. Top off annulus and cellar
with 20 sx cement. RIG RELEASED.

10-27-2021: Plug 4: Kirtland, Ojo Alamo and
surface casing shoe. Spot balanced plug of 44
sx from 381' to surface.

10-27-2021: Plug 3: Fruitland: Spot balanced
plug of 45 sx from 977' to 590'.

10-26-2021: Run CBL log from 977'. TOC 150'.

10-26-2021: Plug 2: Fruitland perfs: 35 sx
through CR into perfs.

10-26-2021: PT casing to 800 psi, good test.

10-26-2021: Set CR at 977'.

10-26-2021: P&A Plug 1: Chacra top: Spot blind
plug of 20 sx from 1542', WOC, tagged at 1380'.
(Discussed with BLM and NMOCD to top off
Chacra with cement as shown above).

10-26-2021: TIH with workstring. Tagged hard at
1542'

All cement used was Class G mixed at 15.8 bpg, yield 1.15 ft³/sx
Regulatory Representative: Michael Gilbreth, BLM
GPS Coordinates: Lat: 36.4212301466614, Lng: -108.19561536423862

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63607

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 63607
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/28/2021