

Well Name: BISTI GALLUP 22 COM	Well Location: T25N / R12W / SEC 22 / NWNE / 36.391517 / -108.097271	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25449	Unit or CA Name: 2 BISTI GALLUP 22	Unit or CA Number: NMNM121553
US Well Number: 3004534209	Well Status: Oil Well Shut In	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2644283

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/15/2021

Date Operation Actually Began: 11/01/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 11:14

Actual Procedure: The subject well was Plugged & Abandoned on 11/01/2021 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

- PA_Marker_Bisti_Gallup_22_Com_2_20211115111437.pdf
- EOWR_Bisti_Gallup_22_Com_2_20211115111437.pdf
- AsPlugged_WBD_Bisti_Gallup_22_Com_2_20211115111437.pdf

Well Number: 2

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM25449

Unit or CA Name: 2 BISTI GALLUP 22

Unit or CA Number: NMNM121553

US Well Number: 3004534209

Well Status: Oil Well Shut In

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: NOV 15, 2021 11:14 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/24/2021

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Bisti Gallup 22 Com 2
API # 30-045-34209
NW/NE, Unit B, Sec 22, T25N, R12W
San Juan County, NM
Spud Date: 2-09-2008
Plug Date: 11-01-2021

10-28-2021:

MIRU rig and equipment. SICP = 600, BH = 0. ND WH, NU BOP. SDFN.

10-29-2021:

SICP = 400, BH – 0.

TIH to 4800' with bit and string mill. TOOH. TIH with CR, set CR at 4800'. Load hole and PT casing to 700 psi. Test good.

P&A Plug 1: Gallup perms: Pump 25 sx cement through CR into Gallup perms.

P&A Plug 2: Mix and pump P&A Plug 2 from 4800' to 4611' with 22 sx cement on top of CR to cover the Gallup formation top.

P&A Plug 3: Mix and pump P&A Plug 3 from 3890' to 3735' with 18 sx cement to cover the Mancos formation top.

P&A Plug 4: Mix and pump P&A Plug 4 from 2038' to 1860' with 20 sx cement to cover the Cliff House formation top.

11-01-2021:

P&A Plug 5: Mix and pump P&A Plug 5 from 1634' to 1478' with 18 sx cement to cover the Chacra formation top.

P&A Plug 6: Mix and pump P&A Plug 6 from 1290' to 481' with 94 sx cement to cover the Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops.

P&A Plug 7: Mix and pump P&A Plug 7 from 445' to surface with 51 sx cement to cover the surface casing shoe to surface.

11-01-2021 (cont.)

TOOH. NDWBOP, cut off WH, install P&A marker. TOC in 8 5/8" x 5 1/2" at 29', inside 5 1/2" casing at surface. Mix top off plug of 30 sx cement. RIG RELEASED.

GPS Coordinates: Lat: 36.39149932656437, Lng: -108.09713487513363

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representatives: Leo Pacheco / Jimmy Dobson, BLM

/sl

DJR Operating, LLC
P&A Marker
Bisti Gallup 22 Com 2
API # 30-045-34209
NW/NE, Unit B, Sec 22, T25N, R12W
San Juan County, NM
Spud Date: 2-09-2008
Plug Date: 11-01-2021



AsPlugged Wellbore Diagram

DJR Operating, LLC

Bisti Gallup 22 Com 2

API # 30-045-34209

NW/NE, Unit B, Sec 22, T25N, R12W

San Juan County, NM

GL 6391'

KB 6403'

Spud Date 2/9/2008

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: J-55
 ID: 8.097"
 Depth 375'
 Csg cap ft³: 0.3576
 TOC: Circ surf

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	550'
Kirtland	650'
Fruitland	885'
Pictured Cliffs	1225'
Chacra	1562'
Cliff House	1976'
Mancos	3834'
Gallup	4723'

PROD CSG

Hole size 7.875"
 Csg Size: 5.5"
 Wt: 15.5#
 Grade: J-55
 ID: 4.95"
 Depth 5124'
 Csg cap ft³: 0.1336
 Csg/Csg Ann ft³: 0.1926
 Csg/OH cap ft³: 0.1732
 TOC: Circ cmt to surf on both stages

DV Tool 3474'

Perfs 4836-4938'

PBTD 5082'
 TD 5139'

11-01-2021: TOC in annulus at 29'. Set DHM. Top off annulus and cellar with 30 sx. RIG RELEASED.

11-01-2021: Plug 7: Surface casing shoe to surface: Mix and pump balanced plug of 51 sx from 445' to surface.

11-01-2021: Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and pump balanced plug of 94 sx cement from 1290' to 481'.

11-01-2021: Plug 5: Chacra: Mix and spot balanced plug of 18 sx from 1634' to 1478'.

10-29-2021: Plug 4: Cliffhouse: Mix and spot balanced plug of 20 sx cement from 2038' to 1860'

10-29-2021: Plug 3: Mancos: Mix and pump balanced plug of 18 sx cement from 3890' to 3735'

10-29-2021: Plug 2: Gallup top: Place 22 sx cement above CR from 4800' to 4611'.

CR at 4796'

10-29-2021: Plug 1: Gallup perfs: Mix and pump 25 sx cement through CR.

10-29-2021: Set Cr at 4800'. PT casing to 700 psi, good test.

All cement used was Class G cement mixed at 15.8 ppq. yield 1.15 ft³
 Regulatory Representative(s) Leo Pacheco, Jimmy Dobson, BLM
 GPS Coordinates: Lat: 36.39149932656437, Lng: -108.09713487513363

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63614

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 63614
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/28/2021