

Well Name: BUENA SUERTE 29	Well Location: T26N / R11W / SEC 29 / SWNE / 36.459686 / 108.024033	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: I149IND7971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528990	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 02/10/2021	Time Sundry Submitted: 08:57
Date Operation Actually Began: 11/30/2020	

Actual Procedure: The subject well was Plugged & Abandoned on 11/30/20 per the attached detailed Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

- Buena_Suerte_29__1_PA_marker_20210210085728.pdf
- EOWR_AsPlugged_WBD_Buena_Suerte_29_1_20210210085728.pdf

Well Name: BUENA SUERTE 29	Well Location: T26N / R11W / SEC 29 / SWNE / 36.459686 / 108.024033	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: I149IND7971	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528990	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: FORD	Signed on: FEB 10, 2021 08:57 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 04/01/2021
Signature: William Max Tambekou	

DJR Operating, LLC
End of Well Report
Buena Suerte 29 #001
30-045-28990
SWNE G-29-26N-11W

11-20-2020

Set CR at 1180'. Pressure test casing, did not test. Run CBL from 1180' to surface. TOC 245'. Plug 1: Mix and pump 10 sx class G +2% CaCl₂ cement through CR into Fruitland perms. Plug 2: 1180' to xxx' Mix and pump 72 sx class G + 2% CaCl₂ from 1180'. WOC. Tagged plug 2 at 442'. CBL TOC 245'. Mix and pump balanced plug of 21 sx class G cement from 442' to 170'.

11-23-2020

Tagged plug 3 at 240'. Perforate 3 holes at 170'. Plug 4, Mix and pump 8 sx class G from 240'. Squeeze 30 sx class G down csg, and out BH. Observed bubbles in 4 1/2" casing after cementing. SD, SI to monitor.

11-30-2020

SICP = 0, BH = 0: TOC in 4 1/2" casing = 53', TOC in annulus 21'. Cut off WH, install P&A marker, Top off via poly pipe with 16 sx class G cement.

All cement used class G and class G + m2% CaCl₂ mixed at 15.8 ppg, yield 1.15
Regulatory Representative on site, Darrel Priddy, BLM

DJR Operating, LLC

P&A End of Well Report

Buena Suerte 29 1

API # 30-045-28990
SW/NE, Unit G, Sec 29, T26N, R11W
San Juan County, NM

GL 6118'
KB N/A
Spud Date 8/20/1993

SURF CSG

Hole size 8.75"
Csg Size: 7"
Wt: 20#
Grade: J-55
ID: 6.456"
Depth 123'
casing cap ft³/ft: 0.2273
TOC: Circ cmt
to surface

FORMATION TOPS


Formation	Surface
Nacimiento	N/A
Ojo Alamo	N/A
Kirtland	N/A
Fruitland	1100'
Pictured Cliffs	1238'

PROD CSG

Hole size 6.25"
Csg Size: 4.5"
Wt: 10.5#
Grade: J-55
ID: 4.052"
Depth 1323'
casing cap ft³/ft: 0.0895
7x4.5 capacity ft³/ft 0.1169
TOC: Circ cmt
to surface

Cement Ret. 1180'
Fruitland Coal perfs
1218-32'

COTD 1302'
TD 1323'



11-30-2020: SICP = 0, BH = 0: TOC in 4 1/2" casing = 53', TOC in annulus 21'. Cut off WH, install P&A marker, Top off via poly pipe with 16 sx class G cement.

11-23-2020: Observed bubbles in 4 1/2" casing after cementing. SD, SI to monitor.

11-23-2020: Plug 4, Mix and pump 8 sx class G from 240'. Squeeze 30 sx class G down csg, and out BH.

11-23-2020: Perforate 3 holes at 170'

11-20-2020: Mix and pump balanced plug of 21 sx class G cement from 442' to 170'. 11-23-2020: Tagged plug 3 at 240'.

11-20-2020: CBL TOC 245'

11-20-2020: Plug 2: 1180' to xxx' Mix and pump 72 sx class G + 2% CaCl₂ from 1180'. WOC. Tagged plug 2 at 442'.

11-20-2020: Plug 1: Mix and pump 10 sx class G + 2% CaCl₂ cement through CR into Fruitland perfs.

11-20-2020: Run CBL from 1180' to surface . TOC 245'.

11-20-2020: Set CR at 1180'. Pressure test casing, did not test.

All cement used class G and class G + m2% CaCl₂ mixed at 15.8 ppg, yield 1.15

Regulatory Representative on site, Darrel Priddy, BLM

GPS coordinates: Lat: 36.45975161343813, Lng: -108.02462261170149

DJR Operating, LLC

Buena Suerte 29 1

API # 30-045-28990

SW/NE, Unit G, Sec. 29, T26N, R11W

San Juan County, NM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 66642

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 66642
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/28/2021