

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-28266
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 304805
7. Lease Name or Unit Agreement Name DIMAGGIO
8. Well Number #003
9. OGRID Number 16696
10. Pool name or Wildcat BRUSHY DRAW; DELAWARE (8080)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA INC. (16696)	
3. Address of Operator PO BOX 4294, HOUSTON, TX 77210-4294	
4. Well Location Unit Letter H : 660 feet from the NORTH line and 1980 feet from the EAST line Section 16 Township 26N Range 29E NMPM County EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 11/17/21. Job complete: 11/22/21. See the attached daily job summary details and plugged wellbore diagram for reference.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY ADVISOR DATE 12/29/2021

Type or print name LESLIE REEVES E-mail address: LESLIE\_REEVES@OXY.COM PHONE: 713-497-2492  
**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 12/30/2021  
 Conditions of Approval (if any):

DIMAGGIO #003  
30-015-29266 – PA JOB SUMMARY

11/17/21

MIRU.

11/18/21

UNSEAT PUMP AND POOH WITH PUMP AND RODS. ND WH. NU AND FUNCTION TEST BOP. UNSET TAC AND POOH WITH 2-3/8" TUBING.

11/19/21

RIH AND SET CIBP @ 4976'. TAGGED. PSI TEST TO 500PSI, HELD. PUMPED 25SX CL C CMT ON TOP OF CIBP. WOC.

11/22/21

RIH AND TAGGED TOC @ 4616'. PULLED UP, EOT @ 3853'. PUMPED 105SX CL C CMT. WOC. TAGGED TOC @ 2253'. PULLED UP, EOT @ 554'. PUMPED 40SX CL C CMT TO SURFACE. TOPPED OFF WITH 5SX CL C CMT. VERIFIED CEMENT TO SURFACE. RDMO.

12/29/2021

PLUGGED WELLBORE  
**DIMAGGIO #003**  
30-015-28266-0000  
Eddy

12-1/4" hole @ 580'  
8-5/8" 24# csg @ 580'  
w/ 450sx-TOC-Surf-Circ.

EOT @ 554'. PUMPED 45SX CL C CMT TO SURFACE.  
VERIFIED.


DV Tool @ 2924'

EOT @ 3853'. PUMPED 105SX CL C.  
TAGGED TOC @ 2253'.

7-7/8" hole @ 5170'  
4-1/2" 11.60# csg @ 5170'  
w/ 1625sx - TOC-Surf-Circ.

Prod Zone  
5050' - 5026'

SET CIBP @ 4976'. TAGGED AND PSI TESTED.  
PUMPED 25SX CL C. TAGGED TOC @ 4616'.



TD - 5170'  
PBTD - 5124'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 69299

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 69299
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/30/2021