

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW- 05/12/2021
⁴ API Number 30 – 015-47958	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 21H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1415	WEST	EDDY

¹¹ Bottom Hole Location FTP- 222' FSL 558' FWL LTP- 209' FNL 564' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	3	24S	29E		52	NORTH	563	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 05-17-21		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/21/21	²² Ready Date 05/12/2021	²³ TD 19375'M 8746'V	²⁴ PBDT 19343'M 8745'V	²⁵ Perforations 9038-19218'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		560'	564
9-7/8"		7-5/8"		8130'	1973
6-3/4"		5-1/2"		19355'	885
		2-1/16" x 2-3/8" tbg		8854'	na

V. Well Test Data

³¹ Date New Oil 05-17-21	³² Gas Delivery Date 05-17-21	³³ Test Date 05-26-21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 676
³⁷ Choke Size 128/128	³⁸ Oil 1208	³⁹ Water 3047	⁴⁰ Gas 1940		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 08/12/2021 Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by: **PATRICIA MARTINEZ**

Title: **PETROLEUM SPECIALIST**

Approval Date: **1/19/2022**

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/12/2021
⁴ API Number 30 - 015-47958	⁵ Pool Name PIERCE CROSSING BONE SPRING EAST	⁶ Pool Code 96473
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 21H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1415	WEST	EDDY

¹¹ Bottom Hole Location FTP- 222' FSL 558' FWL LTP- 209' FNL 564' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	3	24S	29E		52	NORTH	563	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 05-17-21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/21/21	²² Ready Date 05/12/2021	²³ TD 19375'M 8746'V	²⁴ PBDT 19343'M 8745'V	²⁵ Perforations 9038-19218'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	560'	564		
9-7/8"	7-5/8"	8130'	1973		
6-3/4"	5-1/2"	19355'	885		
	2-1/16" x 2-3/8" tbg	8854'	na		

V. Well Test Data

³¹ Date New Oil 05-17-21	³² Gas Delivery Date 05-17-21	³³ Test Date 05-26-21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 676
³⁷ Choke Size 128/128	³⁸ Oil 1208	³⁹ Water 3047	⁴⁰ Gas 1940		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 08/12/2021 Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by: **PATRICIA MARTINEZ**

Title: **PETROLEUM SPECIALIST**

Approval Date: **1/19/2022**

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SESW / 32.225475 / -103.976353	County or Parish/State: EDDY / NM
Well Number: 21H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547958	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 06/28/2021	Time Sundry Submitted: 07:49
Date Operation Actually Began: 04/19/2021	

Actual Procedure: RUPU 04/19/21, RIH & clean out to PBTD @ 19343', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 19218-9038' Total 1632 holes. Frac in 51 stages w/377915BBL Produced Water w/ 20416660# sand, RD Liberty Oilfield Services 04/30/21. Well ready to produce 05/12/21. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 07/31/2021. Formation Tops for this completion are as follows: RUSTLER 188'M 188'V SALADO 466'M 466'V CASTILE 1375'M 1375'V DELAWARE 2970'M 2970'V CHERRY CANYON 3830'M 3830'V BRUSHY CANYON 5062'M 5051'V BONE SPRING 6771'M 6720'V 1ST BONE SPRING 7770'M 7700'V 2ND BONE SPRING 8617'M 8499'V

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SESW / 32.225475 / -103.976353	County or Parish/State: EDDY / NM
Well Number: 21H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547958	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JANA MENDIOLA	Signed on: JUN 28, 2021 07:48 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 06/30/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name TAILS CC 10-3 FEDERAL COM		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								6. Well Number: 21H		
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING BONE SPRING EAST/CEDAR CANYON BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	10	24S	29E		220	SOUTH	1415	WEST	EDDY
BH:	L4	3	24S	29E		52	NORTH	563	WEST	EDDY
13. Date Spudded 02/21/2021	14. Date T.D. Reached 04/12/2021		15. Date Rig Released 04/16/2021		16. Date Completed (Ready to Produce) 05/12/2021			17. Elevations (DF and RKB, RT, GR, etc.) 2943' GL		
18. Total Measured Depth of Well 19375'M 8746'V			19. Plug Back Measured Depth 19343'M 8745'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA RAY		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9038-19218' 2 nd Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		560'		14.75"		564sx-surf circ		
7.625" HCL80		26.4		8130'		9.875"		1973sx-surf circ		
5.5" P110		20		19355'		6.75"		885sx-TOC@7130'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2-1/16" x 2-3/8"		8854'	
26. Perforation record (interval, size, and number) 9038-19218' Total 1632 holes, Hole Size=0.42					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					9038-19218'		377915BBL Produced Water w/ 20416660# sand			
28. PRODUCTION										
Date First Production 05/17/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 05/26/2021	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 2415	Gas - MCF 3879	Water - Bbl. 6093	Gas - Oil Ratio 1606			
Flow Tubing Press.	Casing Pressure 676	Calculated 24- Hour Rate	Oil - Bbl. 2415	Gas - MCF 3879	Water - Bbl. 6093	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>08/12/2021</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 188'	T. Canyon	T. Ojo Alamo	T. Penn A "
T. Salado 466'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1375'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2970'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3830'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5062'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6771'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7770'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 8617'	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Tails CC 10-3 Federal Com 21H
API No. 30-015-47958



14-3/4" hole @ 570'
10-3/4" csg @ 560'
w/ 564sx-TOC-Surf Circ.

9-7/8" hole @ 8145'
7-5/8" csg @ 8130'
w/ 1973sx-TOC-Surf Circ.

6-3/4" hole @ 19375'
5-1/2" csg @ 19355'
w/ 885sx-TOC-7130'

Perfs @ 9038-19218'

TD- 19375'M 8746'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 41847

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 41847
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 41847

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 41847
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/19/2022