Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: SAN JUAN 28-7 UNIT Well Location: T28N / R7W / SEC 19 / County or Parish/State: RIO

NENW / 36.650757 / -107.617188 ARRIBA / NM

Well Number: 32A Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF078497 Unit or CA Name: SAN JUAN 28-7 Unit or CA Number:

UNIT--MV, SAN JUAN 28-7 UNIT--PC NMNM78413A, NMNM78413B

US Well Number: 3003922240 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2652957

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 01/18/2022 Time Sundry Submitted: 08:34

Date proposed operation will begin: 04/01/2022

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Otero Chacra formation and downhole commingle with the existing Mesaverde/Pictured Cliffs formation. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 01/14/2022 with Bob Switzer/BLM.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

SJ_28_7_Unit_32A_NGMP_Form_20220118083136.pdf

SJ_28_7_32A_RC_NOI_Procedure_20220118083121.pdf

eived by OCD: 1/28/2022 11:19:50 AM Well Name: SAN JUAN 28-7 UNIT

Well Location: T28N / R7W / SEC 19 /

NENW / 36.650757 / -107.617188

County or Parish/State: RIO

ARRIBA / NM

Allottee or Tribe Name:

Well Number: 32A

Type of Well: CONVENTIONAL GAS

WELL

Unit or CA Name: SAN JUAN 28-7 **Unit or CA Number:**

Lease Number: NMSF078497

US Well Number: 3003922240

UNIT--MV, SAN JUAN 28-7 UNIT--PC

Well Status: Producing Gas Well Operator: HILCORP ENERGY

NMNM78413A, NMNM78413B

COMPANY

Conditions of Approval

Specialist Review

2652957_RCMPLTN_SJ_28_7_UNIT_32A_3003922240_KR_01272022_20220127151719.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: AMANDA WALKER Signed on: JAN 18, 2022 08:33 AM

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field Representative

Representative Name:

Street Address:

State: City: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Kenneth Rennick

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 01/27/2022

Page 2 of 2

San Juan 28-7 Unit #32A

019-028N-007W-C


API#: 3003922240


Chacra Recompletion Procedure

12/16/2021

Procedure:

- 1. MIRU service rig and associated equipment.
- 2. Test BOP's
- 3. TOOH w/ 2-3/8" tubing currently set with EOT at 5,760'.
- 4. Set a CIBP to isolate the Mesa Verde perforations @ +/- 4,920'.
- 5. Load the hole.
- 6. Pressure test casing to maximum fracture pressure. CBL (6/4/1980) shows TOC on 4.5" liner at 3,540'.
- 7. ND BOP's. RU casing crew. Tie 4.5" pipe into liner hanger at 3,528' and run string to surface. NU frac stack and test same to maximum fracture pressure.
- 8. RDMO service rig.
- 9. MIRU frac spread.
- 10. Perforate and frac the Chacra from 4,200' to 4,800'. RDMO frac spread.
- 11. MIRU service rig.
- 12. Test BOP's.
- 13.TOOH w/ 4.5" work string. PU 2-3/8" work string and mill and RIH to clean out to Mesa Verde isolation plug.
- 14. When water and sand rates are acceptable, flow test the Chacra/PC commingled rate.
- 15. Drill out Mesa Verde isolation plug and TOOH.
- 16. TIH and land production tubing. Obtain a trimingled flow rate.
- 17. ND BOP's, NU production tree.
- 18. RDMO service rig & turn well over to production.





District I

1025 N. Prench Dr., 7/5/885, 7/11:8824W

Phone: (575) 393-6161 Fax: (575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-22240	2. Pool Code 82329	3. Pool Name OTERO CHACRA (GAS)
4. Property Code 318432	5. Property Name San Juan 28 7 Unit	6. Well No. 032A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6741

10. Surface Location

UL - Lot	Sec	ction	Township		Range	Lot Idn	Feet From	N/S Line		Feet From	E/W Line	County
(С	19	2	8N	07W		1120	١	N	1685	W	RIO ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 152.66			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

Form C-102

August 1, 2011

Permit 306821

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: A Wushir

Title: Operations/Regulatory Tech Sr.

Date: 01/17/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

8/30/1979

Fred B Kerr Jr

Date of Survey:

Certificate Number:

3950

Received by OCD: 1/28/2022 11:19:50 AM

Page 6 of 14

Hilcorp Energy Recomplete Reclamation Plan

San Juan 28-7 Unit 32A

API: 30-039-22240 T28N-R7W-Sec.19-C

LAT: 36.650901 LONG: -107.617075 Footage: 1120' FNL & 1685' FWL Rio Arriba County, NM

1. PRE- RECLAMATION SITE INSPECTION

A pre-reclamation site inspection was completed with Bob Switzer from the BLM and Eufracio Trujillo, Hilcorp Energy SJ South Construction Foreman, on January 14, 2022.

2. LOCATION RECLAMATION PROCEDURE

- 1. Reclamation work will begin in spring period.
- 2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
- 3. Brush hog location and fence off area for disturbance.
- 4. Reclaim all disturbed area being used for recompletion activities.
- 5. Reestablish teardrop on location for both wellheads.
- 6. Reclaim areas used on pad as TUA's.

3. **SEEDING PROCEDURE**

- 1. A Pinion/Juniper seed mix with some Sage will be used for all reclaimed and disturbed areas of the well pad(s) and lease road.
- 2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
- 3. Timing of the seeding will be when the ground is not frozen or saturated.

4. WEED MANAGEMENT

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company OGRID: 372171 Date: 1/18/2022									
II. Type: ⊠ Original	☐ Amendmen	t due to □ 19.15.	27.9.D(6)(a) NMA	C 🗆 19	9.15.27.9.D(6)(b)	NMAC □ Other.			
If Other, please describ	oe:			·					
III. Well(s): Provide the recompleted from a					ll or set of wells	proposed to be dri	lled or proposed to		
Well Name API ULSTR Footages Anticipated Gas Anticipated Oil BBL/D MCF/D Produced Water BBL/D									
SJ 28-7 Unit 32A	3003922240	C, 19, 28N, 7W	1120' FNL & 1685	FWL	0	230	2		
	V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Commencement Date Back Date Date								
SJ 28-7 Unit 32A	3003922240	N/A	N/A	N/A		April 2022	April 2022		
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.									

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- power generation on lease;
- **(b)** power generation for grid;
- compression on lease; (c)
- (d) liquids removal on lease;
- reinjection for underground storage; (e)
- **(f)** reinjection for temporary storage;
- **(g)** reinjection for enhanced oil recovery;
- fuel cell production; and (h)
- other alternative beneficial uses approved by the division. (i)

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Alberture
Printed Name: Amanda Walker
Title: Operations/Regulatory Tech Sr.
E-mail Address: mwalker@hilcorp.com
Date: 1/18/2022
Phone: 346-237-2177
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FARMINGTON DISTRICT OFFICE

6251 COLLEGE BLVD. FARMINGTON, NEW MEXICO 87402

AFMSS 2 Sundry ID 2652957

Attachment to notice of Intent for Recompletion Operations:

Well: San Juan 28-7 Unit 32A

CONDITIONS OF APPROVAL

- File a subsequent report detailing work completed with exact dates (month, day, year) within 30 days of completing operations.
- 2. File an updated completion report within AFMSS 2 with the location of the new perforations. For each new producing zone, update where the production will be reported. For example, if lease basis only input the lease for the production zone. If the production will be part of an agreement, input the agreement along with the lease.

K. Rennick 01/27/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 76464

CONDITIONS

Operator:	OGRID:		
HILCORP ENERGY COMPANY	372171		
1111 Travis Street	Action Number:		
Houston, TX 77002	76464		
	Action Type:		
	[C-103] NOI Recompletion (C-103E)		

CONDITIONS

Created By		Condition Date
kpickford	DHC required.	2/2/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	2/2/2022