

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/24/2021
⁴ API Number 30 - 015-47961	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1740	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 274' FSL 2507' FEL LTP- 168' FNL 2601' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 2	3	24S	29E		22	NORTH	2610	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 05-25-2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/23/21	²² Ready Date 05/24/2021	²³ TD 19421'M 8784'V	²⁴ PBSD 19387'M 8784'V	²⁵ Perforations 9095-19275'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	558'		605	
9-7/8"	7-5/8"	8133'		1954	
6-3/4"	5-1/2" x 4-1/2"	19400'		1357	

V. Well Test Data

³¹ Date New Oil 05-27-2021	³² Gas Delivery Date 05-25-2021	³³ Test Date 06-07-2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 908
³⁷ Choke Size 69	³⁸ Oil 1232	³⁹ Water 2242	⁴⁰ Gas 2058		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 08/24/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: *PATRICIA MARTINEZ*Title: *PETROLEUM SPECIALIST*Approval Date: *2/3/2022*

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/24/2021
⁴ API Number 30 - 015-47961	⁵ Pool Name PIERCE CROSSING BONE SPRING EAST	⁶ Pool Code 96473
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1740	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 274' FSL 2507' FEL LTP- 168' FNL 2601' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 2	3	24S	29E		22	NORTH	2610	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 05-25-2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/23/21	²² Ready Date 05/24/2021	²³ TD 19421'M 8784'V	²⁴ PBSD 19387'M 8784'V	²⁵ Perforations 9095-19275'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	558'		605	
9-7/8"	7-5/8"	8133'		1954	
6-3/4"	5-1/2" x 4-1/2"	19400'		1357	

V. Well Test Data

³¹ Date New Oil 05-27-2021	³² Gas Delivery Date 05-25-2021	³³ Test Date 06-07-2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 908
³⁷ Choke Size 69	³⁸ Oil 1232	³⁹ Water 2242	⁴⁰ Gas 2058		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 08/24/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 2/3/2022

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SWSE / 32.225942 / -103.969385	County or Parish/State: EDDY / NM
Well Number: 24H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547961	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 07/09/2021	Time Sundry Submitted: 05:39
Date Operation Actually Began: 04/21/2021	

Actual Procedure: RUPU 04/21/21, RIH & clean out to PBTD @ 19387', pressure test casing to 9800# for 30 min, good test. RIH & perf @ 19275-9095' Total 1734 holes. Frac in 51 stages w/ 374122BBL Produced Water w/ 20412150# sand, RD Liberty Oilfield Services 05/17/21. Well ready to produce 05/24/21. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 07/31/2021. Formation Tops for this completion are as follows: RUSTLER 210'M 210'V SALADO 522'M 522'V CASTILE 1438'M 1438'V DELAWARE 3023'M 3023'V CHERRY CANYON 3857'M 3857'V BRUSHY CANYON 5074'M 5058'V BONE SPRING 6792'M 6719'V 1ST BONE SPRING 7841'M 7751'V 2ND BONE SPRING 8703'M 8567'V

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SWSE / 32.225942 / -103.969385	County or Parish/State: EDDY / NM
Well Number: 24H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547961	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JANA MENDIOLA	Signed on: JUL 09, 2021 05:39 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/20/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47961			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							3. State Oil & Gas Lease No.			
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING BONE SPRING EAST/CEDAR CANYON BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	10	24S	29E		400	SOUTH	1740	EAST	EDDY
BH:	L2	3	24S	29E		22	NORTH	2610	EAST	EDDY
13. Date Spudded 02/23/21	14. Date T.D. Reached 03/27/2021		15. Date Rig Released 03/29/2021		16. Date Completed (Ready to Produce) 05/24/2021			17. Elevations (DF and RKB, RT, GR, etc.) 2943' GL		
18. Total Measured Depth of Well 19421'M 8784'V			19. Plug Back Measured Depth 19387'M 8784'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9095-19275' 2 nd Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		558'		14.75"		605sx-surf circ		
7.625" HCL80		26.4		8133'		9.875"		1954sx-surf circ		
5.5" P110		20		0-8910'		6.75"		1357sx-TOC@7633'		
4.5" P110		13.5		8910-19400'		6.75"		1357sx-TOC@7633'		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 9095-19275' Total 1734 holes, Hole Size=0.33					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9095-19275' 374122BBL Produced Water w/ 20412150# sand					
28. PRODUCTION										
Date First Production 05/27/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod.				
Date of Test 06/07/2021	Hours Tested 24 hrs.	Choke Size 69	Prod'n For Test Period	Oil - Bbl 2464	Gas - MCF 4116	Water - Bbl. 4483	Gas - Oil Ratio 1670			
Flow Tubing Press.	Casing Pressure 908	Calculated 24- Hour Rate	Oil - Bbl. 2464	Gas - MCF 4116	Water - Bbl. 4483	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: Printed Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>08/24/2021</u>										
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 210'	T. Canyon	T. Ojo Alamo	T. Penn A "
T. Salado 522'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1438'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3023'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3857'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5074'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6792'	T.Todilto	
T. Abo	T. 1 st Bone Springs 7841'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 8703'	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Tails CC 10-3 Federal Com 24H
API No. 30-015-47961



Perfs @ 9095-19275'

TD- 19421'M 8784'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 44243

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 44243
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44243

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 44243
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	2/3/2022