U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report
Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA / NM
Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	2638162			
Type of Submission:	Notification	Type of Action:	Well Spud	
Date Sundry Submitted:	10/11/2021	Time Sundry Submitted:	1:39:51 PM	
Date Operation Will Beg	in: 09/14/2021	Time Operation Will Begin:	11:00:00 AM	
APD Approved Date:	09/07/2021			
US Well Number	3002549370			
Field Contact Name:	J GRIFFIN	Field Contact Number:	(432) 636-3600	
Rig Name:	PIONEER	Rig Number:	77	
Spud Type:	Conductor Hole, Rathole an	ductor Hole, Rathole and/or Mousehole		
Procedure Description:	9-15-2021 20" Conductor @	120'		
Disposition:	Accepted			
Accepted Date:	10/12/2021			

8

U.	Nea by NCD: 5/31/2022 1:51:01 PM S. Department of the Interior JREAU OF LAND MANAGEMENT		Sundry Print Report 01/31/2022
	Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA / NM
\	Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
1	Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
l	US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2638521

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/13/2021

Date Operation Actually Began: 10/09/2021

Type of Action: Drilling Operations Time Sundry Submitted: 07:38

Actual Procedure: 10-9-2021 13" hole 10-9-2021 Surface Hole @ 974' MD, 973' TVD Casing shoe @ 995' MD, 994' TVD Ran 10-3/4" 40.5# J-55 LTC Cement w/ 490 sx Class C (1.68 yld, 13.8 ppg), followed by 130 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min, TOC @ 0' - Visual BOP/DIVERTERS/ROTATING HEAD-TEST BOPS W/LONESTAR HYDROSTATIC AS PER BLM, TEST ALL RAMS, HCR, CHOKE MANIFOLD, TOP DRIVE VALVES, TIW, & INSIDE GREY TO 250 PSI LOW/10,000 PSI HIGH FOR 10 MINUTES EACH, TEST ANNULAR TO 250 PSI LOW/5,000 PSI HIGH FOR 10 MINUTES EACH, STANDPIPE BACK TO PUMPS TO 250 PSI LOW/5,000 PSI HIGH FOR 10 MINUTES EACH, TEST ROTATING HEAD/ORBIT VALVE TO 250 PSI LOW/500 PSI HIGH HAD TO TORQUE ENTIRE BOPE

Received by OCD: 1/31/2022 1:51:01 PM Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA7
Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily_follis@eogresources.com

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 11/17/2021

Zip:

Signed on: OCT 13, 2021 07:38 AM

k	U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 01/31/2022
	Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA / NM
	Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
	Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
	US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2643818

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/10/2021

Date Operation Actually Began: 11/08/2021

Type of Action: Drilling Operations Time Sundry Submitted: 08:55

Actual Procedure: 11-08-2021 9 5/8" HOLE 11-08-2021 BOP/DIVERTERS/ROTATING HEAD-INSTALL TEST PLUG AND TEST BOPS W/LONESTAR HYDROSTATIC AS PER BLM, TEST ALL RAMS, HCR, CHOKE MANIFOLD, TOP DRIVE VALVES, TIW, & INSIDE GREY TO 250 PSI LOW/10,000 PSI HIGH FOR 10 MINUTES EACH, TEST ANNULAR TO 250 PSI LOW/5,000 PSI HIGH FOR 10 MINUTES EACH, STANDPIPE BACK TO PUMPS TO 250 PSI LOW/6,500 PSI HIGH FOR 10 MINUTES EACH, TEST ROTATING HEAD/ORBIT VALVE TO 250 PSI LOW/500 PSI HIGH 11-08-2021 Intermediate Hole @ 12,885' MD, 12,801' TVD Casing shoe @ 12,870' MD, 12,792' TVD Ran 8-3/4", 38.5#, ECP-110 SFC Stage 1: Cement w/ 570 sx Class H (1.18 yld, 15.6 ppg) Test casing to 2,800 psi. Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1000 sx Class C (1.52 yld, 14.8 ppg) Stage 3: Top out w/ 110 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 0' by Visual Resume drilling

Received by OCD: 1/31/2022 1:51:01 PM Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA7
Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily_follis@eogresources.com

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 12/03/2021

Zip:

Signed on: NOV 10, 2021 08:55 AM

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 01/31/2022
Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA / NM
Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2645910

•

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/29/2021

Date Operation Actually Began: 11/19/2021

Type of Action: Drilling Operations Time Sundry Submitted: 08:22

Actual Procedure: 11-19-2021 7 7/8" hole 11-19-2021 Production Hole @ 23,578' MD, 13,184' TVD Casing shoe @ 23,567' MD, 13,183' TVD Ran 6", 24.5#, ICYP-110 TXP Cement w/ 1,730 sx Class H (1.20 yld, 14.5 ppg) Did not test casing. Did not circ cement to surface, TOC @ 11,789' by Calc RR 11-20-2021

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLISName: EOG RESOURCES INCORPORATEDTitle: Sr. Regulatory AdministratorStreet Address: 5509 Champions DriveCity: MidlandState: TXPhone: (432) 848-9163Email address: emily_follis@eogresources.com

State:

Field Representative

Representative Name: Street Address: City: Phone: Email address: Signed on: NOV 29, 2021 08:22 AM

Zip:

Received by OCD: 1/31/2022 1:51:01 PM Well Name: PEACHTREE 25 FED COM	Well Location: T26S / R33E / SEC 25 / NWNE / 32.0212192 / -103.5248852	County or Parish/State: LEA?
Well Number: 747H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122622	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549370	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

BLM Point of Contact

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 12/08/2021 District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	76955
	Action Type:
	[C-103] Sub. Drilling (C-103N)
CONDITIONS	

Created By	Condition	Condition Date
pkautz	None	2/3/2022

CONDITIONS

Action 76955

Page 8 of 8