

Well Name: PRESTON FED	Well Location: T20S / R24E / SEC 35 / NWSW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM045276	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152034900S1	Well Status: Producing Gas Well	Operator: EOG RESOURCES INCORPORATED

Accepted for record – NMOCD gc 2/3/2022

Subsequent Report

Sundry ID: 2654426

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/27/2022	Time Sundry Submitted: 11:49
Date Operation Actually Began: 01/10/2022	

Actual Procedure: Please see attached Subsequent P&A. Thank you.

SR Attachments

Actual Procedure

Preston_Federal_1_1_27_22_20220127114743.pdf

Well Name: PRESTON FED	Well Location: T20S / R24E / SEC 35 / NWSW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM045276	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152034900S1	Well Status: Producing Gas Well	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA	Signed on: JAN 27, 2022 11:47 AM
Name: EOG RESOURCES INCORPORATED	
Title: Regulatory Specialist	
Street Address: 104 SOUTH FOURTH STREET	
City: Artesia	State: NM
Phone: (575) 748-4168	
Email address: tina_huerta@eogresources.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 01/31/2022
Signature: James A. Amos	

Preston Federal 1 – Sub P&A
30-015-20349
L-35-20S-24E

1/10/22 - MIRU and NU BOP. Set a CIBP at 7405', tagged. Tested to 500 psi for 15 min, held good. Kent Caffall with BLM was ok with where CIBP was set and ok to pump cement. Spotted 35 sx Class C cement on top of CIBP to 7219'.

1/11/22 – Tagged TOC 7210'. Kent Caffall with BLM was on location and witnessed tag and test. Perforated at 6450'. Pressured up to 500 psi and held good. Spotted a 40 sx Class C cement plug from 6500'-6318', tagged. Perforated at 5270'. Pressured up to 500 psi, good. Kent Caffall on location for all work and said drop 50' below perf to 5320'.

1/12/22 – Spotted a 55 sx Class C cement plug from 5320'-5051, tagged. Perforated at 3253'. Pressured up to 550 psi, good. Kent Caffall witnessed. Spotted a 45 sx Class C cement plug from 3303'-3120' calc TOC.

1/13/22 – Tagged TOC 3072'. Perforated at 2150'. Pressured up to 600 psi, good. Spotted a 45 sx Class C cement plug from 2200'-1995', tagged. Perforated at 1750'. Pressured up to 600 psi, good. Spotted a 40 sx Class C cement plug from 1800'-1630' calc TOC. Kent Caffall witnessed all work and was good with it.

1/14/22 – Tagged TOC 1552'. Perforated at 350'. Established injection rate. Spotted 105 sx Class C cement from 350' and circulated up to surface. Kent Caffall witnessed all work and was good with it.

1/19/22- Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors. Kent Caffall verified cement to surface by picture. **WELL IS PLUGGED AND ABANDONED.**

PRESTON FEDERAL 1

Plug 7

Plug 6

Plug 5

Plug 4

Plug 3

Plug 2
TOC 6500'

Plug 1

CMT'd Perfs 7442-7552

Cisco perfs 7552-7700

A

B

7,750 MD
7,800 MD

Sec-TWN-RNG: L-35-20S-24E API: 30-015-20349
FOOTAGES: 1900 FSL 850 FWL GL: 3683
32.5279236, -104.5644608 N/ KB: 3699.1

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	9 5/8	12 1/4	32		0	1,702	650	0	1"d to surface
B	7	8 3/4	23 & 26		0	7,800	400	6500	Calc

FORMATION TOPS

	Formation	Top		Formation	Top
	San Andres	255			
	Glorieta	2100			
	WC	5214			
	Canyon	7340			

#	SX	Class	Top	Bottom	Tag	Notes
1	35	C	7210	7405	Y	CIBP
2	40	C	6318	6500	Y	Perforate
3	55	C	5051	5320	Y	Perforate
4	45	C	3072	3303	Y	Perforate
5	45	C	1995	2200	Y	Perforate
6	40	C	1552	1800	Y	Perforate
7	105	C	0	350	N	Perforate, cement to surface by picture

Prepared by: JE

2/2/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 78072

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 78072
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/3/2022