

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Form C-104  
Revised August 1, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

<sup>1</sup> Operator name and Address SPUR ENERGY PARTNERS LLC 9655 KATY FREEWAY, SUITE 500 HOUSTON, TX 77024		<sup>2</sup> OGRID Number 328947
		<sup>3</sup> Reason for Filing Code/ Effective Date NW 08/26/2021
<sup>4</sup> API Number 30 - 0 15-47697	<sup>5</sup> Pool Name FREN; GLORIETA-YESO	<sup>6</sup> Pool Code 26770
<sup>7</sup> Property Code 331000 329801	<sup>8</sup> Property Name BIG N TASTY STATE COM	<sup>9</sup> Well Number 11H

**II. <sup>10</sup> Surface Location**

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	02	17S	31E		2260	SOUTH	60	WEST	EDDY

**<sup>11</sup> Bottom Hole Location**

FTP: 1945' FSL 126' FWL LTP: 1957' FSL 170' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	02	17S	31E		1957	SOUTH	63	EAST	EDDY

<sup>12</sup> Lse Code S	<sup>13</sup> Producing Method Code P	<sup>14</sup> Gas Connection Date 5/28/2021	<sup>15</sup> C-129 Permit Number	<sup>16</sup> C-129 Effective Date	<sup>17</sup> C-129 Expiration Date
-----------------------------	--	--	-----------------------------------	------------------------------------	-------------------------------------

**III. Oil and Gas Transporters**

<sup>18</sup> Transporter OGRID	<sup>19</sup> Transporter Name and Address	<sup>20</sup> O/G/W
221115	FRONTIER FIELD SERVICES, LLC 4200 EAST SKELLY DRIVE, SUITE 700, TULSA, OK 74135	G
33479	HOLLYFRONTIER REFINING & MARKETING 2828 N. HARWOOD, SUITE 1300, DALLAS, TX 75201	O

**IV. Well Completion Data**

<sup>21</sup> Spud Date 02/01/2021	<sup>22</sup> Ready Date 05/26/2021	<sup>23</sup> TD 5424'V/10738'M	<sup>24</sup> PBTD 5424'V/10738'M	<sup>25</sup> Perforations 5637'-10631'	<sup>26</sup> DHC, MC
<sup>27</sup> Hole Size	<sup>28</sup> Casing & Tubing Size	<sup>29</sup> Depth Set	<sup>30</sup> Sacks Cement		
17-1/2"	13-3/8" 54.5# J-55 BUT	710'	560 SXS (CIRC TO SURFACE)		
12-1/4"	9-5/8" 36# J-55 BUT	2365'	665 SXS (CIRC TO SURFACE)		
8-3/4"	7" 32# L-80 BK-HT 5-1/2" 20# L-80 BK-HT	5637' 10738'	1390 SXS (CIRC TO SURFACE)		
	3-1/2"				

**V. Well Test Data**

<sup>31</sup> Date New Oil	<sup>32</sup> Gas Delivery Date	<sup>33</sup> Test Date	<sup>34</sup> Test Length	<sup>35</sup> Tbg. Pressure	<sup>36</sup> Csg. Pressure
<sup>37</sup> Choke Size	<sup>38</sup> Oil	<sup>39</sup> Water	<sup>40</sup> Gas		<sup>41</sup> Test Method

<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Sarah Chapman*  
Printed name: SARAH CHAPMAN  
Title: REGULATORY DIRECTOR  
E-mail Address: SCHAPMAN@SPUREPLLC.COM  
Date: 05/26/2021 Phone: 832-930-8613

OIL CONSERVATION DIVISION  
Approved by: *PATRICIA MARTINEZ*  
Title: *PETROLEUM SPECIALIST*  
Approval Date: *2/7/2022*

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> Revised April 3, 2017
		1. WELL API NO. <b>30-015-47697</b>
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN
		3. State Oil & Gas Lease No.

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

4. Reason for filing: <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)	5. Lease Name or Unit Agreement Name <b>BIG N TASTY STATE COM</b>
6. Well Number: <b>11H</b>	

7. Type of Completion:  
 NEW WELL     WORKOVER     DEEPENING     PLUGBACK     DIFFERENT RESERVOIR     OTHER

8. Name of Operator <b>SPUR ENERGY PARTNERS LLC</b>	9. OGRID <b>328947</b>
--	---------------------------

10. Address of Operator <b>9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024</b>	11. Pool name or Wildcat <b>FREN; GLORIETA-YESO</b>
---	--

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
<b>Surface:</b>	L	02	17S	31E		2260	SOUTH	60	WEST	EDDY
<b>BH:</b>	I	02	17S	31E		1957	SOUTH	63	EAST	EDDY

13. Date Spudded <b>02/01/2021</b>	14. Date T.D. Reached <b>04/22/2021</b>	15. Date Rig Released <b>04/23/2021</b>	16. Date Completed (Ready to Produce) <b>05/26/2021</b>	17. Elevations (DF and RKB, RT, GR, etc.) <b>3976' GR</b>
18. Total Measured Depth of Well <b>5424'V/10738'M</b>	19. Plug Back Measured Depth <b>5424'V/10738'M</b>	20. Was Directional Survey Made? <b>YES</b>	21. Type Electric and Other Logs Run <b>MUDLOG</b>	

22. Producing Interval(s), of this completion - Top, Bottom, Name  
**5637'-10631' YESO**

**23. CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5# J-55 BTC	710'	17-1/2"	560 SXS (CIRC TO SURF)	0
9-5/8"	36# J-55 BTC	2365'	12-1/4"	665 SXS (CIRC TO SURF)	0
7"	32# L-80 BK-HT	5637'	8-3/4"	1390 SXS (CIRC TO SURF)	0
5-1/2"	20# L-80 BK-HT	10738'	8-3/4"	1390 SXS (CIRC TO SURF)	0

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					3-1/2"	5574'	

26. Perforation record (interval, size, and number) <b>25 STAGES @ 900 SHOTS/FOOT @ 0.42 HOLE SIZE.</b>	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
	DEPTH INTERVAL    AMOUNT AND KIND MATERIAL USED
	<b>5637'-10631'    12870270 GAL SLICKWATER &amp; 4992999# SAND</b>

**28. PRODUCTION**

Date First Production <b>05/26/2021</b>	Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> ) <b>PUMPING ON ESP</b>	Well Status ( <i>Prod. or Shut-in</i> ) <b>PRODUCING</b>
--	---	---

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
<b>06/07/2021</b>	<b>24-HOURS</b>	<b>N/A</b>		<b>565</b>	<b>473</b>	<b>1685</b>	

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)
<b>302</b>	<b>137</b>		<b>565</b>	<b>473</b>	<b>1685</b>	

29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> ) <b>SOLD</b>	30. Test Witnessed By <b>JERRY MATHEWS</b>
--	---

31. List Attachments

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.	33. Rig Release Date:
--	-----------------------

34. If an on-site burial was used at the well, report the exact location of the on-site burial:  
 Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD83

*I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief*

Printed Name **SARAH CHAPMAN** Title **REGULATORY DIRECTOR** Date **08/17/2021**

Signature *Sarah Chapman*  
 E-mail Address **SCHAPMAN@SPUREPLLC.COM**

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3616'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5113'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	T. YESO 5208'
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
 No. 2, from.....to.....

No. 3, from.....to.....  
 No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
3616'	5112'		DOLOMITE					
5113'	5208'		DOLOMITE					

# Big N Tasty #11H

Eddy County, NM  
API# 30-015-47697

SPUD DATE: 2/1/2021  
ELEV: 3967' GL, 20.5' KB

CURRENT WBD

**13-3/8" 54.5# J-55 BTC Csg @ 710'**  
CMT W/ 305 SX LEAD & 255 SX TAIL  
CLASS C PREMIUM PLUS  
TOC @ SURF

**TUBING DETAIL**  
3-1/2" 9.3# J-55 EUE 8RD POLY-LINED TUBING  
ESP ASSEMBLY  
TOP OF PUMP @ 5,438'  
PIP SENSOR @ 5,565'  
EOT @ 5,574'

**9-5/8" 36# J-55 BTC Csg @ 2,365'**  
CMT W/ 550 SX LEAD & 115 SX TAIL  
CLASS C PREMIUM PLUS  
CIRC 98 BBLs, TOC @ SURF

**7" 32# L-80 BK-HT Csg @ 5,637'**  
**5-1/2" 20# L-80 BK-HT Csg @ 10,738'**  
CMT W/ 435 SX LEAD & 955 SX TAIL  
50/50 CLASS C PREMIUM PLUS / POZ  
CIRC TO SURF, TOC @ SURF


**LOWER PADDOCK COMPLETION**  
PERF & FRAC IN 25 STAGES F/ 5,734'-10,631',  
3-1/8" GUNS, 0.42 EHD, 60 DEG, 6 CLUSTERS/STG,  
6 SHOTS/CLUSTER, 900 TOTAL HOLES,  
18,400 GALS ACID, 4,992,999# PROPPANT (100  
MESH + 40/70), 354,394 BBLs SLICKWATER

CROSS OVER FROM 7" TO  
5-1/2" CSG @ 5,640'

KOP @ 4,480'

TOP PERF @ 5,734'

BOTTOM PERF @ 10,631'



} TD (MD) @ 10,738'  
TD (TVD) @ 5,424'

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 44529

**ACKNOWLEDGMENTS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 44529
	Action Type: [C-104] Completion Packet (C-104C)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 44529

**CONDITIONS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 44529
	Action Type: [C-104] Completion Packet (C-104C)

**CONDITIONS**

Created By	Condition	Condition Date
plmartinez	None	2/7/2022