

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Sundry Print Report

11/18/2021

|                                       |                                                     |                                                     |
|---------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| <b>Well Name:</b> MALLON 33 FED       | <b>Well Location:</b> T19S / R34E / SEC 33 / NESE / | <b>County or Parish/State:</b> LEA / NM             |
| <b>Well Number:</b> 01                | <b>Type of Well:</b> OIL WELL                       | <b>Allottee or Tribe Name:</b>                      |
| <b>Lease Number:</b> NMNM60789        | <b>Unit or CA Name:</b>                             | <b>Unit or CA Number:</b>                           |
| <b>US Well Number:</b> 300253373800S1 | <b>Well Status:</b> Producing Oil Well              | <b>Operator:</b> CIMAREX ENERGY COMPANY OF COLORADO |

## Subsequent Report

Sundry ID: 2644130

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/12/2021

Time Sundry Submitted: 02:37

Date Operation Actually Began: 10/28/1921

**Actual Procedure:** 11/01/21: SET 5-1/2" CIBP @ 5,700'; CIRC. WELL W/ M.L.F.; PRES. TEST 5-1/2" CSG. X CIBP TO 700# - HELD GOOD; PUMP 25 SXS. CMT. @ 5,669'-5,516'; PUMP 25 SXS. CMT. @ 3,620' (PER BLM); WOC. 11/02/21: TAG TOC @ 3,435'; PERF. X SQZ. 50 SXS. CMT. @ 1,863' (PER BLM); WOC. 11/03/21: TAG TOC @ 1,627' (OK'D BY BLM); PERF. X SQZ. 90 SXS. CMT. @ 1,627' (PER BLM); WOC X TAG TOC @ 1,368'; PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 40 SXS. CMT. @ 100'-3'. 11/09/21: DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/09/21

Accepted for Record Only

SUBJECT TO LIKE  
APPROVAL BY BLM

K7

3/10/22



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Sundry Print Report

11/18/2021

|                                       |                                                     |                                                     |
|---------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| <b>Well Name:</b> MALLON 33 FED       | <b>Well Location:</b> T19S / R34E / SEC 33 / NESE / | <b>County or Parish/State:</b> LEA / NM             |
| <b>Well Number:</b> 01                | <b>Type of Well:</b> OIL WELL                       | <b>Allottee or Tribe Name:</b>                      |
| <b>Lease Number:</b> NMNM60789        | <b>Unit or CA Name:</b>                             | <b>Unit or CA Number:</b>                           |
| <b>US Well Number:</b> 300253373800S1 | <b>Well Status:</b> Producing Oil Well              | <b>Operator:</b> CIMAREX ENERGY COMPANY OF COLORADO |

## Subsequent Report

**Sundry ID:** 2644130**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 11/12/2021**Time Sundry Submitted:** 02:37**Date Operation Actually Began:** 10/28/1921

**Actual Procedure:** 11/01/21: SET 5-1/2" CIBP @ 5,700'; CIRC. WELL W/ M.L.F.; PRES. TEST 5-1/2" CSG. X CIBP TO 700# - HELD GOOD; PUMP 25 SXS. CMT. @ 5,669'-5,516'; PUMP 25 SXS. CMT. @ 3,620' (PER BLM); WOC. 11/02/21: TAG TOC @ 3,435'; PERF. X SQZ. 50 SXS. CMT. @ 1,863' (PER BLM); WOC. 11/03/21: TAG TOC @ 1,627' (OK'D BY BLM); PERF. X SQZ. 90 SXS. CMT. @ 1,627' (PER BLM); WOC X TAG TOC @ 1,368'; PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 40 SXS. CMT. @ 100'-3'. 11/09/21: DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/09/21

**CIMAREX**

Cimarex Energy Co.

Mallon 33 Federal #1

1880' FSL &amp; 560' FEL

Sec. 33, T-19-S, R-34-E, Lea Co., NM

API # 30-025-33738

S. Gengler

2/17/20

T/ANHY. ~ 1,616'  
 T/SALT ~ 1,808'  
 T/YATES ~ 3,570'  
 T/DLWR. ~ 5,566'  
 T/BNSG. ~ 8,250'

PXA 11/09/21

M.H.F.

11103121

PERF. X CIRC. 40 SXS. @ 100' - 3'

PERF. X SQZ. 90 SXS. @ 1,627' - 1,368'

9-5/8" 36# K-55 csg @ 1501'

cmtd w/ 1050 sx, cmt circ.

PERF. X SQZ. 50 SXS. @ 1,863' - 1,627'

TOC @ 1890' by CBL

M.H.F.

11102121

Pump 25 SXS. @ 3,620' - 3,435'

M.H.F.

11101121

Pump 25 SXS. @ 5,700' - 5,516'

SET 5 1/2" CIBP @ 5,700'

Delaware perms (5719' - 5810')

PBDT @ 7222'

CIBP @ 7257'

Delaware perms (7307' - 7326')

50 sx Class H cmt plug (8310' - 7863') - (tagged)

DV Tool @ 7995'

cmtd w/ 2550 sx

PBDT @ 9583' (tagged)

CIBP @ 9618'

Bone Springs perms (9668' - 9674')

CIBP @ 10100'

Bone Springs perms (10155' - 10166')

PBDT @ 10258'

5-1/2" 17# &amp; 20# N-80 &amp; L-80 csg @ 10300'

cmtd w/ 740 sx, cmt circ

TD @ 10300'

DAE 02/18/20  
 DAE REVISED 11/12/21



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Sundry Print Report

11/18/2021

|                                       |                                                     |                                                     |
|---------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| <b>Well Name:</b> MALLON 33 FED       | <b>Well Location:</b> T19S / R34E / SEC 33 / NESE / | <b>County or Parish/State:</b> LEA / NM             |
| <b>Well Number:</b> 01                | <b>Type of Well:</b> OIL WELL                       | <b>Allottee or Tribe Name:</b>                      |
| <b>Lease Number:</b> NMNM60789        | <b>Unit or CA Name:</b>                             | <b>Unit or CA Number:</b>                           |
| <b>US Well Number:</b> 300253373800S1 | <b>Well Status:</b> Producing Oil Well              | <b>Operator:</b> CIMAREX ENERGY COMPANY OF COLORADO |

## Subsequent Report

**Sundry ID:** 2644130**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 11/12/2021**Time Sundry Submitted:** 02:37**Date Operation Actually Began:** 10/28/1921

**Actual Procedure:** 11/01/21: SET 5-1/2" CIBP @ 5,700'; CIRC. WELL W/ M.L.F.; PRES. TEST 5-1/2" CSG. X CIBP TO 700# - HELD GOOD; PUMP 25 SXS. CMT. @ 5,669'-5,516'; PUMP 25 SXS. CMT. @ 3,620' (PER BLM); WOC. 11/02/21: TAG TOC @ 3,435'; PERF. X SQZ. 50 SXS. CMT. @ 1,863' (PER BLM); WOC. 11/03/21: TAG TOC @ 1,627' (OK'D BY BLM); PERF. X SQZ. 90 SXS. CMT. @ 1,627' (PER BLM); WOC X TAG TOC @ 1,368'; PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 40 SXS. CMT. @ 100'-3'. 11/09/21: DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/09/21





U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Sundry Print Report

11/18/2021

|                                       |                                                     |                                                     |
|---------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| <b>Well Name:</b> MALLON 33 FED       | <b>Well Location:</b> T19S / R34E / SEC 33 / NESE / | <b>County or Parish/State:</b> LEA / NM             |
| <b>Well Number:</b> 01                | <b>Type of Well:</b> OIL WELL                       | <b>Allottee or Tribe Name:</b>                      |
| <b>Lease Number:</b> NMNM60789        | <b>Unit or CA Name:</b>                             | <b>Unit or CA Number:</b>                           |
| <b>US Well Number:</b> 300253373800S1 | <b>Well Status:</b> Producing Oil Well              | <b>Operator:</b> CIMAREX ENERGY COMPANY OF COLORADO |

## Subsequent Report

**Sundry ID:** 2644130**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 11/12/2021**Time Sundry Submitted:** 02:37**Date Operation Actually Began:** 10/28/1921

**Actual Procedure:** 11/01/21: SET 5-1/2" CIBP @ 5,700'; CIRC. WELL W/ M.L.F.; PRES. TEST 5-1/2" CSG. X CIBP TO 700# - HELD GOOD; PUMP 25 SXS. CMT. @ 5,669'-5,516'; PUMP 25 SXS. CMT. @ 3,620' (PER BLM); WOC. 11/02/21: TAG TOC @ 3,435'; PERF. X SQZ. 50 SXS. CMT. @ 1,863' (PER BLM); WOC. 11/03/21: TAG TOC @ 1,627' (OK'D BY BLM); PERF. X SQZ. 90 SXS. CMT. @ 1,627' (PER BLM); WOC X TAG TOC @ 1,368'; PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 40 SXS. CMT. @ 100'-3'. 11/09/21: DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER. WELL PLUGGED AND ABANDONED 11/09/21

**CIMAREX**

Cimarex Energy Co.

Mallon 33 Federal #1

1880' FSL &amp; 560' FEL

Sec. 33, T-19-S, R-34-E, Lea Co., NM

API # 30-025-33738

S. Gengler

2/17/20

T/ANHY. ~ 1,616'  
 T/SALT ~ 1,808'  
 T/YATES ~ 3,570'  
 T/DLWR. ~ 5,566'  
 T/BNSG. ~ 8,250'

PXA 11/09/21

M.H.F.

11103121

PERF. X CIRC. 40 SXS. @ 100' - 3'

PERF. X SQZ. 90 SXS. @ 1,627' - 1,368'

9-5/8" 36# K-55 csg @ 1501'

cmtd w/ 1050 sx, cmt circ.

PERF. X SQZ. 50 SXS. @ 1,863' - 1,627'

TOC @ 1890' by CBL

M.H.F.

11102121

Pump 25 SXS. @ 3,620' - 3,435'

M.H.F.

11101121

Pump 25 SXS. @ 5,700' - 5,516'

SET 5 1/2" CIBP @ 5,700'

Delaware perms (5719' - 5810')

PBTD @ 7222'

CIBP @ 7257'

Delaware perms (7307' - 7326')

50 sx Class H cmt plug (8310' - 7863') - (tagged)

DV Tool @ 7995'

cmtd w/ 2550 sx

PBTD @ 9583' (tagged)

CIBP @ 9618'

Bone Springs perms (9668' - 9674')

CIBP @ 10100'

Bone Springs perms (10155' - 10166')

PBTD @ 10258'

5-1/2" 17# &amp; 20# N-80 &amp; L-80 csg @ 10300'

cmtd w/ 740 sx, cmt circ

TD @ 10300'

DAE 02/18/20  
 DAE REVISED 11/12/21

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 62450

## CONDITIONS

|                                                                                              |                                                |
|----------------------------------------------------------------------------------------------|------------------------------------------------|
| Operator:<br>CIMAREX ENERGY CO. OF COLORADO<br>600 N. Marienfeld Street<br>Midland, TX 79701 | OGRID:<br>162683                               |
|                                                                                              | Action Number:<br>62450                        |
|                                                                                              | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

## CONDITIONS

| Created By | Condition                                                                 | Condition Date |
|------------|---------------------------------------------------------------------------|----------------|
| kfortner   | Need C103Z with BLM approved Final reclamation with Marker pic to release | 3/10/2022      |