Office <u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	State of New Me. Energy, Minerals and Natur OIL CONSERVATION 1220 South St. Fran	ral Resources DIVISION	Forr Revised Jul WELL API NO. 30-045-22978 5. Indicate Type of Lease STATE FEE	Page 1 of 12 y 18, 2013
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87	7505	6. State Oil & Gas Lease No. E-5385-NM	
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS ISALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO Gas Well Other		 7. Lease Name or Unit Agreement Atlantic D Com 8. Well Number 1A 9. OGRID Number 	t Name
HILCORP ENERGY COMPA 3. Address of Operator 382 Road 3100, Aztec, NM 874			372171 10. Pool name or Wildcat Blanco MV/Basim FC / Blanco PO	C
4. Well Location Unit Letter F : Section 36	1825 feet from the Norte Township 31N Range 10W 11. Elevation (Show whether DR,	V NI	MPM San Juan County	line
	6528			
12. Check	Appropriate Box to Indicate Na	ature of Notice, l	Report or Other Data	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM	NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL Recomplete	SUBS REMEDIAL WORK COMMENCE DRIL CASING/CEMENT OTHER:	_LING OPNS.□ P AND A	SING
13. Describe proposed or comp	oleted operations. (Clearly state all pork). SEE RULE 19.15.7.14 NMAC	pertinent details, and		
Hilcorp Energy Company requests p	o cancel the Recomplete NOI filed be permission to recomplete the subjecting Mesaverde. Please see the attachosed loop system will be used.	well in the Basin Fr	ruitland Coal /Blanco Pictured Cliff	
Spud Date:	Rig Release Da	te:		
I hereby certify that the information	above is true and complete to the be	st of my knowledge	and belief.	
signature <u>AWakky</u>	TITLE Operations/Regulat			
Type or print name Amanda For State Use Only	Walker E-mail address: r			
APPROVED BY:	TITLE		DATE	




HILCORP ENERGY COMPANY ATLANTIC D COM 1A FRUITLAND COAL/PICTURED CLIFFS RECOMPLETE SUNDRY API 3004522978

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with 2 3/8" tubing set at 5,875'.
- 3. Set a 4-1/2" bridge plug at +/- 4,135' to isolate the Lewis and Mesaverde (top perf: 4,175').
- Run a CBL from liner top (3,618') to surface. Verify cement bond across the Pictured Cliffs and Fruitland Coal formations; confirm cement top and bottom
 behind the 7" production casing. Review CBL results with engineering/NMOCD and perform cement remediation, if required. IF TOC IS > PROPOSED
 PERF INTERVAL, CEMENT REMEDIATION IS NOT NECESSARY.
- If necessary, pressure test any remedial cement squeeze work to 560 psi for 30 minutes as official MIT on bridge plug isolating Lewis/MV. Notify NMOCD 24 hours prior to any MIT work.
- 6. Set a bridge plug at base of frac, directly below perf interval at +/- 3,657'. Pressure test.
- 7. Perforate the Pictured Cliffs. (Perf interval: 3,392'-3,607').
- 8. RIH w/ frac string & packer. Set packer at +/- 3,292'.
- 9. ND BOPs, NU frac stack.
- 10. Frac the Pictured Cliffs down the frac string.
- 11. Flowback the Pictured Cliffs until pressures diminish. Get a Pictured Cliffs only flow rate.
- 12. MIRU, NU BOPEs, and test BOPEs. POOH w/ frac string. Set a bridge plug above Pictured Cliffs for base of FRC frac.
- 13. RU WL and perforate the Fruitland Coal (Perf interval: 2,800'-3,392').
- 14. RIH w/ packer and acidize Fruitland Coal perfs.
- 15. RIH w/ frac string & packer. Set packer at +/- 2,700'.
- 16. ND BOPs, NU frac stack.
- 17. Frac the Fruitland Coal down the frac string.
- 18. Flowback the Fruitland Coal until pressures diminish. Get a Fruitland Coal only flow rate.
- 19. MIRU workover rig. ND frac stack, NU BOP, and test.
- 20. Release packer and POOH w/ frac string.
- 21. TIH w/ mill and cleanout to first plug at base of frac (depth TBD).
- 22. Drillout frac plug at and cleanout to next frac plug at 3,657' and circulate wellbore clean.
- 23. Drillout second frac plug at 3,657' and cleanout to isolation plug at 4,135'. Circulate wellbore clean. TOOH w/ cleanout assembly. TIH with 2-3/8" production tubing (if C107A to quadmingle is not approved yet). Acquire a PC/FRC commingled gas rate and analysis.
- 24. When C107A is approved, drillout isolation plug and cleanout to PBTD of 5,995'. TOOH w/ cleanout assembly.
- 25. TIH and land 2-3/8" production tubing. ND BOPs and NU tree.
- 26. RDMO. Get a PC/FRC/Lewis/MV flow rate.




HILCORP ENERGY COMPANY ATLANTIC D COM 1A FRUITLAND COAL/PICTURED CLIFFS RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY ATLANTIC D COM 1A FRUITLAND COAL/PICTURED CLIFFS RECOMPLETE SUNDRY



District I

R625iNeth-by:1016.Dt=04X5/2002289401:07 AM

Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Phone:(505) 334-6178 Fax:(505) 334-6170

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102
August & State 12
Permit 313204

WELL LOCATION AND ACREAGE DEDICATION PLAT

		- 10 - 2 - 2 10 1 11 10 11 1 - 2 11
1. API Number	2. Pool Code	3. Pool Name
30-045-22978	71629	BASIN FRUITLAND COAL (GAS)
4. Property Code	5. Property Name	6. Well No.
318866	ATLANTIC D COM	001A
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6528


10. Surface Location

Ī	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	F	36	31N	10W		1825	N	1475	W	SAN
										JUAN

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: A Wutsler

Title: Operations Regulatory Tech Sr.

Date: 04/04/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

Fred Kerr

Date of Survey:

8/10/1978

Certificate Number:

3950

District I

Received by 000 Dto 465/200289401:07 AM

Phone:(575) 393-6161 Fax:(575) 393-0720

District II

District IV

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102
August & 60/12
Permit 313204

WELL LOCATION AND ACREAGE DEDICATION PLAT

		— (9
1. API Number	2. Pool Code	3. Pool Name
30-045-22978	72359	BLANCO PICTURED CLIFFS (GAS)
4. Property Code	5. Property Name	6. Well No.
318866	ATLANTIC D COM	001A
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6528

10. Surface Location

Ī	UL - Lot	Section	on	Township		Range		Lot Idn	Feet From		N/S Line		Feet From		E/W Line		County	
		F	36		31N	10	W			1825		Ν	•	1475		W		SAN
																	JUAN	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A	Acres 0.00		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: A Watter

Title: Operations Regulatory Tech Sr.

Date: 04/04/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

Fred Kerr 8/10/1978

Date of Survey: Certificate Number:

3950

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	nergy Company	7	OGRID: 3	72171	Date: <u>4/4/2022</u>	
II. Type: ⊠ Original	☐ Amendment o	due to □ 19.15.	27.9.D(6)(a) NMA	C □ 19.15.27.9.D	(6)(b) NMAC □ (Other.
If Other, please describe	2:					
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
ATLANTIC D COM 1A	30-045-22978	F-36-31N-10W	1825 FNL 1475 FWL	0	150	1
V. Anticipated Schedu proposed to be recomple Well Name			connected to a centr		ı Initial F	
Atlantic D Com 1A	30-045-22978					2022
VII. Operational Prac Subsection A through F	tices: Attach	n a complete de IMAC. Attach a com	escription of the act	tions Operator wil	ll take to comply	at to optimize gas capture. with the requirements of tices to minimize venting

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 95974

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	95974
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date
kpickford	DHC required	4/8/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	4/8/2022