

Well Name: TIGER	Well Location: T30N / R13W / SEC 35 / NWSE / 36.76611 / -108.171857	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078213	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004529495	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2662873

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/18/2022

Date Operation Actually Began: 03/15/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:35

Actual Procedure: Subject well was plug and abandoned 3/17/22. See attached for daily operations report.

SR Attachments

Actual Procedure

Tiger\_1\_P\_A\_SR\_20220318123448.pdf

<b>Well Name:</b> TIGER	<b>Well Location:</b> T30N / R13W / SEC 35 / NWSE / 36.76611 / -108.171857	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 1	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMSF078213	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3004529495	<b>Well Status:</b> Abandoned	<b>Operator:</b> HILCORP ENERGY COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> KANDIS ROLAND	<b>Signed on:</b> MAR 18, 2022 12:35 PM
<b>Name:</b> HILCORP ENERGY COMPANY	
<b>Title:</b> Operation Regulatory Tech	
<b>Street Address:</b> 382 Road 3100	
<b>City:</b> Farmington	<b>State:</b> NM
<b>Phone:</b> (505) 599-3400	
<b>Email address:</b> kroland@hilcorp.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 03/18/2022
<b>Signature:</b> Kenneth Rennick	

Tiger 1  
30-045-29495  
P&A SR

**3/15/22** –MIRU. SIBHP – 0 PSI, SICP – 50 PSI, SITP – 50. BDW. POOH w/ Rod String. ND WH, NU BOP. TOOH scanning tbgs. SWI. SDFN.

**3/16/22** – SIBHP – 0 PSI, SICP – 0 PSI, SITP – P/U 4 ½" csg scraper. P/U 46 jts of tbgs. POOH. LD csg scraper. RIH and set cmt retainer @ 1456'. PT csg. Good test. **Received approval from Bill Diers, BLM & Monica Kuehling, NMOCD to pump PC plug under retainer above Perfs.**

**Plug 1 (Fruitland Coal 1584' -1302') Mix and pump: 32 sxs (20 sxs below cmt retainer and 12 sxs above) Class G Neat, Pumped 6.6 bbls slurry, 16 PPG, 1.15 Yield. Displace cement plug w/ 3.1 bbls sting out of retainer, spot 12 sxs above. Displace w/ additional 1.5 bbls. LD 16 tbgs jts. LD setting tool. RU wireline, run CBL sent to BLM & NMOCD. Received verbal approval from Monica Kuehling, NMOCD and Bill Diers, BLM to proceed with approved plugs with surface shoe perf @ 138'. RIH w/ perf gun and shoot 6 holes @ 984'. TOOH w/ perf gun. TIH w/ 4 ½" CICR and set @ 934'.**

**Plug 2 (Fruitland 984' -832') Mix and pump: 30 sxs (18 sxs outside, 4 sxs below retainer & 8 sxs above) Class G Neat, Pumped 6.14 bbls slurry, 16 PPG, 1.15 Yield. Displace cement plug w/ 2 bbls sting out of retainer, spot 8 sxs above. Displace w/ additional 1 bbl. LD 30 tbgs jts. RIH w/ perf gun & shoot 3 holes @ 138'. TOOH w/ perf gun. ND BOP. NU WH.**

**Plug 3 (Surface Shoe 138' – 0') Mix and pump: 86 sxs Class G Neat, 22.9 bbls slurry, 15.7 PPG, 1.15 Yield Circ cmt to surface. WOC. SIW. SDFN.**

**3/17/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – N/A. Dug out WH. Cut off WH. Install dry hole marker. Top off cellar with 6 sx Class G Neat @ 1.25, totaling 1.22 bbl slurry. RDMO


**The subject well was plugged and abandoned on 3/16/2021**



## Current Schematic

Well Name: TIGER #1 [3004529495]

API / UWI 3004529495	Surface Legal Location T30N-R13W-S35	Field Name Fulcher Kutz PC	Route 0206	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,575.00	Original KB/RT Elevation (ft) 5,580.00	KB-Ground Distance (ft) 5.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 91849

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 91849
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	3/22/2022