

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
⁴ API Number 30 - 015-47346		³ Reason for Filing Code/ Effective Date New Well/ 5/20/21
⁷ Property Code 20145	⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831
⁸ Property Name Stevens A	⁹ Well Number 25	

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	13	17S	30E		740	South	1650	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	13	17S	30E		991 740	South	1664 1650	West	Eddy
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 5/20/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G


IV. Well Completion Data

²¹ Spud Date	²² Ready Dat	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
2/1/21	5/20/21	6125'	6010'	4476-5835'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	8.625"	440	242		
7.875"	5.5"	6014'	1290		
	2.875	5704'			

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
5/20/21	5/20/21	5/25/21	24	140	330
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method	
	175	550	298	P	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 
Printed name: Leslie Garvis

Title: Regulatory & Government Affairs Mgr

E-mail Address: lgarvis@burnettoil.com

Date: 6/23/2021

Phone: 817-583-8730

OIL CONSERVATION DIVISION

Approved by: PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 5/13/2022

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, NM 88210
Phone (575) 745-1253 Fax: (575) 745-9790

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 234-6170 Fax: (505) 234-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3463State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102

Revised August 13, 2011

Submit one copy to appropriate
District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

X AMENDED REPORT

API Number 30-015-47346	Pool Code 96831	Pool Name CEDAR LAKE GLORIETA YESO
Property Code 20145	Property Name STEVENS A	Well Number 25
OGRID No. 03080	Operator Name BURNETT OIL COMPANY, INC.	Elevation 3696'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
N	13	17 S	30 E		740	SOUTH	1650	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
N	13	17 S	30 E		991 740	SOUTH	1664 1650	WEST	EDDY
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N: 670192.3 E: 663987.2 NAD 83 N: 670206.2 E: 669266.2 NAD 83 N: 667554.9 E: 664012.8 NAD 83 N: 664913.1 E: 664004.4 NAD 83 BOTTOM HOLE LOCATION Lat - N 32.829950° Long - W 103.928553° NMSPC- N 665906.7 E 665871.8 (NAD-83) SURFACE LOCATION Lat - N 32.829263° Long - W 103.928605° NMSPC- N 665656.9 E 665656.5 (NAD-83) 1664' 1650' 740' 991'	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Leslie Garvis</i> 6/23/21 Signature Date Printed Name lgarvis@burnettoil.com Email Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 25, 2021 Date Surveyed Signature & Seal of Professional Surveyor 7977 Certificate of Gary L. Lopes 7977 BASIN SURVEYS 0' 500' 1000' 1500' 2000' SCALE: 1" = 1000' WO Num.: 35380
--	---



Burnett Oil Company, Inc.

Eddy County, NM NAD 83

Sec 13-T17S-R30E

Stevens A 25

Wellbore #1

Survey: Survey #1

Standard Survey Report

04 February, 2021



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 25
Project:	Eddy County, NM NAD 83	TVD Reference:	3696+17 @ 3713.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3696+17 @ 3713.0usft
Well:	Stevens A 25	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM NAD 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 13-T17S-R30E		
Site Position:		Northing:	667,526.20 usft
From:	Map	Easting:	665,632.30 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 50' 3.845 N
		Longitude:	103° 55' 43.179 W
		Grid Convergence:	0.22 °

Well	Stevens A 25		
Well Position	+N/-S	0.0 usft	Northing: 665,656.90 usft
	+E/-W	0.0 usft	Easting: 665,656.50 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 49' 45.348 N
		Longitude:	103° 55' 42.979 W
		Ground Level:	3,696.0 usft

Wellbore	Wellbore #1		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	01/05/21	6.78
			Dip Angle (°) 60.51
			Field Strength (nT) 47,888.92817640

Design	Wellbore #1		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°) 0.32

Survey Program	Date	02/04/21		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
443.0	6,125.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
443.0	0.70	72.92	443.0	0.8	2.6	0.8	0.16	0.16	0.00
1st MWD Survey									
568.0	0.57	74.06	568.0	1.2	3.9	1.2	0.10	-0.10	0.91
693.0	0.84	97.97	693.0	1.2	5.4	1.3	0.32	0.22	19.13
819.0	0.57	88.12	819.0	1.1	7.0	1.2	0.23	-0.21	-7.82
944.0	0.84	99.80	944.0	1.0	8.5	1.0	0.24	0.22	9.34
1,071.0	2.55	11.83	1,070.9	3.6	10.0	3.7	2.09	1.35	-69.27
1,196.0	2.73	15.26	1,195.8	9.2	11.3	9.3	0.19	0.14	2.74
1,322.0	2.11	21.24	1,321.7	14.2	13.0	14.3	0.53	-0.49	4.75
1,447.0	3.25	355.66	1,446.5	19.9	13.5	20.0	1.30	0.91	-20.46



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 25
Project:	Eddy County, NM NAD 83	TVD Reference:	3696+17 @ 3713.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3696+17 @ 3713.0usft
Well:	Stevens A 25	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,573.0	2.95	350.56	1,572.3	26.7	12.7	26.8	0.32	-0.24	-4.05
1,636.0	3.12	343.97	1,635.3	29.9	12.0	30.0	0.62	0.27	-10.46
1,762.0	3.74	348.98	1,761.0	37.3	10.3	37.3	0.55	0.49	3.98
1,887.0	4.35	357.07	1,885.7	46.0	9.2	46.0	0.67	0.49	6.47
2,013.0	4.53	343.18	2,011.3	55.5	7.6	55.6	0.86	0.14	-11.02
2,139.0	4.88	346.70	2,136.9	65.5	4.9	65.5	0.36	0.28	2.79
2,265.0	4.44	350.21	2,262.5	75.5	2.8	75.5	0.42	-0.35	2.79
2,454.0	4.40	355.84	2,450.9	90.0	1.0	90.0	0.23	-0.02	2.98
2,580.0	4.92	359.97	2,576.5	100.2	0.7	100.2	0.49	0.41	3.28
2,706.0	4.62	357.77	2,702.1	110.7	0.5	110.7	0.28	-0.24	-1.75
2,832.0	4.75	357.77	2,827.7	121.0	0.1	121.0	0.10	0.10	0.00
2,958.0	4.62	357.24	2,953.2	131.2	-0.4	131.2	0.11	-0.10	-0.42
3,147.0	5.32	353.82	3,141.5	147.6	-1.7	147.5	0.40	0.37	-1.81
3,273.0	4.92	353.55	3,267.0	158.7	-2.9	158.7	0.32	-0.32	-0.21
3,398.0	4.75	355.22	3,391.6	169.2	-3.9	169.2	0.18	-0.14	1.34
3,523.0	4.75	355.75	3,516.2	179.5	-4.7	179.5	0.04	0.00	0.42
3,649.0	4.70	352.23	3,641.7	189.8	-5.8	189.8	0.23	-0.04	-2.79
3,774.0	4.62	357.57	3,766.3	200.0	-6.7	199.9	0.35	-0.06	4.27
3,900.0	4.44	354.61	3,891.9	209.9	-7.4	209.8	0.23	-0.14	-2.35
4,026.0	4.57	348.89	4,017.5	219.7	-8.8	219.6	0.37	0.10	-4.54
4,152.0	4.09	351.79	4,143.2	229.0	-10.4	229.0	0.42	-0.38	2.30
4,278.0	4.00	354.87	4,268.9	237.9	-11.5	237.8	0.19	-0.07	2.44
4,403.0	3.74	5.94	4,393.6	246.3	-11.4	246.2	0.63	-0.21	8.86
4,529.0	3.25	27.30	4,519.3	253.5	-9.4	253.5	1.10	-0.39	16.95
4,654.0	2.15	57.10	4,644.2	257.9	-5.8	257.9	1.40	-0.88	23.84
4,780.0	2.15	64.30	4,770.1	260.2	-1.7	260.2	0.21	0.00	5.71
4,905.0	1.45	105.52	4,895.1	260.8	2.0	260.8	1.14	-0.56	32.98
5,031.0	1.45	115.46	5,021.0	259.7	4.9	259.8	0.20	0.00	7.89
5,219.0	1.49	123.10	5,209.0	257.4	9.1	257.4	0.11	0.02	4.06
5,408.0	1.45	114.84	5,397.9	255.0	13.4	255.1	0.11	-0.02	-4.37
5,533.0	1.23	173.82	5,522.9	253.0	14.9	253.1	1.07	-0.18	47.18
5,659.0	0.92	152.81	5,648.9	250.8	15.5	250.9	0.39	-0.25	-16.67
5,785.0	0.44	206.16	5,774.8	249.4	15.8	249.5	0.59	-0.38	42.34
5,911.0	1.01	316.37	5,900.8	249.8	14.8	249.9	0.98	0.45	87.47
6,037.0	0.35	184.01	6,026.8	250.2	14.0	250.3	1.01	-0.52	-105.05
Last MWD Survey 6037 MD/6026.8 TVD 250.2 N 14.0 E N: 665907.1 E: 665670.5									
6,125.0	0.35	184.01	6,114.8	249.7	14.0	249.8	0.00	0.00	0.00
PTB 6125 MD/6114.8 TVD 249.7 N 14.0 E N: 665906.6 E: 665670.4 989.7 FSL & 1662.5 FWL									



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 25
Project:	Eddy County, NM NAD 83	TVD Reference:	3696+17 @ 3713.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3696+17 @ 3713.0usft
Well:	Stevens A 25	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
443.0	443.0	0.8	2.6	1st MWD Survey
6,037.0	6,026.8	250.2	14.0	Last MWD Survey 6037 MD/6026.8 TVD 250.2 N 14.0 E N: 665907.1 E: 665670.4
6,125.0	6,114.8	249.7	14.0	PTB 6125 MD/6114.8 TVD 249.7 N 14.0 E N: 665906.6 E: 665670.4 989.7 FSL



Checked By: _____ Approved By: _____ Date: _____

Burnett Oil Company, Inc.
 Project: Eddy County, NM NAD 83
 Site: Sec 13-T17S-R30E
 Well: Stevens A 25
 Wellbore: Wellbore #1
 Plan: Plan #1 (Stevens A 25/Wellbore #1)

0.00 665656.90 665656.50 32° 49' 45.348 N 103° 55' 42.979 W

Stevens A 25

3696.0
 RKB Elevation: 3696+17 @ 3713.0usft
 North American Datum 1983



Azimuths to Grid North
 True North: -0.22°
 Magnetic North: 6.56°

Magnetic Field
 Strength: 47888.9nT
 Dip Angle: 60.51°
 Date: 01/05/2021
 Model: IGRF2015


Section Details

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0
1250.0	0.00	0.00	1250.0	0.0	0.0	0.00	0.00	0.0
1575.8	4.89	0.32	1575.4	13.9	0.1	1.50	0.32	13.9
4184.5	4.89	0.32	4174.6	236.1	1.3	0.00	0.00	236.1
4510.3	0.00	0.00	4500.0	250.0	1.4	1.50	180.00	250.0
6115.3	0.00	0.00	6105.0	250.0	1.4	0.00	0.00	250.0

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
BHL Stevens A 25	6105.0	250.0	1.4	665906.90	665657.90	32° 49' 47.821 N 103° 55' 42.951 W	

- plan hits target center

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO. 30-015-47346								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC)						5. Lease Name or Unit Agreement Name Stevens A				
						6. Well Number: 25				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Burnett Oil Co. Inc.						9. OGRID 03080				
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102						11. Pool name or Wildcat Cedar Lake Glorieta Yeso				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	13	17S	30E		740	South	1650	West	Eddy
BH:	N	13	17S	30E		991	South	1664	West	Eddy
13. Date Spudded 2/1/21	14. Date T.D. Reached 2/3/21		15. Date Rig Released 2/4/21			16. Date Completed (Ready to Produce) 5/20/21		17. Elevations (DF and RKB, RT, GR, etc.) 3696' GL		
18. Total Measured Depth of Well 6125'			19. Plug Back Measured Depth 6010'			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CCL, GR, DSN		
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta: 4473'-4564' Yeso Top: 4564' Bottom: Not Reached										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16"		39		150'		20"				
8.625"		24		440'		12.25"		242 sxs		
5.5"		17		6014'		7.875"		1290 sxs		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN	25. TUBING RECORD				
					5/20/21	SIZE	DEPTH SET	PACKER SET		
						2 875	5704'	2626'		
26. Perforation record (interval, size, and number) 4476-4696' - 0.42, 40, Open 4753-4997' - 0.42, 40, Open 5075-5363' - 0.42, 40 Open 5492-5835' - 0.42, 40 Open										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
4476-4696'						Frac 555,618 gal SW+30,020# 100 Mesh+211,200# 40/70+37,680# 40/70 RC				
4753-4997'						Frac 562 086 gal SW+29,800# 100 Mesh+211,160# 40/70+37,700# 40/70 RC				
5075-5363'						Frac 556,542 gal SW+30,020# 100 Mesh+208,820# 40/70+37,560# 40/70 RC				
5492-5835'						Frac 556,290 gal SW+30,020# 100 Mesh+208,600# 40/70+37,600# 40/70 RC				
28. PRODUCTION										
Date First Production 5/20/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/25/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 175	Gas - MCF 298	Water - Bbl. 550	Gas - Oil Ratio			
Flow Tubing Press. 140	Casing Pressure 330	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 44				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature  Printed Name Leslie Garvis Title Regulatory & Government Affairs Manager Date 6/23/21 E-mail Address lgarvis@burnettoil.com										

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 89207

ACKNOWLEDGMENTS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 89207
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 89207

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 89207
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	5/13/2022