

Submit a Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-20421
5. Indicate Type of Lease STATE [ ] FEE [X]
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name JONES D
8. Well Number 5
9. OGRID Number 328947
10. Pool name or Wildcat ATOKA; SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3285' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [ ] Gas Well [X] Other
2. Name of Operator SPUR ENERGY PARTNERS LLC
3. Address of Operator 9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024
4. Well Location Unit Letter L : 2310 feet from the SOUTH line and 330 feet from the WEST line
Section 18 Township 18S Range 27E NMPM EDDY County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3285' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [ ] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
DOWNHOLE COMMINGLE [ ]
CLOSED-LOOP SYSTEM [ ]
OTHER: [ ]
SUBSEQUENT REPORT OF:
REMEDIAL WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [X]
CASING/CEMENT JOB [ ]
OTHER: [ ]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/4/2022
On other operator's location at 6:30 am to pre-trip rig. Prep cement truck and trailers. leave at 10 am. blew out tire on the rig and bearing went out on the axle. Made it to Spur location at 7:30, back to Monahans at 12:30am to the hotel.
5/5/2022
Drove to other operator's location and load up frac tank and BOP. Travel to Spur location, spot equipment and rig. Rig up, ND wellhead, NU BOP, unset packer and TOOH. Secure the well and SDFN.
5/6/2022
Drove to location, had safety meeting, wait on wireline, run in with CIBP, set at 1725' RD, RIH with tubing tag CIBP, secure well, SDFW.
5/9/2022
AOL, PJSM, TIH to above CIBP and circulate hole with clean fluid. RU JSI wireline, run CBL from 1,750' to surface. Good cement at surface casing shoe and for a couple hundred ft at surface. Sent to Dave Alvarado with the OCD and he agreed. Good to continue with plugging ops. RIH with tubing, circulate hole with 10lb brine, test casing to 500 psi for 5 minutes, good test, mix and pump plug #1, 25sxs of class C cement from 1725' to 1478'. WOC for 4 hrs, tag cement plug at 1509'. LD 16 jts and broke circulation, mix and pump plug #2, 37 sxs of class C from 1208' to 843'. Pull all pipe out of the hole, secure well, SDFN.
5/10/2022
AOL, PJSM, RIH and tag cement at 841', LD 18 jts, RU hose, break circulation, mix and pump plug #3, 28 sxs class C cement, from 254' to surface. RD floor, ND BOP. RD unit, change two blown tires on equipment, start moving to next location.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

[Empty box for Spud Date]

Rig Release Date:

[Empty box for Rig Release Date]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sarah Chapman TITLE REGULATORY DIRECTOR DATE 05/11/2022

Type or print name SARAH CHAPMAN E-mail address: SCHAPMAN@SPURENERGY.COM PHONE: 832-930-8613

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 5/19/2022
Conditions of Approval (if any):

API #	30-015-20421	<b>Jones D #5 SWD</b>	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	18-18S-27E
Field	Atoka San Andres		Footage	2310' FSL and 330' FWL
Spud Date	5/18/1971		Survey	32.7468376, -104.3258286

Formation (MD)	
San Andres	
Glorieta	
Yeso	
Bone Spring	
Wolfcamp	
Canyon	
Strawn	
Atoka	
Morrow	

RKB	3302'
GL	3285'


Hole Size	11"
TOC	surf
Method	circ returns

Csg Depth	1005'
Size	8-5/8"
Weight	24
Grade	K55
Connections	LTC
Cement	500sx

**Well History**

12/12/2013 Date of first injection  
 5/10/2022 Plugged Well

Cement plug #3  
 254' to surface



Cement plug #2  
 1208' to 841'

Hole Size	7-7/8"
TOC	surf
Method	circ returns

Csg Depth	1976'
Size	5-1/2"
Weight	17
Grade	J55
Connections	LTC
Cement	460sx

Last Update	5/11/2022
By	Hunter Spragg

PBTD	1976'
TD MD	1976'
TD TVD	1976'

Cement plug #1  
 1725' to 1509'

CIBP set at 1775'

Perfs @ 1779'-1934'

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 105873

**CONDITIONS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 105873
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
gcordero	None	5/19/2022