

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-23926
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. L-6652
7. Lease Name or Unit Agreement Name Triangle Ranch RA State Com
8. Well Number 1
9. OGRID Number 7377
10. Pool name or Wildcat Hoag Tank; Morrow

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>O</u> : <u>660</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>14</u> Township <u>19S</u> Range <u>23E</u> NMPM <u>Eddy</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3883'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4/6/22 – MIRU and NU BOP. Set a CIBP at 8175'. Pressured up to 500 psi, good. Spotted 45 sx Class "H" cement on top of CIBP to 7809', tagged. Spotted a 25 sx Class "C" cement plug from 7532'-7279' calc TOC.
4/7/22 – Spotted a 30 sx Class "C" cement plug from 7010'-6707' calc TOC. Perforated at 6155'. Pressured up to 500 psi for 10 min, good. Spotted a 30 sx Class "C" cement plug from 6277'-5965', tagged. Spotted a 30 sx Class "C" cement plug from 4715'-4412' calc TOC. Spotted a 30 sx Class "C" cement plug from 3644'-3341' calc TOC. Perforated at 1610'. Established circulation down 5-1/2" casing and up 8-5/8" casing. Squeezed with 40 sx Class "C" cement in/out from 1610'-1435', tagged.
4/8/22 – Perforated at 355'. Squeezed with 100 sx Class "C" cement in/out from 355' and circulated up to surface.
4/21/22 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE April 29, 2022

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 5/2/2022
Conditions of Approval (if any):

Triangle Ranch RA State Com #1

Sec-TWN-RNG: 14 - T19S - R23E
FOOTAGES: 660 FSL & 1980 FELAPI: 30-015-23926
GR: 3884

Plug 8

Plug 7

TOC Calc'd @ 2394

Plug 6

Plug 5


DV tool @ 6203
Plug 4

Plug 3

Plug 2

Sqz'd Atoka Perfs 8043-8075

Plug 1

Morrow Perfs 8243-8286
Morrow Perfs 8312-8342PBTD: MD
TD: 8,700 MD

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	48		0	305	350	Circ	
B	12 1/4	8 5/8	24	K-55	0	1,560	625	1" to Surf	
C	7 7/8	5 1/2	15.5 & 17		0	8,700	950	Circ 1st stage	2394 Calc'd
						DV tool @ 6203			

FORMATION TOPS

Formation	Top (MD)	Formation	Top (MD)	Formation	Top (MD)
San Andres	235	Canyon	6943		
Glorieta	1595	Strawn	7471		
Abo	3581	Atoka	7916		
Wolfcamp	4637	Morrow	8228		

TUBING DETAIL

? 2 7/8" @ 8295 PKR @ 8296

PLUGS

#	SX	Class	Top	Bottom	Tag	Notes
1	45	H	7809	8175	Y	CIBP
2	25	C	7279	7532	N	
3	30	C	6707	7010	N	
4	30	C	5965	6277	Y	Perforate
5	30	C	4412	4715	N	
6	30	C	3341	3644	N	
7	40	C	1435	1610	Y	Perforate
8	100	C	0	355	N	Perforate

Formation	Top	Bottom	
Morrow	8,312	8,342	w/4000 gals 7 1/2% MS Acid & N2 w/ball sealers, SF w/2000 gals 7 1/2% MS acid, 30000 gals 3 % MS acid & CO2 & 60000# sand
Morrow	8,243	8,286	w/2000 gals 7 1/2% Morrow Acid w/2 drops of 100# eah benzoic flakes and 6 ball sealers
Atoka (Squeezed)	8,043	8,075	w/2500 gals 7 1/2% Morflo acid, N2 and 25 ball sealers

4/29/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 102820

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 102820
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/2/2022