

Well Name: CONOCO AGK FED COM	Well Location: T20S / R24E / SEC 11 / NENW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152613300X3	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Accepted for record – NMOCD gc 5/2/2022

Subsequent Report

Sundry ID: 2667680

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/19/2022

Time Sundry Submitted: 01:36

Date Operation Actually Began: 03/10/2022

Actual Procedure: Please see attached subsequent P&A. Thank you.

SR Attachments

Actual Procedure

Conoco_AGK_Federal_Com_1_4_19_22_20220419133646.pdf

Reclamation Due 9.29.22

Terminate CA NM NM 114016
 Eff. 3.29.22 J. Amos

Well Name: CONOCO AGK FED COM	Well Location: T20S / R24E / SEC 11 / NENW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152613300X3	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA

Signed on: APR 19, 2022 01:36 PM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: Artesia

State: NM

Phone: (575) 748-4168

Email address: tina_huerta@eogresources.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 04/21/2022

Signature: James A. Amos

Conoco AGK Federal Com 1 – Sub P&A
30-015-26133
C-11-20S-24E

3/10/22 – MIRU and NU BOP. RIH with bit and scraper and tagged up at 9075'. Good tag. Spoke with Terry Cartwright with BLM-Carlsbad concerning cement on top of composite plug, approval given to dump bail 35' cement on top of composite plug.

3/14/22 – Dump bailed 8 sx Class H cement on top of composite plug at 9150'-9106' calc TOC.

3/15/22 – Tagged TOC 9110'. Texted Terry Cartwright with BLM and let him know where we tagged. Set a CIBP at 8790'. Pressured up to 500 psi. Either have a leak or hole in casing. Talked to Terry Cartwright with BLM and decided to spot 45 sx Class H cement on top of CIBP. Spotted 45 sx Class H cement on top of CIBP to 8692', tagged. Terry Cartwright witnessed tag.

3/16/22 – Need to spot another 25 sx Class H cement. Spotted a 25 sx Class H cement plug from 8692'-8300', tagged. Terry Cartwright witnessed tag.

3/17/22 – Spotted a 40 sx Class H cement plug from 7614-7420', calc TOC. WOC to tag.

3/18/22 – TIH and cement dropped and tagged TOC 7640'. Talked to Terry Cartwright let him know where we tagged and need to spot another 40 sx Class H cement. Spotted a 40 sx Class H cement plug from 7640'-7418', tagged. Texted Terry Cartwright and let him know where we tagged, sent him a picture of psi gauge on casing and cement plug. Pressured up to 500 psi for 10 min, held good. Perforated at 5658'. Pressured up to 550 psi for 10 min. Texted Terry Cartwright to let him know we could not inject into perf. Drop down 50' and spot 45 sx cement. Spotted a 45 sx Class C cement plug from 5719'-5490', tagged. Let Terry Cartwright know where we tagged. He was good with it.

3/22/22 – Spotted a 30 sx Class C cement plug from 4771'-4620' calc TOC. No tag required. Spotted a 30 sx Class C cement plug from 3562'-3410' calc TOC. No tag required. Spotted a 30 sx Class C cement plug from 2091'-1920' calc TOC. No tag required. Perforated at 1240'. Pressured up to 500 psi for 10 min, held good. Terry Cartwright with BLM on location to witness test. Spotted a 50 sx Class C cement plug from 1307'-1013', tagged. Called Terry Cartwright and let him know where we tagged.

3/23/22 – Spotted 90 sx Class C cement from 522' and circulated up to surface. Topped off casing with cement. Terry Cartwright with BLM witnessed cement to surface.

3/29/22 – Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors. **WELL IS PLUGGED AND ABANDONED.**

Conoco AGK Federal Com 1

Sec-TWN-RNG: Sec. 11 - T20S - R24E API: 30-015-26133
 FOOTAGES: 660' FNL & 1980' FWL GL: 3647

Plug 10

Plug 9

Plug 8

Plug 7

Plug 6

DV Tool at 5608'

Plug 5

Plug 4

Canyon: 7732-7792 (Squeezed)

Plug 3

Plug 2

Atoka: 8832-8872

Plug 1

Existing composite plug 9150

Morrow: 9112-9195

A

B

PBTD: MD
 TD: 9,530 MD

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	14 3/4	9 5/8	36	J-55	0	1,190	950	Circ	
B	8 3/4	7	23/26	J-55/N-80	0	9,530	2825	Circ	

FORMATION TOPS

	Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)	
	San Andres	478		Morrow	9158				
	Glorieta	2028							
	Abo	4714							
	Canyon	7551							
	Atoka	8773							

PLUGS

#	SX	Class	Top	Bottom	Tag	Notes	
1	8	H	9110	9150	Y	Cement on existing composite plug	
2	45	H	8692	8790	Y	CIBP	
3	25	H	8300	8692	Y		
4	80	H	7418	7640	Y		
5	45	C	5490	5719	Y	Perforate	
6	30	C	4620	4771	N		
7	30	C	3410	3562	N		
8	30	C	1920	2091	N		
9	50	C	1013	1307	Y	Perforate	
10	90	C	0	522	N		

PERFORATION DETAIL

	Formation	Top	Bottom	Treatment				
	Morrow	9,180	9,195	Natural				
	Canyon	7,732	7,792	20,600g 20% NEFE - Squeezed				
	Morrow	9,112	9,120					
	Atoka	8,832	8,872	2500g 7-1/2% MSA				

4/27/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 102602

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 102602
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/2/2022