<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 315627

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZO
--

A 1 E 0	AT LIGATION ON LIMIT TO DIGELINE ENTEROPEING TO THE ENTEROPEING									
1. Operator Name and Address		2. OGRID Number								
BTA OIL PRODUCERS, LLC	260297									
104 S Pecos	3. API Number									
Midland, TX 79701		30-025-50166								
4. Property Code	5. Property Name	6. Well No.								
332883	BLUEBELL 22115 19 18 STATE COM	002H								

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
K	19	17S	36E	K	2140	S	1320	W	Lea

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	18	17S	36E	D	50	N	660	W	Lea

9. Pool Information

WC-025 G-	9 S173615C;UPPER PENN	98333

Additional Well Information

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		State	3893
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	11545	Pennsylvanian Shale		6/15/2022
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	10.75	40.5	1900	1025	0
Int1	9.875	7.625	29.7	11157	430	0
Prod	6.75	5.5	20	10957	0	0
Prod	6.75	5	18	19264	880	10957

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☑ and/or 19.15.14.9 (B) NMAC ☑, if applicable.				OIL CONSERVATIO	ON DIVISION	
Signature:				D 151/		
Printed Name:	Electronically filed by Katy Re	dell	Approved By:	Paul F Kautz		
Title:	Title:			Geologist		
Email Address:	il Address: kreddell@btaoil.com			5/20/2022	Expiration Date: 5/20/2024	
Date:	5/9/2022	Phone: 432-682-3753	Conditions of Approval Attached			

1625 N French Dr. Hobbs, NM 88240 Phone (575) 393-6161 Fax (575) 393-0720 District II 811 S First St., Artesia, NM 88210 Phone (575) 748-1283 Fax (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410

Phone (505) 334-6178 Fax (505) 334-6170 District IV

1220 S St Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

30-025-50166		² Pool Code 98333	WC025 G09 S173615C ; UP	PER PENN
Property Code 332883	E		operty Name 15 19-18 STATE COM	⁶ Well Number 2H
¹ OGRID No. 260297		8 OF BTA OIL PR	⁹ Elevation 3893'	

" Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	19	17S	36E		2140	SOUTH	1320	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	17S	36E		50	NORTH	660	WEST	LEA
12 Dedicated Acres 13 Joint or Infill 14 Consolidation Code 15 Order No.									
240									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99981955 Convergence Angle: 00°30'16.80998'

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form APD Comments

Permit 315627

PERMIT COMMENTS

Operator Name and Address:	API Number:
BTA OIL PRODUCERS, LLC [260297]	30-025-50166
104 S Pecos	Well:
Midland, TX 79701	BLUEBELL 22115 19 18 STATE COM #002H

Created By	Comment	Comment Date
pkautz	Fee Cancellation - Rejecting so operator can resubmit and pay fee	5/6/2022

Form APD Conditions

Permit 315627

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
BTA OIL PRODUCERS, LLC [260297]	30-025-50166
104 S Pecos	Well:
Midland, TX 79701	BLUEBELL 22115 19 18 STATE COM #002H

OCD Reviewer	Condition
pkautz	Notify OCD 24 hours prior to casing & cement
pkautz	Will require a File As Drilled C-102 and a Directional Survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud

BTA Oil Producers, LLC

Lea County, NM (NAD 83) Bluebell Bluebell #2H

Wellbore #1

Plan: Design #1

Standard Planning Report - Geographic

05 May, 2022

Planning Report - Geographic

Database: Company: Project:

EDM16

Design #1

BTA Oil Producers, LLC Lea County, NM (NAD 83)

Site: Bluebell Well: Bluebell #2H Wellbore: Wellbore #1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

Minimum Curvature

Design: Project

Lea County, NM (NAD 83), Lea County, NM

Map System: Geo Datum:

Map Zone:

US State Plane 1983 North American Datum 1983 New Mexico Eastern Zone

System Datum:

Ground Level

Using geodetic scale factor

Site Bluebell

Site Position: From:

Northing: Easting: Мар

662,904.75 usft 828,680.74 usft

Latitude: Longitude:

32° 49' 7.891 N 103° 23' 52.775 W

Position Uncertainty: 0.0 usft Slot Radius: 13-3/16 "

Well Bluebell #2H

Well Position +N/-S +E/-W

0.0 usft 0.0 usft 0.0 usft

Northing: Easting:

662,904.75 usft 828,650.74 usft Wellhead Elevation: usft

Latitude: Longitude: Ground Level:

32° 49' 7.894 N 103° 23' 53.126 W 3,893.0 usft

Position Uncertainty Grid Convergence: 0.51 °

Wellbore Wellbore #1

Field Strength Model Name Declination Magnetics Sample Date Dip Angle (°) (°) (nT) IGRF200510 12/31/2009 7.71 60.82 49,167.74092963

Design

Design #1

Audit Notes:

1

Version: Phase: **PROTOTYPE**

Tie On Depth:

0.0

Vertical Section: Depth From (TVD) Direction +N/-S +E/-W (usft) (usft) (usft) (°) 0.0 0.0 0.0 354.94

Plan Survey Tool Program

Date 5/5/2022

Depth From Depth To (usft) (usft) 0.0

Survey (Wellbore)

19,263.7 Design #1 (Wellbore #1)

Tool Name

Remarks

5/5/2022 2:35:47PM

Planning Report - Geographic

Database: EDM16 Company: BTA Oil

Project:

BTA Oil Producers, LLC Lea County, NM (NAD 83)

 Site:
 Bluebell

 Well:
 Bluebell #2H

 Wellbore:
 Wellbore #1

 Design:
 Design #1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

lan Sections											
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00		
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.00	0.00	0.00	0.00		
2,300.0	8.00	312.27	2,298.7	18.8	-20.6	2.00	2.00	0.00	312.27		
8,308.4	8.00	312.27	8,248.6	581.2	-639.4	0.00	0.00	0.00	0.00		
8,708.4	0.00	0.00	8,647.3	600.0	-660.0	2.00	-2.00	0.00	180.00		
11,156.6	0.00	0.00	11,095.5	600.0	-660.0	0.00	0.00	0.00	0.00		
11,206.6	0.00	0.00	11,145.5	600.0	-660.0	0.00	0.00	0.00	0.00		
11,956.6	90.00	359.39	11,623.0	1,077.4	-665.1	12.00	12.00	0.00	359.39		
19,263.7	90.00	359.39	11,623.0	8,384.1	-742.8	0.00	0.00	0.00	0.00	Bluebell #2H BHL	

Planning Report - Geographic

Database: Company:

Project:

EDM16

BTA Oil Producers, LLC Lea County, NM (NAD 83)

 Site:
 Bluebell

 Well:
 Bluebell #2H

 Wellbore:
 Wellbore #1

 Design:
 Design #1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

Planned Survey	,								
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
100.0	0.00	0.00	100.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
200.0	0.00	0.00	200.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
300.0	0.00	0.00	300.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
400.0	0.00	0.00	400.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
500.0	0.00	0.00	500.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
600.0	0.00	0.00	600.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
700.0	0.00	0.00	700.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
800.0	0.00	0.00	800.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
900.0	0.00	0.00	900.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,000.0	0.00	0.00	1,000.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,100.0	0.00	0.00	1,100.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,200.0	0.00	0.00	1,200.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,300.0	0.00	0.00	1,300.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,400.0	0.00	0.00	1,400.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,500.0	0.00	0.00	1,500.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,600.0	0.00	0.00	1,600.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,700.0	0.00	0.00	1,700.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,800.0	0.00	0.00	1,800.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
1,900.0	0.00	0.00	1,900.0	0.0	0.0	662,904.75	828,650.74	32° 49' 7.894 N	103° 23' 53.126 W
2,000.0	2.00	312.27	2,000.0	1.2	-1.3	662,905.93	828,649.45	32° 49' 7.906 N	103° 23' 53.141 W
2,100.0	4.00	312.27	2,099.8	4.7	-5.2	662,909.45	828,645.57	32° 49' 7.941 N	103° 23' 53.186 W
2,200.0	6.00	312.27	2,199.5	10.6	-11.6	662,915.31	828,639.13	32° 49' 7.999 N	103° 23' 53.261 W
2,300.0	8.00	312.27	2,298.7	18.8	-20.6	662,923.51	828,630.11	32° 49' 8.081 N	103° 23' 53.366 W
2,400.0	8.00	312.27	2,397.7	28.1	-30.9	662,932.87	828,619.81	32° 49' 8.175 N	103° 23' 53.486 W
2,500.0	8.00	312.27	2,496.8	37.5	-41.2	662,942.23	828,609.51	32° 49' 8.268 N	103° 23' 53.605 W
2,600.0	8.00	312.27	2,595.8	46.8	-51.5	662,951.59	828,599.21	32° 49' 8.362 N	103° 23' 53.725 W
2,700.0	8.00	312.27	2,694.8	56.2	-61.8	662,960.96	828,588.92	32° 49' 8.455 N	103° 23' 53.845 W
2,800.0	8.00	312.27	2,793.8	65.6	-72.1	662,970.32	828,578.62	32° 49' 8.549 N	103° 23' 53.965 W
2,900.0	8.00	312.27	2,892.9	74.9	-82.4	662,979.68	828,568.32	32° 49' 8.642 N	103° 23' 54.084 W
3,000.0	8.00	312.27	2,991.9	84.3	-92.7	662,989.04	828,558.02	32° 49' 8.736 N	103° 23' 54.204 W
3,100.0	8.00	312.27	3,090.9	93.6	-103.0	662,998.40	828,547.72	32° 49' 8.829 N	103° 23' 54.324 W
3,200.0	8.00	312.27	3,189.9	103.0	-113.3	663,007.77	828,537.43	32° 49' 8.923 N	103° 23' 54.443 W
3,300.0	8.00	312.27	3,289.0	112.4	-123.6	663,017.13	828,527.13	32° 49' 9.016 N	103° 23' 54.563 W
3,400.0	8.00	312.27	3,388.0	121.7	-133.9	663,026.49	828,516.83	32° 49′ 9.110 N	103° 23' 54.683 W
3,500.0	8.00	312.27	3,487.0	131.1	-144.2	663,035.85	828,506.53	32° 49′ 9.204 N	103° 23' 54.802 W
3,600.0	8.00	312.27	3,586.1	140.5	-154.5	663,045.21	828,496.23	32° 49' 9.297 N	103° 23' 54.922 W
3,700.0	8.00	312.27	3,685.1	149.8	-164.8	663,054.57	828,485.94	32° 49' 9.391 N	103° 23' 55.042 W
3,800.0	8.00	312.27	3,784.1	159.2	-175.1	663,063.94	828,475.64	32° 49' 9.484 N	103° 23' 55.162 W
3,900.0		312.27	3,883.1	168.5	-185.4	663,073.30	828,465.34	32° 49' 9.578 N	103° 23' 55.281 W
4,000.0		312.27	3,982.2	177.9	-195.7	663,082.66	828,455.04	32° 49' 9.671 N	103° 23' 55.401 W
4,100.0		312.27	4,081.2	187.3	-206.0	663,092.02	828,444.74	32° 49' 9.765 N	103° 23' 55.521 W
4,200.0	8.00	312.27	4,180.2	196.6	-216.3	663,101.38	828,434.45	32° 49' 9.858 N	103° 23' 55.640 W
4,300.0	8.00	312.27	4,279.2	206.0	-226.6	663,110.75	828,424.15	32° 49' 9.952 N	103° 23' 55.760 W
4,400.0	8.00	312.27	4,378.3	215.4	-236.9	663,120.11	828,413.85	32° 49' 10.045 N	103° 23' 55.880 W
4,500.0	8.00	312.27	4,477.3	224.7	-247.2	663,129.47	828,403.55	32° 49' 10.139 N	103° 23' 55.999 W
4,600.0	8.00	312.27	4,576.3	234.1	-257.5	663,138.83	828,393.25	32° 49' 10.232 N	103° 23' 56.119 W
4,700.0	8.00	312.27	4,675.3	243.4	-267.8	663,148.19	828,382.96	32° 49' 10.326 N	103° 23' 56.239 W
4,800.0	8.00	312.27	4,774.4	252.8	-278.1	663,157.55	828,372.66	32° 49' 10.419 N	103° 23' 56.358 W
4,900.0		312.27	4,873.4	262.2	-288.4	663,166.92	828,362.36	32° 49' 10.513 N	103° 23' 56.478 W
5,000.0	8.00	312.27	4,972.4	271.5	-298.7	663,176.28	828,352.06	32° 49' 10.606 N	103° 23' 56.598 W
5,100.0	8.00	312.27	5,071.5	280.9	-309.0	663,185.64	828,341.76	32° 49' 10.700 N	103° 23' 56.718 W
5,200.0	8.00	312.27	5,170.5	290.2	-319.3	663,195.00	828,331.47	32° 49' 10.793 N	103° 23' 56.837 W
5,300.0		312.27	5,269.5	299.6	-329.6	663,204.36	828,321.17	32° 49' 10.887 N	103° 23' 56.957 W
5,400.0	8.00	312.27	5,368.5	309.0	-339.9	663,213.73	828,310.87	32° 49' 10.980 N	103° 23' 57.077 W

Planning Report - Geographic

Database: Company:

Project:

EDM16

BTA Oil Producers, LLC Lea County, NM (NAD 83)

 Site:
 Bluebell

 Well:
 Bluebell #2H

 Wellbore:
 Wellbore #1

 Design:
 Design #1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

Design.	Desig	,							
Planned Survey	,								
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
5,500.0	8.00	312.27	5,467.6	318.3	-350.2	663,223.09	828,300.57	32° 49' 11.074 N	103° 23' 57.196 W
5,600.0	8.00	312.27	5,566.6	327.7	-360.5	663,232.45	828,290.27	32° 49' 11.168 N	103° 23' 57.316 W
5,700.0	8.00	312.27	5,665.6	337.1	-370.8	663,241.81	828,279.98	32° 49' 11.261 N	103° 23' 57.436 W
5,800.0	8.00	312.27	5,764.6	346.4	-381.1	663,251.17	828,269.68	32° 49' 11.355 N	103° 23' 57.555 W
5,900.0	8.00	312.27	5,863.7	355.8	-391.4	663,260.53	828,259.38	32° 49' 11.448 N	103° 23' 57.675 W
6,000.0	8.00	312.27	5,962.7	365.1	-401.7	663,269.90	828,249.08	32° 49' 11.542 N	103° 23' 57.795 W
6,100.0	8.00	312.27	6,061.7	374.5	-412.0	663,279.26	828,238.78	32° 49' 11.635 N	103° 23' 57.914 W
6,200.0	8.00	312.27	6,160.7	383.9	-422.3	663,288.62	828,228.49	32° 49' 11.729 N	103° 23' 58.034 W
6,300.0	8.00	312.27	6,259.8	393.2	-432.5	663,297.98	828,218.19	32° 49' 11.822 N	103° 23' 58.154 W
6,400.0	8.00	312.27	6,358.8	402.6	-442.8	663,307.34	828,207.89	32° 49' 11.916 N	103° 23' 58.274 W
6,500.0	8.00	312.27	6,457.8	411.9	-453.1	663,316.71	828,197.59	32° 49' 12.009 N	103° 23' 58.393 W
6,600.0	8.00	312.27	6,556.9	421.3	-463.4	663,326.07	828,187.29	32° 49' 12.103 N	103° 23' 58.513 W
6,700.0	8.00	312.27	6,655.9	430.7	-473.7	663,335.43	828,177.00	32° 49' 12.196 N	103° 23' 58.633 W
6,800.0	8.00	312.27	6,754.9	440.0	-484.0	663,344.79	828,166.70	32° 49' 12.290 N	103° 23' 58.752 W
6,900.0	8.00	312.27	6,853.9	449.4	-494.3	663,354.15	828,156.40	32° 49' 12.383 N	103° 23' 58.872 W
7,000.0	8.00	312.27	6,953.0	458.8	-504.6	663,363.51	828,146.10	32° 49' 12.477 N	103° 23' 58.992 W
7,100.0	8.00	312.27	7,052.0	468.1	-514.9	663,372.88	828,135.80	32° 49' 12.570 N	103° 23' 59.111 W
7,200.0	8.00	312.27	7,151.0	477.5	-525.2	663,382.24	828,125.51	32° 49' 12.664 N	103° 23' 59.231 W
7,300.0	8.00	312.27	7,250.0	486.8	-535.5	663,391.60	828,115.21	32° 49' 12.757 N	103° 23' 59.351 W
7,400.0	8.00	312.27	7,349.1	496.2	-545.8	663,400.96	828,104.91	32° 49' 12.851 N	103° 23' 59.471 W
7,500.0	8.00	312.27	7,448.1	505.6	-556.1	663,410.32	828,094.61	32° 49' 12.945 N	103° 23' 59.590 W
7,600.0	8.00	312.27	7,547.1	514.9	-566.4	663,419.69	828,084.31	32° 49' 13.038 N	103° 23' 59.710 W
7,700.0	8.00	312.27	7,646.1	524.3	-576.7	663,429.05	828,074.02	32° 49' 13.132 N	103° 23' 59.830 W
7,800.0	8.00	312.27	7,745.2	533.7	-587.0	663,438.41	828,063.72	32° 49' 13.225 N	103° 23' 59.949 W
7,900.0	8.00	312.27	7,844.2	543.0	-597.3	663,447.77	828,053.42	32° 49' 13.319 N	103° 24' 0.069 W
8,000.0	8.00	312.27	7,943.2	552.4	-607.6	663,457.13	828,043.12	32° 49' 13.412 N	103° 24' 0.189 W
8,100.0	8.00	312.27	8,042.3	561.7	-617.9	663,466.50	828,032.82	32° 49' 13.506 N	103° 24' 0.308 W
8,200.0	8.00	312.27	8,141.3	571.1	-628.2	663,475.86	828,022.53	32° 49' 13.599 N	103° 24' 0.428 W
8,300.0	8.00	312.27	8,240.3	580.5	-638.5	663,485.22	828,012.23	32° 49' 13.693 N	103° 24' 0.548 W
8,308.4	8.00	312.27	8,248.6	581.2	-639.4	663,486.00	828,011.37	32° 49' 13.701 N	103° 24' 0.558 W
8,400.0	6.17	312.27	8,339.5	588.8	-647.7	663,493.60	828,003.01	32° 49' 13.776 N	103° 24' 0.655 W
8,500.0	4.17	312.27	8,439.1	594.9	-654.4	663,499.66	827,996.34	32° 49' 13.837 N	103° 24' 0.732 W
8,600.0	2.17	312.27	8,539.0	598.6	-658.5	663,503.38	827,992.25	32° 49' 13.874 N	103° 24' 0.780 W
8,700.0	0.17	312.27	8,638.9	600.0	-660.0	663,504.75	827,990.75	32° 49' 13.888 N	103° 24' 0.798 W
8,708.4	0.00	0.00	8,647.3	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
8,800.0	0.00	0.00	8,738.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
8,900.0	0.00	0.00	8,838.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,000.0	0.00	0.00	8,938.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,100.0	0.00	0.00	9,038.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,200.0	0.00	0.00	9,138.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,300.0	0.00	0.00	9,238.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,400.0	0.00	0.00	9,338.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,500.0	0.00	0.00	9,438.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,600.0	0.00	0.00	9,538.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,700.0	0.00	0.00	9,638.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,800.0	0.00	0.00	9,738.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
9,900.0	0.00	0.00	9,838.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,000.0	0.00	0.00	9,938.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,100.0	0.00	0.00	10,038.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,200.0	0.00	0.00	10,138.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,300.0	0.00	0.00	10,238.9	600.0	-660.0	663,504.76	827,990.74 827,990.74	32° 49' 13.888 N	103° 24' 0.798 W 103° 24' 0.798 W
10,400.0	0.00	0.00	10,338.9	600.0	-660.0	663,504.76	,	32° 49' 13.888 N 32° 49' 13.888 N	103° 24° 0.798 W
10,500.0	0.00	0.00	10,438.9	600.0	-660.0	663,504.76	827,990.74		
10,600.0	0.00	0.00	10,538.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,700.0	0.00	0.00	10,638.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W

Planning Report - Geographic

Database: Company:

EDM16

BTA Oil Producers, LLC

Project: Site:

Well: Wellbore: Design:

Lea County, NM (NAD 83) Bluebell

Bluebell #2H Wellbore #1 Design #1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

Planned Survey	,								
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
10,800.0	0.00	0.00	10,738.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
10,900.0	0.00	0.00	10,838.9	600.0	-660.0	663,504.76	827,990.74	32° 49′ 13.888 N	103° 24' 0.798 W
11,000.0	0.00	0.00	10,938.9	600.0	-660.0	663,504.76	827,990.74	32° 49′ 13.888 N	103° 24' 0.798 W
11,100.0	0.00	0.00	11,038.9	600.0	-660.0	663,504.76	827,990.74	32° 49′ 13.888 N	103° 24' 0.798 W
11,156.6	0.00	0.00	11,095.5	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
11,200.0	0.00	0.00	11,138.9	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
11,206.6	0.00	0.00	11,145.5	600.0	-660.0	663,504.76	827,990.74	32° 49' 13.888 N	103° 24' 0.798 W
11,300.0	11.21	359.39	11,238.3	609.1	-660.1	663,513.86	827,990.64	32° 49' 13.978 N	103° 24' 0.798 W
11,400.0	23.21	359.39	11,333.7	638.6	-660.4	663,543.39	827,990.33	32° 49' 14.270 N	103° 24' 0.798 W
11,500.0	35.21	359.39	11,420.8	687.3	-660.9	663,592.09	827,989.81	32° 49' 14.752 N	103° 24' 0.799 W
11,600.0	47.21	359.39	11,495.9	753.1	-661.6	663,657.85	827,989.11	32° 49' 15.403 N	103° 24' 0.801 W
11,700.0	59.21	359.39	11,555.7	833.0	-662.5	663,737.78	827,988.26	32° 49' 16.194 N	103° 24' 0.803 W
11,800.0	71.21	359.39	11,597.5	923.6	-663.4	663,828.39	827,987.29	32° 49' 17.090 N	103° 24' 0.804 W
11,900.0	83.21 90.00	359.39 359.39	11,619.6	1,021.0 1,077.4	-664.5 -665.1	663,925.73	827,986.26	32° 49' 18.053 N	103° 24' 0.807 W 103° 24' 0.808 W
11,956.6			11,623.0			663,982.20	827,985.66	32° 49' 18.612 N 32° 49' 19.041 N	I
12,000.0 12,100.0	90.00 90.00	359.39 359.39	11,623.0 11,623.0	1,120.8 1,220.8	-665.5 -666.6	664,025.59 664,125.58	827,985.20 827,984.13	32° 49' 20.031 N	103° 24' 0.809 W 103° 24' 0.811 W
12,100.0	90.00	359.39	11,623.0	1,320.8	-667.7	664,225.58	827,983.07	32° 49′ 21.020 N	103° 24' 0.811 W
12,300.0	90.00	359.39	11,623.0	1,420.8	-668.7	664,325.57	827,982.01	32° 49' 22.010 N	103° 24' 0.815 W
12,400.0	90.00	359.39	11,623.0	1,520.8	-669.8	664,425.57	827,980.95	32° 49' 22.999 N	103° 24' 0.817 W
12,500.0	90.00	359.39	11,623.0	1,620.8	-670.9	664,525.56	827,979.88	32° 49' 23.988 N	103° 24' 0.819 W
12,600.0	90.00	359.39	11,623.0	1,720.8	-671.9	664,625.56	827,978.82	32° 49' 24.978 N	103° 24' 0.821 W
12,700.0	90.00	359.39	11,623.0	1,820.8	-673.0	664,725.55	827,977.76	32° 49' 25.967 N	103° 24' 0.823 W
12,800.0	90.00	359.39	11,623.0	1,920.8	-674.0	664,825.55	827,976.69	32° 49' 26.957 N	103° 24' 0.826 W
12,900.0	90.00	359.39	11,623.0	2,020.8	-675.1	664,925.54	827,975.63	32° 49' 27.946 N	103° 24' 0.828 W
13,000.0	90.00	359.39	11,623.0	2,120.8	-676.2	665,025.54	827,974.57	32° 49' 28.936 N	103° 24' 0.830 W
13,100.0	90.00	359.39	11,623.0	2,220.8	-677.2	665,125.53	827,973.50	32° 49' 29.925 N	103° 24' 0.832 W
13,200.0	90.00	359.39	11,623.0	2,320.8	-678.3	665,225.53	827,972.44	32° 49' 30.914 N	103° 24' 0.834 W
13,300.0	90.00	359.39	11,623.0	2,420.8	-679.4	665,325.52	827,971.38	32° 49' 31.904 N	103° 24' 0.836 W
13,400.0	90.00	359.39	11,623.0	2,520.8	-680.4	665,425.52	827,970.31	32° 49' 32.893 N	103° 24' 0.838 W
13,500.0	90.00	359.39	11,623.0	2,620.7	-681.5	665,525.51	827,969.25	32° 49' 33.883 N	103° 24' 0.840 W
13,600.0	90.00	359.39	11,623.0	2,720.7	-682.5	665,625.50	827,968.19	32° 49' 34.872 N	103° 24' 0.842 W
13,700.0	90.00	359.39	11,623.0	2,820.7	-683.6	665,725.50	827,967.12	32° 49' 35.862 N	103° 24' 0.845 W
13,800.0	90.00	359.39	11,623.0	2,920.7	-684.7	665,825.49	827,966.06	32° 49' 36.851 N	103° 24' 0.847 W
13,900.0	90.00	359.39	11,623.0	3,020.7	-685.7	665,925.49	827,965.00	32° 49' 37.840 N	103° 24' 0.849 W
14,000.0	90.00	359.39	11,623.0	3,120.7	-686.8	666,025.48	827,963.93	32° 49' 38.830 N	103° 24' 0.851 W
14,100.0	90.00	359.39	11,623.0	3,220.7	-687.9	666,125.48	827,962.87	32° 49′ 39.819 N	103° 24' 0.853 W
14,200.0	90.00	359.39	11,623.0	3,320.7	-688.9	666,225.47	827,961.81	32° 49' 40.809 N	103° 24' 0.855 W
14,300.0	90.00	359.39	11,623.0	3,420.7	-690.0	666,325.47	827,960.74	32° 49' 41.798 N	103° 24' 0.857 W
14,400.0	90.00	359.39	11,623.0	3,520.7	-691.1	666,425.46	827,959.68	32° 49' 42.787 N	103° 24' 0.859 W
14,500.0	90.00	359.39	11,623.0	3,620.7	-692.1	666,525.46	827,958.62	32° 49' 43.777 N	103° 24' 0.861 W
14,600.0	90.00	359.39	11,623.0	3,720.7	-693.2	666,625.45	827,957.55	32° 49' 44.766 N	103° 24' 0.864 W
14,700.0	90.00	359.39	11,623.0	3,820.7	-694.2	666,725.45	827,956.49	32° 49' 45.756 N	103° 24' 0.866 W
14,800.0	90.00	359.39	11,623.0	3,920.7	-695.3	666,825.44	827,955.43	32° 49' 46.745 N	103° 24' 0.868 W
14,900.0	90.00	359.39	11,623.0	4,020.7	-696.4	666,925.44	827,954.36	32° 49' 47.735 N	103° 24' 0.870 W
15,000.0	90.00	359.39	11,623.0	4,120.7	-697.4	667,025.43	827,953.30	32° 49' 48.724 N	103° 24' 0.872 W
15,100.0	90.00	359.39	11,623.0	4,220.7	-698.5	667,125.43	827,952.24	32° 49' 49.713 N	103° 24' 0.874 W
15,200.0	90.00	359.39	11,623.0	4,320.6	-699.6	667,225.42	827,951.17	32° 49' 50.703 N	103° 24' 0.876 W
15,300.0	90.00	359.39	11,623.0	4,420.6	-700.6	667,325.41	827,950.11	32° 49' 51.692 N	103° 24' 0.878 W
15,400.0	90.00	359.39	11,623.0	4,520.6	-701.7	667,425.41	827,949.05	32° 49' 52.682 N	103° 24' 0.880 W
15,500.0	90.00	359.39	11,623.0	4,620.6	-702.8	667,525.40	827,947.99	32° 49' 53.671 N	103° 24' 0.883 W
15,600.0	90.00	359.39	11,623.0	4,720.6	-703.8	667,625.40	827,946.92	32° 49' 54.661 N	103° 24' 0.885 W
15,700.0	90.00	359.39	11,623.0	4,820.6	-704.9	667,725.39	827,945.86	32° 49' 55.650 N	103° 24' 0.887 W
15,800.0	90.00	359.39	11,623.0	4,920.6	-705.9	667,825.39	827,944.80	32° 49' 56.639 N	103° 24' 0.889 W
15,900.0	90.00	359.39	11,623.0	5,020.6	-707.0	667,925.38	827,943.73	32° 49' 57.629 N	103° 24' 0.891 W

Planning Report - Geographic

Database: Company:

Project:

EDM16

BTA Oil Producers, LLC Lea County, NM (NAD 83)

 Site:
 Bluebell

 Well:
 Bluebell #2H

 Wellbore:
 Wellbore #1

 Design:
 Design #1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:


Survey Calculation Method:

Well Bluebell #2H GL @ 3893.0usft GL @ 3893.0usft

Grid

nned Survey											
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude		
16,000.0	90.00	359.39	11,623.0	5,120.6	-708.1	668,025.38	827,942.67	32° 49' 58.618 N	103° 24' 0.89		
16,100.0	90.00	359.39	11,623.0	5,220.6	-709.1	668,125.37	827,941.61	32° 49' 59.608 N	103° 24' 0.89		
16,200.0	90.00	359.39	11,623.0	5,320.6	-710.2	668,225.37	827,940.54	32° 50' 0.597 N	103° 24' 0.89		
16,300.0	90.00	359.39	11,623.0	5,420.6	-711.3	668,325.36	827,939.48	32° 50' 1.586 N	103° 24' 0.89		
16,400.0	90.00	359.39	11,623.0	5,520.6	-712.3	668,425.36	827,938.42	32° 50' 2.576 N	103° 24' 0.90		
16,500.0	90.00	359.39	11,623.0	5,620.6	-713.4	668,525.35	827,937.35	32° 50' 3.565 N	103° 24' 0.90		
16,600.0	90.00	359.39	11,623.0	5,720.6	-714.4	668,625.35	827,936.29	32° 50' 4.555 N	103° 24' 0.90		
16,700.0	90.00	359.39	11,623.0	5,820.6	-715.5	668,725.34	827,935.23	32° 50' 5.544 N	103° 24' 0.90		
16,800.0	90.00	359.39	11,623.0	5,920.6	-716.6	668,825.34	827,934.16	32° 50' 6.534 N	103° 24' 0.91		
16,900.0	90.00	359.39	11,623.0	6,020.6	-717.6	668,925.33	827,933.10	32° 50' 7.523 N	103° 24' 0.91		
17,000.0	90.00	359.39	11,623.0	6,120.5	-718.7	669,025.32	827,932.04	32° 50' 8.512 N	103° 24' 0.91		
17,100.0	90.00	359.39	11,623.0	6,220.5	-719.8	669,125.32	827,930.97	32° 50' 9.502 N	103° 24' 0.91		
17,200.0	90.00	359.39	11,623.0	6,320.5	-720.8	669,225.31	827,929.91	32° 50' 10.491 N	103° 24' 0.9		
17,300.0	90.00	359.39	11,623.0	6,420.5	-721.9	669,325.31	827,928.85	32° 50' 11.481 N	103° 24' 0.92		
17,400.0	90.00	359.39	11,623.0	6,520.5	-723.0	669,425.30	827,927.78	32° 50' 12.470 N	103° 24' 0.92		
17,500.0	90.00	359.39	11,623.0	6,620.5	-724.0	669,525.30	827,926.72	32° 50' 13.459 N	103° 24' 0.92		
17,600.0	90.00	359.39	11,623.0	6,720.5	-725.1	669,625.29	827,925.66	32° 50' 14.449 N	103° 24' 0.92		
17,700.0	90.00	359.39	11,623.0	6,820.5	-726.1	669,725.29	827,924.59	32° 50' 15.438 N	103° 24' 0.92		
17,800.0	90.00	359.39	11,623.0	6,920.5	-727.2	669,825.28	827,923.53	32° 50' 16.428 N	103° 24' 0.93		
17,900.0	90.00	359.39	11,623.0	7,020.5	-728.3	669,925.28	827,922.47	32° 50' 17.417 N	103° 24' 0.93		
18,000.0	90.00	359.39	11,623.0	7,120.5	-729.3	670,025.27	827,921.40	32° 50' 18.407 N	103° 24' 0.93		
18,100.0	90.00	359.39	11,623.0	7,220.5	-730.4	670,125.27	827,920.34	32° 50' 19.396 N	103° 24' 0.93		
18,200.0	90.00	359.39	11,623.0	7,320.5	-731.5	670,225.26	827,919.28	32° 50' 20.385 N	103° 24' 0.94		
18,300.0	90.00	359.39	11,623.0	7,420.5	-732.5	670,325.26	827,918.21	32° 50' 21.375 N	103° 24' 0.94		
18,400.0	90.00	359.39	11,623.0	7,520.5	-733.6	670,425.25	827,917.15	32° 50' 22.364 N	103° 24' 0.94		
18,500.0	90.00	359.39	11,623.0	7,620.5	-734.6	670,525.25	827,916.09	32° 50' 23.354 N	103° 24' 0.94		
18,600.0	90.00	359.39	11,623.0	7,720.5	-735.7	670,625.24	827,915.02	32° 50' 24.343 N	103° 24' 0.94		
18,700.0	90.00	359.39	11,623.0	7,820.5	-736.8	670,725.23	827,913.96	32° 50' 25.332 N	103° 24' 0.95		
18,800.0	90.00	359.39	11,623.0	7,920.4	-737.8	670,825.23	827,912.90	32° 50' 26.322 N	103° 24' 0.95		
18,900.0	90.00	359.39	11,623.0	8,020.4	-738.9	670,925.22	827,911.84	32° 50' 27.311 N	103° 24' 0.95		
19,000.0	90.00	359.39	11,623.0	8,120.4	-740.0	671,025.22	827,910.77	32° 50' 28.301 N	103° 24' 0.95		
19,100.0	90.00	359.39	11,623.0	8,220.4	-741.0	671,125.20	827,909.71	32° 50' 29.290 N	103° 24' 0.95		
19,200.0	90.00	359.39	11,623.0	8,320.4	-742.1	671,225.20	827,908.65	32° 50' 30.280 N	103° 24' 0.96		
19,263.7	90.00	359.39	11,623.0	8,384.1	-742.8	671,288.88	827,907.97	32° 50' 30.910 N	103° 24' 0.96		

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Bluebell #2H BHL - plan hits target cen - Point	0.00 ter	0.00	11,623.0	8,384.1	-742.8	671,288.88	827,907.97	32° 50' 30.910 N	103° 24' 0.962 W



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: BTA C	oil Producers	s, LLC	_OGRID:2	260297	Date:	5 / 3 / 2022			
II. Type: ☑ Original ☐] Amendment	due to □ 19.15.27.9.	D(6)(a) NMA	□ 19.15.27.9.D(6)(b) NMAC 🗆 (Other.			
If Other, please describe	:								
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to			
Well Name	Name API ULSTR		Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D			
BLUEBELL 22115 19-18 STATE COM 2H		K-19-17S-36E	2140 FSL, 1320 FWI	+/- 800	+/- 2000	+/- 1200			
V. Anticipated Schedul proposed to be recomple Well Name		gle well pad or conne			Initial F				
BLUEBELL 22115 19-18		6/15/2022	7/5/2022	7/19/2022	8/9/2022	2 9/8/2022			
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.									

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🖾 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
				-

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 w	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing we	ell(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated	

\neg	A 441- (O + ,	1	4	14:	:	4-41:	sed line pressi	
- 1	Attach (Unerator'	s man	to manage	production	in response	to the increa	sea iine pressi	ıre

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided	in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific informati	on
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications Effective May 25, 2021

Effective May 25, 2021	
Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:	
☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transposone hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gatherin system; or	n,
□ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport on hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, takin into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:	ıg
Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsectio D of 19.15.27.9 NMAC; or	n
Venting and Flaring Plan. □ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; (b) power generation for grid; (c) compression on lease; (d) liquids removal on lease; (e) reinjection for underground storage; (f) reinjection for temporary storage; (g) reinjection for enhanced oil recovery; (h) fuel cell production; and (i) other alternative beneficial uses approved by the division.	al

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Sample jon
Printed Name: Sammy Hajar
Title: Regulatory Analyst
E-mail Address: SHAJAR@BTAOIL.COM
Date: 5/6/2022
Phone: 432-682-3753
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

- Separation equipment will be sized to provide adequate separation for anticipated rates.
- Separation equipment will allow for adequate retention time to allow gas and liquids to separate.
- Separation equipment will separate all three phases (Oil, Water, and Gas).
- Collection systems are appropriately sized to handle facility production rates on all (3) phases.
- Ancillary equipment and metering is selected to be serviced without flow interruptions or the need to release gas from the well.

VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F 19.15.27.8 NMAC.

Drilling Operations

- All flare stacks will be properly sized. The flare stacks will be located at a minimum 100' from the nearest surface hole location on the pad.
- All natural gas produced during drilling operations will be flared, unless there is an equipment
 malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety and
 the environment, at which point the gas will be vented.

Completions/Recompletions Operations

- New wells will not be flowed back until they are connected to a properly sized gathering system.
- The facility will be built/sized for maximum anticipated flowrates and pressures to minimize waste.
- For flowback operations, multiple stages of separation will be used as well as VRU and blowers to make sure waste is minimized off the storage tanks and facility.
- During initial flowback, the well stream will be routed to separation equipment.
- At an existing facility, when necessary, post separation natural gas will be flared until it meets pipeline specifications, at which point it will be turned into a collection system.
- At a new facility, post separation natural gas will be vented until storage tanks can safely function, at which point it will be flared until it meets pipeline spec.

Production Operations

- Weekly AVOs will be performed on all facilities that produce more than 60 MCFD.
- Leaking thief hatches and pressure safety valves found during AVOs will be cleaned and properly re-sealed.
- All flares will be equipped with auto-ignition systems and continuous pilot operations.
- After a well is stabilized from liquid unloading, the well will be turned back into the collection system.
- All gas lift systems will be optimized to limit the amount of waste.
- All tanks will have automatic gauging equipment installed.

Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- All flared gas will be combusted in a flare stack that is properly sized and designed to ensure proper combustion.
- All gas will have multiple points of separation to ensure no liquids enter flares, combustors, or gas sales line.
- Weekly AVOs will be performed on all wells and facilities that produce more than 60 MCFD.
- All OOOOa facilities will be filmed with an Optical Gas Imaging Thermographer camera once per month to check for fugitive emissions.

Measurement & Estimation

- All volume that is flared and vented that is not measured will be estimated.
- All measurement equipment for flared volumes will conform to API 14.10.
- All meters will be calibrated at regular intervals according to meter manufacturer recommendations.
- When metering is not practical due to low pressure/low rate, the vented or flared volume will be estimated.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

- During downhole well maintenance, BTA will use best management practices to vent as minimally as possible.
- Prior to the commencement of any maintenance, the tank or vessel will be isolated from the rest of the facilities.
- All valves upstream of the equipment will be closed and isolated.
- After equipment has been isolated, the equipment will be blown down to as low a pressure as possible into the collection system.
- If the equipment being maintained cannot be relieved into the collection system, it shall be released to a tank where the vapor can either be captured or combusted if possible.
- After downhole well maintenance, natural gas will be flared until it reaches pipeline specification.