

Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

|                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-29677                                                                                                                                                                                         |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>                                                                                                                  |
| 6. State Oil & Gas Lease No.<br>19552                                                                                                                                                                                |
| 7. Lease Name or Unit Agreement Name<br>South Hobbs G/SA Unit                                                                                                                                                        |
| 8. Well Number 210                                                                                                                                                                                                   |
| 9. OGRID Number<br>157984                                                                                                                                                                                            |
| 10. Pool name or Wildcat<br>Hobbs; Grayburg - San Andres                                                                                                                                                             |
| 4. Well Location<br>Unit Letter <u>D</u> : <u>721</u> feet from the <u>NORTH</u> line and <u>569</u> feet from the <u>WEST</u> line<br>Section <u>34</u> Township <u>18S</u> Range <u>38E</u> NMPM County <u>LEA</u> |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>3636' (GL)                                                                                                                                                     |

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
OCCIDENTAL PERMIAN LTD

3. Address of Operator  
P.O. Box 4294, Houston, TX 77210

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: RTP/LINER ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see planned procedure attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 4/21/2022

Type or print name Roni Mathew E-mail address: roni\_mathew@oxy.com PHONE: 713.215.7827

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 5/23/22  
 Conditions of Appr

SHU 210 (API#: 30-025-29677)  
RTP/Liner

Operation:

- MIRU PU
- Kill well, ND WH – NU BOP
- PU RIH with 6-1/8" bit and Tag PBTD @ 3948' Pressure test csg to 500 psi. DO Cement CIBP @ 4003' continue CO and DO second CIBP @ 4182, CO to TD @ 4380'
- RIH with CICR and set @ 3900,
- RU Cementing trucks and cement sqz existing perforation
- Run 5-1/2", 15.5# L-80 partial liner from 4380' (TD) to 3800'
- RU Cement truck and cement liner, RD Cement trucks
- PU RIH with 6-1/8" bit and DO Cement, CICR, Cement to ~ 3800 (TOL). POOH w/ bit
- PU RIH with 4-3/4" bit and CO liner to PBTD (4380'). POOH w/ bit
- RU WL and Perf as following:
  - 4195' - 4205', 4230' - 4240', 4250' - 4260', 4270' - 4280', 4290' - 4300', 4310' - 4320', 4330' - 4340', 4350' - 4360', 4370' - 4380' (4-JSPF)
- RD WL
- RIH with PPI Tool and acid stim new perms w/ ~ 5000 gal of 15% HCL NEFE, POOH and LD PPI Tool
- RIH with ESP Production equipment
- Install new injection tree (SFRM)
- ND BOP – NU WH, RD MOPU
- Place well back in service

## WELLBORE DIAGRAM

(updated: 04/15/2022 CER)

Revision 0

WELL# SOUTH HOBBS G/SA UNIT #210  
API# 30-025-29677Zone: San Andres  
Spud: 4/18/1986

GL elev 3636.00

## SOUTH HOBBS G/SA UNIT #210

## CEMENT

## DEVIATION SURVEYS

DEPTH

DEGREE

Surface Casing

Cement with 1200 sx Class C x 1% CaCl2

CIRCULATED 289 sx TO SURFACE

14-3/4" hole

10-3/4" 40.5# set at 1650'

Production Casing

Cement with 1600 sx Class C

Circulate 344sx to surface

9-7/8" Hole

CIBP @ 4003  
Cap with Cement to 3948

Perfs: 4126 - 4168'

CIBP @ 4182

Perfs: 4185' to 4360'

7" 23# set at 4380'

**WELLBORE DIAGRAM**

(updated: 04/15/2022 CER)

Revision 0

WELL# **SOUTH HOBBS G/SA UNIT #210**API# **30-025-29677**Zone: **San Andres**

GL elev

**3636.00**Spud: **4/18/1986****SOUTH HOBBS G/SA UNIT #210****CEMENT****DEVIATION SURVEYS****Surface Casing**Cement with 1200 sx Class C x 1% CaCl<sub>2</sub>**CIRCULATED 289 sx TO SURFACE**

14-3/4" hole

**10-3/4" 40.5# set at 1650'****Production Casing**

Cement with 1600 sx Class C

**Circulate 344sx to surface**

9-7/8" Hole

**TOL @ 3800'****Perfs: 4195' - 4205', 4230' - 4240', 4250' - 4260', 4270' - 4280', 4290' - 4300',  
4310' - 4320', 4330' - 4340', 4350' - 4360', 4370' - 4380' (4-JSPF)****5-1/2" 15.5# L-80, from 3800' to 4380'****7" 23# set at 4380'**

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 100416

CONDITIONS

|                                                                               |                                               |
|-------------------------------------------------------------------------------|-----------------------------------------------|
| Operator:<br>OCCIDENTAL PERMIAN LTD<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>157984                              |
|                                                                               | Action Number:<br>100416                      |
|                                                                               | Action Type:<br>[C-103] NOI Workover (C-103G) |

CONDITIONS

|            |           |                |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| kfortner   | None      | 5/23/2022      |