

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

Energy, Minerals and Natural Resources

Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28824
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NM BG State NCT 1
8. Well Number #6
9. OGRID Number 188294
10. Pool name or Wildcat Saunders Permo Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
CrownQuest Operating, LLC

3. Address of Operator
P.O. Box 53310, Midland, TX 79710

4. Well Location
Unit Letter **G** : **1980** feet from the **N** line and **2180** feet from the **E** line
Section **14** Township **14S** Range **33E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4200' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐ PNR
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/22/21 MIRU plugging equipment. POH w/ rods, Kbars & pump. Dug out cellar. **06/23/21** ND well head, NU BOP. Released TAC & POH w/ tbq and anchor. Set 5 1/2" CIBP @ 9725'. Circulated hole w/ 230 BBLS MLF. **06/24/21** Pump'd 5 BBLS brine H2O. Pressure tested csg. Held 500 PSI. Spotted 25 sx class H cmt @ 9725-9527'. Spotted 25 sx class C cmt @ 7050-6803'. Perf'd @ 4300'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt @ 4350-4054'. WOC. **06/25/21** Tagged plug @ 4082'. Perf'd @ 1900'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt @ 1950-1654'. WOC. Tagged plug @ 1696'. Perf'd @ 535'. ND BOP, NU well head. Sqz'd 250 sx class C cmt @ 535' & circulated to surface in 13 3/8" csg. **06/28/21** Rigged down & moved off. **06/30/21** Moved in backhoe and welder, Cut off well head, notified Kerry Fortner w/ OCD via picture text message of cmt at surface. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 5/24/22
Conditions of Approval (if any):

Received by OCD: 5/26/2021 10:53:47 AM

Page 3 of 15

Date Spudded: 08/07/85
4206' KB, 4193' GL

CrownQuest Operating, LLC
 New Mexico "BG" State NCT-1 #6
 1980' FNL, 2180' FEL, Sec. 14, T-14-S, R-33-E,
 Lea County, NM, API #30-025-28824

17 1/2" Hole →
 13 3/8", 61# J-55 csg @ 525'. Cmt
 w/600 sx, circ to surface.

5. Perf'd @ 535'. ND BOP, NU well head. Sqz'd 250 sx class C
 cmt @ 535' & circulated to surface in 13 3/8" csg.

11" Hole →

4. Perf'd @ 1900'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 1950-1654'. WOC. Tagged plug @ 1696'.

8-5/8", 32# J-55 casing @ 4200'.
 Cmt'd w/2000 sx. Circ to surface.

3. Perf'd @ 4300'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 4350-4054'. WOC. Tagged plug @ 4082'.

7 7/8" Hole →

DV Tool @ 7000'

2. Spotted 25 sx class C cmt @ 7050-6803'.

Bough Perfs :
 9765'-9768', 9773'-9779', 9783'-9785',
 9790'-9792', 9806'-9811', 9824'-9828',
 9833'-9835', 9845'-9848', 9868'-9878',
 9882'-9885', 9931'-9935', 9947'-9950',
 9965'-9969'
 Total 129 holes

1. Set 5 1/2" CIBP @ 9725'. Circulated hole w/ 230 BBLS MLF.
 06/24/21 Pump'd 5 BBLS brine H2O. Pressure tested csg. Held 500
 PSI. Spotted 25 sx class H cmt @ 9725-9527'.

5 1/2", 24# S-80, 17# N-80 & K-55 csg @
 10,100'. DV Tool @ 7000'. Stg 1: 950
 sx, Cmt circ. Stg 2: 1200 sx, Cmt circ.

TD: 10,100'
 PBTD: 10,060'

Drawn by: SL

Released to Imaging: 6/11/2021 10:06:40 AM

Received by OCD: 5/26/2021 10:53:47 AM

Page 3 of 15

Date Spudded: 08/07/85
4206' KB, 4193' GL

CrownQuest Operating, LLC
 New Mexico "BG" State NCT-1 #6
 1980' FNL, 2180' FEL, Sec. 14, T-14-S, R-33-E,
 Lea County, NM, API #30-025-28824

17 1/2" Hole →
 13 3/8", 61# J-55 csg @ 525'. Cmt
 w/600 sx, circ to surface.

5. Perf'd @ 535'. ND BOP, NU well head. Sqz'd 250 sx class C
 cmt @ 535' & circulated to surface in 13 3/8" csg.

11" Hole →

4. Perf'd @ 1900'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 1950-1654'. WOC. Tagged plug @ 1696'.

8-5/8", 32# J-55 casing @ 4200'.
 Cmt'd w/2000 sx. Circ to surface.

3. Perf'd @ 4300'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 4350-4054'. WOC. Tagged plug @ 4082'.

7 7/8" Hole →

DV Tool @ 7000'

2. Spotted 25 sx class C cmt @ 7050-6803'.

Bough Perfs :
 9765'-9768', 9773'-9779', 9783'-9785',
 9790'-9792', 9806'-9811', 9824'-9828',
 9833'-9835', 9845'-9848', 9868'-9878',
 9882'-9885', 9931'-9935', 9947'-9950',
 9965'-9969'
 Total 129 holes

1. Set 5 1/2" CIBP @ 9725'. Circulated hole w/ 230 BBLS MLF.
 06/24/21 Pump'd 5 BBLS brine H2O. Pressure tested csg. Held 500
 PSI. Spotted 25 sx class H cmt @ 9725-9527'.

5 1/2", 24# S-80, 17# N-80 & K-55 csg @
 10,100'. DV Tool @ 7000'. Stg 1: 950
 sx, Cmt circ. Stg 2: 1200 sx, Cmt circ.

TD: 10,100'

PBTD: 10,060'

Drawn by: SL

Released to Imaging: 6/11/2021 10:06:40 AM

Received by OCD: 5/26/2021 10:53:47 AM

Page 3 of 15

Date Spudded: 08/07/85
4206' KB, 4193' GL

CrownQuest Operating, LLC
 New Mexico "BG" State NCT-1 #6
 1980' FNL, 2180' FEL, Sec. 14, T-14-S, R-33-E,
 Lea County, NM, API #30-025-28824

17 1/2" Hole →
 13 3/8", 61# J-55 csg @ 525'. Cmt
 w/600 sx, circ to surface.

5. Perf'd @ 535'. ND BOP, NU well head. Sqz'd 250 sx class C
 cmt @ 535' & circulated to surface in 13 3/8" csg.

11" Hole →

4. Perf'd @ 1900'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 1950-1654'. WOC. Tagged plug @ 1696'.

8-5/8", 32# J-55 casing @ 4200'.
 Cmt'd w/2000 sx. Circ to surface.

3. Perf'd @ 4300'. Pressured up on perfs to 500 PSI. Spotted 30 sx
 class C cmt @ 4350-4054'. WOC. Tagged plug @ 4082'.

7 7/8" Hole →

DV Tool @ 7000'

2. Spotted 25 sx class C cmt @ 7050-6803'.

Bough Perfs :
 9765'-9768', 9773'-9779', 9783'-9785',
 9790'-9792', 9806'-9811', 9824'-9828',
 9833'-9835', 9845'-9848', 9868'-9878',
 9882'-9885', 9931'-9935', 9947'-9950',
 9965'-9969'
 Total 129 holes

1. Set 5 1/2" CIBP @ 9725'. Circulated hole w/ 230 BBLS MLF.
 06/24/21 Pump'd 5 BBLS brine H2O. Pressure tested csg. Held 500
 PSI. Spotted 25 sx class H cmt @ 9725-9527'.

5 1/2", 24# S-80, 17# N-80 & K-55 csg @
 10,100'. DV Tool @ 7000'. Stg 1: 950
 sx, Cmt circ. Stg 2: 1200 sx, Cmt circ.

TD: 10,100'
 PBTD: 10,060'

Drawn by: SL

Released to Imaging: 6/11/2021 10:06:40 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 79439

COMMENTS

Operator: CROWNQUEST OPERATING, LLC P.O. Box 53310 Midland, TX 79710	OGRID: 213190
	Action Number: 79439
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	5/24/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 79439

CONDITIONS

Operator: CROWNQUEST OPERATING, LLC P.O. Box 53310 Midland, TX 79710	OGRID: 213190
	Action Number: 79439
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	5/24/2022